# JOURNAL OF ORGANOMETALLIC CHEMISTRY

## CUMULATIVE AUTHOR INDEX: VOL. 301(1986)–325(1987)


Abbayes, H. Des, (314) C43
Abd-El-Aziz, A.S., (315) 79
Abel, E.W., (325) 261
Abicht, H.-P., (309) C47; (311) 57
Aboujaoude, E.E., (304) 283; (312) 283
Abriel, W., (302) 363
Abu-Orabi, S.T., (322) 25
Abu-Salah, O.M., (302) C10
Ackermann, K., (306) 303; (317) 327
Adams, S., (323) 11
Adcock, W., (310) 269
Adrianary, P., (307) 263
Afanasova, O.B., (306) 55
Aguiló, A., (303) 257
Ahbala, M., (307) 205
Ahlgrén, M., (323) 91
Ahsen, V., (317) 301; (319) 197
Aime, S., (309) C51; (320) 229
Aismont, M.Yu., (301) 273
Ajami, A.M., (302) 255
Akbari, M.N., (322) 99
Akiba, M., (316) C17
Akita, M., (301) C17; (323) C43
Akkerman, O.S., (308) 1; (310) C25; (316) 51; (321) 291
Al-Allaf, T.A.K., (306) 337
Al-Ani, F.T., (307) C31
Al-Hassan, M.I., (321) 119
Al-Jabar, N.A.A., (316) 25; (319) 59
Al-Juaid, S.S., (325) 117
Al-Salim, N., (310) C6
Albers, M.O., (306) 385; (311) 207; (323) 37, C39
Albrecht, I., (310) C29
Aleksandrov, G.G., (301) 349
Alekseev, N.V., (306) 55
Alexander, R.P., (314) C73
Alfonso, G.D', (311) 177; C51
Allen, C.C., (309) C21
Allison, N.T., (304) 323
Allspach, T., (306) 39
Allured, V.S., (306) C19
Alonso, A.G., (309) 179
Alonso, F.J.G., (306) C13
Alt, H.G., (303) C13; (307) 121; (308) 11; (310) 27, 357; (314) 105; (315) 337; (316) 105; (316) 301; (317) C38; (320) 37; (321) 9, 209; (323) 339
Altbach, M.I., (306) 375
Altman, J. (309) 241
Alvarez-Toledano, C., (323) 371
Amamria, A., (304) 257
Amouroux, R., (307) 139
Amri, H., (308) C27
Andersen, R.A., (312) C49; (325) 31
Andersson, C., (314) 61
Andersson, S., (301) 257
Andréa, R.R., (307) 307; (316) C24
Andrejewski, D., (319) 183
Andrianary, P., (322) 81
Angelici, R.J., (323) C25
Angelis, M. De, (322) C21
Angerer, W., (303) C29
Angermund, K., (301) 299
Annan, T.A., (325) 83
Antberg, M., (312) C67
Appel, M., (319) C1; (322) 77, 351
Appel, R., (307) 93; (319) 345
Appelt, A., (312) C1, C6; (314) C5
Appler, H., (314) 247, 261
Appleton, T.G., (303) 139
Ara, K.-I., (319) C11
Aradi, A.A., (312) 399
Arcadi, A., (312) C27
Arcas, A., (309) 369
Arce, A.J., (311) 371; (320) 385
Arcelli, A., (309) C63
Archer, C.M., (308) C5
Arenivar, J.D., (316) 139
Arif, A.M., (307) 219; (325) C11
Arkhireeva, T.M., (317) 33
Armbrecht, M., (311) 1
Arnaiz, F.J., (315) 51
Aroney, M.J., (307) 191; (309) 293
Artamkina, G.A., (311) 199; (321) 371
Arz, C., (308) 373
Ascenso, J.R., (301) C23
Ashe III, A.J., (303) 197; (308) 289
Ashok, B., (315) 361
Aslan, H., (315) C64, C69
Astruc, D., (307) C27; (312) 97; (316) 335; (322) C13
Atwood, J.D., (301) 99; (304) 227; (308) 361; (319) 411; (323) 231, 247
Atwood, J.L., (311) 325; (325) 69
Aya, T., (321) 279
Aylett, B.J., (325) 91
Ayoko, G.A., (320) 137
Azizian, J., (303) 387, 397

Baboulene, M., (306) 283
Bach, C., (312) 313
Bacqué, E., (319) C41
Bae, H.K., (317) C1
Baird, M.C., (307) C1; (314) C51
Bakar, W.A.W.A., (322) C1
Baker, P.K., (309) 319
Bakhmutov, V.I., (307) 351
Bakola-Christianopoulou, M.N., (308) C24
Balavoine, G., (306) 257, 267
Balbolov, E., (304) C4
Baldwin, W., (302) 281
Ballesteros, C., (307) 39
Bamgboye, O.A., (306) 17
Bamgboye, T.T., (306) 17
Bandini, A.L., (315) 387
Banditelli, G., (315) 387
Bandy, J.A., (306) 145

Bansal, R.K., (303) 351
Barbot, F., (304) 83
Barceló, F., (301) 375; (309) 199
Barnes, C.E., (321) 257
Barr, D., (325) C1
Barr, N., (302) 117
Barratt, D., (325) 185
Barratt, D.S., (306) C41
Bartley, J.P., (302) 117
Baryshok, V.P., (311) 9
Basu, A., (319) 407, C28
Bates, P.A., (325) 129, 261
Batsanov, A.S., (302) 235, 243; (304) 331
Batson, J.R., (304) 391
Battaglia, L.P., (317) C19
Baudry, D., (311) 189
Bauer, H., (308) 73
Bauer, W., (306) C1
Baumann, R., (303) C33
Baumeister, U., (304) 107
Beachley, O.T., Jr., (325) 69
Beauchamp, A.L., (323) 397
Beck, J., (315) C9
Beck, W., (308) 73; (312) 329; (314) C55; (319) C1; (322) 77, 351
Becker, B., (312) 305
Beckers, H., (316) 41
Beckett, M.A., (325) 261
Beckhaus, R., (317) 23
Beeckman, W., (307) 23
Beek, J.A.M. van, (319) 285
Beentjes, P.C.J., (306) 77
Beer, P.D., (306) 367, C10; (307) C19; (314) C9; (325) C19
Begley, M.J., (316) 281
Begum, M.K., (321) 67
Behm, H., (307) 385
Behr, A., (309) 215; (317) C41
Behrens, P., (310) 333
Behrens, S., (309) 109; (310) 333
Behrens, U., (308) 27; (309) 87, 109; (310) 179, 333; (311) 111; (312) C53; (315) 369; (320) C31; (322) 203
Bekâroğlu, Ö., (317) 301; (319) 99, 197
Bélanger-Gariépy, F., (323) 397
Belaud, C., (319) 303
Beletskaya, I.P., (311) 199; (321) 371
Bell, N.A., (325) 47
Bellis, V.M. De, (320) 391
Bel'sky, V.K., (317) 33
Belyaeva, V.V., (311) 9
Bencini, E., (301) C27
Benecke, J., (320) C31
Benlaarab, H., (320) C51
Benmaarouf-Khallaayoun, Z., (306) 283
Benn, R., (316) 229; (320) 115; (323) 305
Bensch, W., (311) 233
Berglund, M., (314) 61
Berhalter, K., (302) 193
Beringhelli, T., (311) 177, C51; (322) C21
Berke, H., (309) C18; (311) 85; (314) C31
Bermejo, M.-J., (304) 207
Bermudez, M.D., (310) 401
Bernard, K.A., (323) 247
Berndt, J., (301) C21
Berno, P., (301) 161
Berry, F.J., (312) 323
Bertani, R., (303) 283
Berton, A., (302) 351; (303) 283; (314) 369
Bertozzi, S., (307) C35
Besancon, J., (314) C12
Bessenbacher, C., (321) 215
Besson, B., (302) C17
Betz, H., (311) 379
Beurskens, P.T., (307) 385
Bhaduri, S., (319) 407, C28
Bhandari, N.S., (320) 283
Bhatnagar, A.K., (302) 265
Bianca, F. Di, (303) 283, (323) 123
Bickelhaupt, F., (308) 1; (310) C25; (316) 51; (321) 291
Biedrzycka, Z., (314) 53
Bieri, J.H., (306) 241
Bierschenk, T.R., (307) C58
Bihan, J.Y. Le, (321) 353
Bihátsi, L., (321) 7
Bihlmayer, C., (322) 25
Bikrani, M., (312) 207
Bin Shawkataly, O., (315) C51
Binger, P., (323) C35
Binker, G., (311) C11; (323) 323
Biran, C., (321) C27
Birk, R., (309) C18
Birkofer, L., (307) 279
Birot, M., (319) C41
Bitsi, G., (310) 115
Bitterwolf, T.E., (312) 197; (320) 121, 197
Blake, A.J., (308) 297; (323) 261
Blanc, A., (307) 139
Blanco, S.G., (312) C44
Bloch, R., (315) C32
Blom, R., (312) C49
Blunden, S.J., (322) 163; (325) 141
Boaretto, A., (321) 199
Bochkova, R.I., (319) 41
Boekelheide, V., (321) 79
Boer, E.J.M. de, (320) 289
Boer, H.J.R. de, (321) 291
Boersma, J., (320) 1; (322) C37
Boese, R., (306) 105; (306) 295; (311) C11; (315) C17
Boeyens, J.C.A., (309) C21
Böhle, I., (317) 11
Böhlen, E., (323) 21
Böhnke, H., (309) 241
Boldrini, G.P, (301) C62
Bolesławski, M.P., (312) 399
Bonati, F., (317) 121; (309) 363
Boncella, J.M., (312) C49; (325) 217
Bond, A.M., (320) 363
Booth, B.L., (315) 143
Bordeau, M., (321) C27
Borm, J., (304) 309; (306) 29
Bos, W., (307) 385
Bosch, H.W., (317) C5
Böse, R., (323) 323
Bosman, W.P., (307) 385
Botta, M., (320) 229
Botteghi, C., (304) 217; (314) 369; (316) 233
Bouaoud, S.-E., (301) 401
Boukhris, A., (303) 151
Bour, J.J., (307) 385
Boveleth, W., (308) 153; (319) 311
Bovio, B., (317) 121
Bowen, D., (319) 59
Bowen Jones, J., (320) 13
Bower, D.K., (312) C33
Bowman, R.P., (302) 5
Bown, M., (309) C67; (315) C1; (325) 233
Boyar, E., (320) 385
Boyer, J., (301) 131; (311) C39
Bozec, H. Le, (317) C25
Boziaris, E., (312) 67
Bradley, D.C., (325) 55
Brandsma, L., (312) 277; (316) C4, C21
Brauer, D.J., (307) 177; (308) 119; (310) 317; (316) 261; (321) 339
Braunstein, P., (301) 401; (304) 245
Breeze, R., (302) 371

Breitinger, D.K., (301) 1; (306) 273
Brelière, C., (311) C39
Brenneke, H., (320) 115
Bressan, M., (304) 267
Breuer, J., (301) 183
Brianese, N., (310) C1
Briant, C.E., (308) 381
Brill, T.B., (323) 103
Brint, R.P., (319) 219
Brintzinger, H.H., (309) 65; (312) 177; (322) 65
Brix, B., (306) C1
Brocard, J., (309) 299; (310) C63; (320) 295
Brockmann, M., (301) 209; (309) 345; (314) 75
Brodskaya, E.I., (311) 9
Brookhart, M., (310) C39
Brooks, P., (323) C1
Broussier, R., (317) 201
Brown, D.A., (325) 39
Brown, D.S., (302) 343; (308) 207; (320) 13
Brown, J.M., (314) 241
Brown, K.L., (302) 101
Brown, S.S.D., (306) C27
Bruce, D.W., (320) 249
Bruce, M.I., (303) 417; (306) 115; (307) 343; (309) 157; (310) C33; (311) 217; (314) 213, 311, 323; (315) C51; (316) 187; (319) 239; (320) 217; (321) 91
Brüggemann, H., (320) 391
Bruin, P., (307) 307
Brune, H.A., (303) 429; (307) 121, 129; (311) 27; (312) 133; (316) 367
Brunner, H., (308) 55; (309) 313, C4; (316) C1
Bruno, J.W., (315) C13
Bryan, S.J., (325) 39
Bryce, M.R., (325) 153
Buang, N.A., (323) C47
Budzelaar, P.H.M., (320) 1
Bühlmeyer, B., (317) 187
Bühlmeyer, W., (321) 37, 51
Bullock, L.M., (310) C47
Bulychev, B.M., (317) 33; (319) 69
Bungardt, D., (311) 269
Buono, G., (308) 241; (317) 93
Burford, S.C., (311) C35
Bürger, H., (307) 177; (308) 119; (310) 317; (316) 41
Burghardt, R., (302) C30
Burini, A., (309) 363; (317) 121
Burke, M.R., (302) C25
Burley, J.W., (304) 301
Burns, C.J., (312) C49; (325) 31
Bursch, P., (316) 41
Büschges, U., (312) 13
Bush, R.C., (323) C25
Buttrus, N.H., (302) 159; (303) 321; (309) 25; (320) 137

Cabeza, J.A., (322) C16
Cabrera, E., (310) 367; (319) 239
Cacchi, S., (312) C27
Calderazzo, F., (303) 111
Calhorda, M.J., (307) 167; (320) 53, 63
Callan, B., (306) C61; (316) 325
Calogero, S., (309) 363
Cambie, R.C., (315) 171
Cano, F.H., (301) 375; (307) 83; (316) 221; (322) 111
Cano, M., (311) 145
Cantarero, A., (309) 199
Cardaci, G., (323) C10
Cardin, C.J., (325) 203
Cardin, D.J., (325) 203
Cariou, M., (304) 127; (322) 357
Carmona, D., (302) 417; (307) 83; (316) 221
Caro, B., (321) 353
Carr, G.E., (325) 13
Carrera, S.M., (312) C44; (317) 363
Carriedo, C., (301) 79
Carriedo, G.A., (302) 47; (314) 139
Carrondo, M.A.A.F. de C.T., (320) 53, 63
Cartwright, S., (302) 403
Carty, A.J., (303) C47; (315) 27
Casasempere, M.A., (309) 323
Casey, C.P., (301) C55; (303) 375
Castel, A., (307) 205; (315) 157; (317) C35
Castiglioni, M., (319) 167
Cauletti, C., (315) 287
Caulton, K.G., (315) C13
Cazaux, L, (315) 277
Cebollada, J.I., (304) 381
Ceccon, A., (301) 161
Cecconi, F., (323) C5
Ceder, R.M., (307) C44
Ceriotti, A., (301) C5; (311) C31
Cerveau, G., (321) 327
Chadha, R.K., (323) 271
Chalmers, A.A., (306) 385
Chaloner, P.A., (324) 283
Chambers, R.D., (325) 13
Chang, L.S., (304) 93; (307) 7
Charrier, C., (309) 323
Charsley, S.M., (307) C19
Chastrette, F., (307) 139
Chastrette, M., (307) 139
Chaudret, B., (317) 69; (320) C51
Chauvin, R., (315) C32
Chee, O.G., (321) 335
Cheer, C.J., (306) 347
Chelucci, G., (304) 217; (307) 107
Chen, H.-J., (306) C19
Chen, H.-M., (316) 255
Chen, M.C., (315) 135
Chen, S., (314) 113; (320) 27
Chen, W., (322) 57
Cheng, C.-C., (308) 237
Cheng, M.-C., (316) C29
Chernyshev, E.A., (306) 55
Chessa, G., (304) 217
Chicote, M.-I., (310) 401
Chipperfield, J.R., (306) 133
Chiusoli, G.P., (314) 231; (315) C45; (317) 373, C19
Chivers, T., (325) 169
Chocron, S., (310) 107; (315) 113
Chopra, S.K., (316) 177
Chou, T.-S., (312) 53
Choukroun, R., (311) C60
Chow, T.J., (311) 339; (316) C20
Chowdhury, R.L., (310) 391; (315) 79; (319) 379
Chung, Y.K., (308) 223; (317) C1
Churchill, M.R., (301) 49, 99; (303) 99; (304) 227; (308) 361; (312) 121; (319) 411; (323) 233, 247
Chuvashev, D.D., (311) 9
Ciani, G., (306) C49; (311) 177; C51; (322) C21
Cinellu, M.A., (307) 107; (315) 387
Clare, P., (310) 161
Clark, G.R., (315) 211
Clark, H.C., (321) 123; (322) 393
Clark, P.W., (302) 117
Clark, R.J.H., (303) 437
Clegg, W., (325) 39, C14
Clement, J.-C., (314) C43

Clucas, J.A, (302) 403; (311) 153
Cochrane, C.M., (315) 211
Cohen, D., (301) 337
Cole-Hamilton, D.J., (306) C41; (320) 249
Colleuille, Y., (302) C17
Collignon, N., (304) 283; (312) 283; (323) 135
Collins, M.J., (310) 169
Collins, M.P., (317) 243; (319) 219
Colomer, E., (321) 327
Comasseto, J.V., (308) 211
Condorelli, G., (315) 73
Connor, J.A., (316) 79; (325) 181
Conrad, M., (316) 121
Conroy-Lewis, F.M., (322) 221
Consiglio, G., (306) C45; (308) 345; (310) C66
Constable, E.C., (301) 203
Contreras, R., (307) 1; (321) 191
Cooper, M.K., (307) 191; (309) 293
Corey, J.Y, (304) 93; (307) 7; (313) 1
Coronas, J.M., (301) 227
Corriu, R.J.P., (301) 131; (306) C5; (311) C39; (312) 305; (320) C1, C7; (321) 327
Costa, M., (315) C45; (317) 373
Costanzo, L.L., (315) 73
Cottee, F.H., (320) 249
Cotton, F.A., (319) 87
Cotton, J.D., (309) 117
Courtot, P., (301) C1
Courtot-Coupez, J., (312) 81
Coutrot, P., (316) 13
Coutsolelos, A., (303) 151
Covarrubias, M., (316) 343
Coville, N.J., (306) 385; (310) 203; (323) 37
Cowie, A.G., (306) C63
Cowley, A.H., (325) C11
Cox, D.P., (310) 269
Cragg, R.H., (302) 19; (303) 329; (304) 87
Craig, D.C., (323) C1
Crane, C.G., (314) C9
Crespo, M., (322) 405
Crespo, M.C., (302) 47
Crociani, B., (303) 283; (323) 123
Cuadrado, I., (311) 333; (320) 317
Cuenca, T., (309) C15
Cunningham, D., (319) C45
Cusack, P.A., (325) 141
Cutler, A.R., (308) 253
Cuvigny, T., (317) 383
Czarkie, D., (315) C25

Da Costa, R.G., (320) 53
Dabdoub, M.J., (308) 211
Dabdoub, V.B., (308) 211
Dagnac, P., (319) 247
D'Agostino, M.F., (303) 361
Dahan, F., (317) 69; (320) C51
Dahlenburg, L., (308) 63; (312) C67
D'Alfonso, G., (311) 177; C51; (322) C21
Damour, D., (319) 333
Danks, I.P., (306) 367
Dao, N.Q., (308) 335
Daolio, S., (309) 283
Daprà, F., (301) 161
Daran, J.-C., (310) 367; (314) C34; (319) 239; (322) 103; (323) 353, 371
Darchen, A., (302) 389
Darling, E.A., (310) 203
Dartiguenave, M., (323) 397
Dartiguenave, Y., (323) 397
Dauter, Z., (312) 349
Davidson, J.L., (322) C1
Davies, A.G., (325) 129
Davies, J.A., (322) 393
Davies, S.G., (320) C19
Davies, S.J., (325) 185
Davis, H.B., (319) C25
Davis, R., (315) 119; (316) 147
Dawes, H., (325) 55
Dawson, R.H., (302) 403; (309) C56; (311) 153
Deacon, G.B., (316) 25; (319) 59; (322) 257
De Angelis, M., (322) C21
De Bellis, V.M., (320) 391
De Boer, E.J.M., (320) 289
De Boer, H.J.R., (321) 291
Deeming, A.J., (301) 385; (311) 371; (320) 385
Deeney, F.T., (317) 243; (319) 219
Degrand, C., (312) 207
Deguchi, T., (309) 209; (312) C75
De Guidi, G., (315) 73
De Haro, C., (317) C23
Dehnicke, K., (309) 125; (316) 85, 95; (317) C9
De Jager, H.E., (316) C24
De Jong, R.L.P., (312) 277; (316) C21
Dekker, J., (320) 1
Del Pino, C., (317) 363
Del Zotto, A., (315) 165
Delavaux, B., (317) 69
Delgado, E., (307) C23
Delgado, M.S., (310) 249
Delogu, G., (304) 217
Demartin, F., (301) C5; (307) 107; (311) C31; (315) 387
De Meric de Bellefon, C., (304) 245
De Montauzon, D., (309) 355
Demuth, A.A.M., (309) 307
Deng, D., (306) 209
Den Haan, K.H., (322) 321; (323) 181
De Paoli, M.-A., (320) 91
Depmeier, W., (314) C1
Derenne, S., (322) 229, 239
Derome, A.E., (317) 61
Des Abbayes, H., (314) C43
De Sanctis, Y., (311) 371
Destri, S., (301) 237
Devaud, M., (307) 15
De Vos, D., (313) 405
Dewan, J.C., (308) C5
De With, J., (320) 289
Dhaher, S.M., (325) 117
Dias, A.R., (307) 167; (320) 53, 63
Di Bianca, F., (303) 283; (323) 123
Dickbreder, R., (309) C43
Dickson, R.S., (314) 333
Dieck, H. tom, (309) 345; (314) 75; (321) 237
Diemert, K., (307) 291
Dietrich, H., (322) 299
Dietrich, K., (314) C1
Dilworth, J.R., (314) C25; (315) C9
Dirnens, V.V., (316) 249
Dixneuf, P.H., (303) C47; (314) C76; (317) 291, C25
Djatlowa, N.M., (314) C59
Djeghaba, Z., (304) 115
Dluzniewski, T., (321) 1
Doak, G.O., (324) 1, 39
Dobson, C.B., (311) C47
Dobson, G.R, (311) C47
Dodd, G.H., (314) 163
Dolby, P.A., (311) 153
Döllein, G., (317) 159
Dombrowski, K.E., (302) 281
Domingos, A.M.T., (320) 63

Dondi, S., (308) 195
Dong, T.-Y., (312) 241
Döppert, K., (301) 41; (303) 205; (308) 303; (319) 351; (320) 177
Dordor-Hedgecock, I.M., (320) C19
Dorf, U., (301) 299
Dötz, K.H., (310) C22
Douglas, W., (308) C14
Downard, A.J., (320) 363
Dräger, M., (301) 27; (306) 183; (312) 155; (316) 57; (320) 273; (323) 11
Drake, J.E., (323) 271
Drake, S.R., (325) C31
Dreeskamp, H., (322) 49
Dreiding, A.S., (306) 241
Drew, M.G.B., (310) 255; (314) 163
Drews, R., (315) 369; (320) C31
Duarte, M.T.L.S., (320) 53, 63
Duboudin, J.-G., (304) 115
Duczmal, W., (317) 85
Dudman, C., (306) 367
Duesler, E.N., (320) 307; (323) 149
Duffy, D.N., (310) C33
Duisenberg, A.J.M., (320) 1
Dunn, P., (311) C55
Dunoguès, J., (309) 35; (319) C41; (321) C27
Dunstan, P., (302) 117
Dupont, J., (321) C13
Durrant, J.L.A., (315) 119; (316) 147
Dusausoy, Y., (314) C12
Dustov, H.B., (301) 349
Dyke, S.F., (302) 117
Dzhemilev, U.M., (304) 17

Eaborn, C., (302) 159; (309) 25; (315) C5; (320) 137; (325) 117
Eberlein, R., (323) 21
Ebner, M., (311) 63
Ebsworth, E.A.V., (312) C41
Eckart, K., (306) 215
Edelmann, F., (308) 27; (309) 87, 109; (310) 333; (311) 111; (312) C53; (315) 369; (320) C31
Edwards, H.G.M., (314) 7
Egert, E., (315) 19
Eggers, S.H., (311) 313; (315) C61
Egorov, M.P., (301) C21
Eichstädt, D., (307) 279
Einholz, W., (315) 1
Einhorn, C., (322) 177
Einstein, F.W.B., (311) 257; (317) 255; (319) C25
Eisch, J.J., (312) 399
Eisenberg, R., (306) C53
Ejike, E.N., (321) 135
El Alami, N., (319) 303
El-Kholi, A., (316) 95; (317) C9
Elkins, T.M., (325) C11
Ellermann, J., (309) 307
Elliott, G.P., (325) 185
Ellis, A.B., (323) 207
Elschenbroich, C., (317) 41
Elsevier, C.J., (304) 353; (325) C23
Endud, S.bt., (302) 371
Enemark, J.H., (309) 313
Eng, G., (310) 285
Engel, M., (307) 15
Engelhardt, H.E., (317) C38
Engelter, C., (315) 255
England, K., (319) 355
Ephritikhine, M., (309) C1; (311) 189
Erker, G., (301) 299; (311) 45; (314) C21; (319) 201
Ermikov, A.F., (311) 9
Ernst, R.D., (316) 213; (318) 29; (321) 389
Ernst, S., (302) 211; (321) 215
Ertas, M., (317) 301; (319) 99, 197
Escaffre, P., (302) C17
Eshuis, J.J.W., (323) 181
Espinet, P., (317) 105
Esteruelas, M.A., (303) 221; (307) 83; (316) 343
Etienne, M., (314) C81
Eujen, R., (316) 261
Evans, D.G., (319) 265
Evans, D.J., (312) C24
Ewing, P., (320) C47

Fachinetti, G., (301) 91
Fackler, Jr., J.P., (303) 437
Fahim, M., (301) C45
Fajardo, M., (312) C44
Fakhr, A., (302) C7; (314) C17; (317) 201
Fallon, G.D., (314) 333
Falshaw, C.P., (315) 321
Falvello, L.R., (319) 87
Fan, Y., (322) 57
Fan, Z., (320) 21
Farhangi, Y., (317) 153
Farona, M.F., (310) 311
Farrugia, L.J., (310) 67; (320) C47
Faupel, P., (302) C4
Favero, G., (315) 237
Fawzi, R., (312) 365
Fehlhammer, W.P., (302) 379
Fenske, D., (309) 125
Ferede, R., (304) 323
Fernandez, M.J., (316) 343
Fetizon, M., (311) 79
Fettinger, J.C., (301) 99; (303) 99; (304) 227; (308) 361; (319) 411; (323) 233
Fiandanese, V., (312) 343
Fiaud, J.-C., (315) C32
Field, J.S., (304) C17; (309) C21; (310) C42, C47, C69; (322) C7
Filipczuk, S.W., (307) 191
Filippou, A.C., (303) C13; (308) 11; (310) 357
Fillaut, J.-L., (317) 291
Fischer, B., (322) C37
Fischer, E.O., (303) C13; (308) 11; (310) 357; (311) 91
Fischer, H., (306) 203; (317) 187; (320) 185; (321) C6
Fischer, R.D., (309) 55; (311) 313; (315) C61, C64, C69
Fittschen, C., (310) 401
Fitzpatrick, N.J., (301) C31
Flöel, M., (314) 151
Florjanczyk, Z., (312) 297
Foà, M., (301) C27
Fobbe, H., (303) 87
Foces-Foces, C., (301) 375; (307) 83; (316) 221; (322) 111
Fochi, G., (301) 91; (307) 145
Foffani, A., (308) 167
Folcher, G., (309) C1
Folest, J.-C., (301) 391
Font-Altaba, M., (309) 369; (315) C22; (316) 169
Font-Bardia,M., (307) C7
Fontaine, X.L.R., (315) C1; (325) 233
Fontana, A., (317) 285
Fontanille, M., (312) C11
Foose, D.S., (312) 121
Forniés, J., (304) 381, C24; (311) 243; (316) 351; (317) 105
Fortuno, C., (317) 105
Foster, D.F., (302) 403
Fraile, M.N., (315) 269

Frampton, C.S., (307) 231
Francalanci, F., (301) C27
Franck-Neumann, M., (301) 61; (315) 59
Fraser, R.R., (310) C60
Fraser, S.G., (309) 319
Frebel, M., (306) 105
Freedman, L.D., (324) 1, 39
Freeman, J.P., (304) 323
Freni, M., (311) 177; C51
Freyberger, G., (323) 21
Frigo, D.M., (325) 55
Frühauf, H.-W., (301) 183; (302) 59; (323) 67
Fu, G., (314) 113
Fu, H.-X., (307) 65
Fujiwara, H., (310) 293
Fukui, H., (303) C21
Fukuzawa, S.-I., (316) 67
Fulep-Poszmik, A., (302) 101
Funaioli, T., (301) 91
Furber, M., (311) C35
Furlani, C., (315) 287
Furlani, D., (302) 165
Furuta, K., (302) 249
Fyfe, C.A., (322) 393

Gabe, E.J., (310) 169
Gaete, W., (316) 169
Gál, D., (321) 249
Gallagher, M.J., (323) C1
Galle, J.E., (312) 399
Gallo, C., (317) 373
Gal'minas, A.M., (301) C21
Galow, P., (319) 139
Galvao, A.M., (307) 167
Galvez, J, (321) 273
Gamage, S.N., (309) C59
Gamasa, M.P., (307) 39
Gambaro, A., (301) 161
Ganis, P., (301) 161; (302) 165; (321) 199
Garcia, E., (307) 39
Garcia, G., (317) C23; (321) 273
Garcia, J., (317) C23
Garcia, M.H., (320) 63
Garcia, M.P., (322) 111
Garcia, V., (322) 249
Garcia Alonso, F.J., (306) C13; (321) C30
Garcia-Blanco, S., (301) 79; (317) 363
Gardano, A., (301) C27
Garland, M.T., (309) 323
Garralda, M.A., (311) 225; (322) 249
Garrigues, B., (302) 153; (314) 19
Gartenmann, T.C.C., (306) 241
Gaspar, P.P., (307) 151
Gatti, G., (301) 237
Gaube, W., (320) 129
Gaudemer, A., (322) 229, 239
Gaur, G., (311) 103; (322) 71
Gautheron, B., (302) C7; (312) 207; (314) C21; (317) 201; (320) C39
Geerlings, P, (306) 395
Gehrke, J.-P., (304) C4
Geib, S.J., (312) 241
Genizi, E., (301) 337
Genthe, W., (306) 215
Gentric, D., (321) 353
Gervais, D., (311) C60
Gesing, E.R.F., (306) 241
Ghilardi, C.A., (312) 283; (323) C5
Giannoccaro, P., (319) 119
Giasolli, T., (316) 315
Gibson, V.C., (325) C14
Gieren, A., (311) 379; (321) 37, 51
Gigliotti, F., (314) 231
Gil, J.I., (311) 243
Gil-Av, E., (307) 377
Gill, U.S., (315) 79
Gilmour, D.I., (302) 127; (308) 381
Gimeno, J., (307) 39
Ginzburg, B.I., (307) 351, 363
Giordano, R., (319) 167
Giovenco, A., (323) 123
Giuffrida, S., (315) 73
Gladiali, S., (304) 217; (307) 107
Glavina, P.G., (317) 255
Glidewell, C., (303) 337; (321) C21
Glowacki, A., (306) 9
Glowiak, T., (316) 163
Gobetto, R., (309) C51; (320) 229
Goddard, R., (308) 85
Goel, A.B., (321) 123
Goffart, J., (307) 23
Gogan, N.J., (301) C31; (317) 55
Goldberg, I., (301) 337; (314) 185
Goldberg, Yu.Sh., (316) 249
Goldman, A.S., (311) 349
Goldschmidt, Z., (301) 337
Goldsworthy, D.H., (319) 257
Goldwhite, H., (310) 21
Gollinger, W., (315) 1
Gómez, M., (314) 131
Gómez-Carrera, A., (315) 329
Gómez-Sal, M.P., (312) C44
Gomez-Sal, P., (301) 79
Gopinathan, S., (310) 1
Gordon, E.M., (306) C53
Górecki, P., (312) 1
Goth, D., (319) 149
Gottlieb, H.E., (301) 337
Goubitz, K., (319) 285
Gould, R.O., (308) 297
Gourdon, A., (304) C1; (306) 145
Graddon, D.P., (317) 153
Grandinetti, F., (315) 287
Granell, J., (307) C44
Grassi, M., (307) C55
Graziani, M., (306) 407
Grdenic, D., (306) 1; (319) 1
Green, M.L.H., (306) 145; (317) 61; (325) 217
Greenwood, N.N., (309) C67; (315) C1; (325) 233
Griessmann, K.-H., (303) C29
Grignon-Dubois, M., (309) 35
Grigor'eva, I.K., (319) 41
Grison, C., (316) 13
Grobe, J., (307) 327; (311) 37
Gron, L.U., (323) 207
Gross, M., (309) 355
Grosse-Ruyken, H., (312) 27; (314) 39
Grossel, M.C., (304) 391; (306) 367
Grosselin, J.-M., (314) C76
Grove, D.M., (315) 401
Guastini, C., (323) 295
Guéguen, M., (312) 81
Guerchais, J.E., (304) 127; (312) 81; (314) C81; (322) 357
Guerchais, V., (312) 97; (316) 335
Guérin, C., (320) C1, C7
Guerra, M.A., (307) C58
Guesmi, S., (303) C47
Guibé, F., (306) 257, 267
Guibé-Jampel, E., (320) 171
Guidi, G. De, (315) 73
Guilard, R., (303) 151; (308) 335
Gupta, R., (311) 281
Gusev, A.I., (306) 55
Gutensohn, K.U., (321) 377
Guyot, D., (315) 157
Gyepes, E., (316) 163

Haaland, A., (312) C49; (322) C24; (325) 311
Haan, K.H. den, (322) 321; (323) 181
Haase, M., (315) 19
Häberle, K., (312) 155
Hacker, R., (316) C4
Haddleton, D.M., (311) C15, C21
Hahn, E., (306) 215
Haiduc, I., (310) 161; (316) 281
Haines, R.J., (304) C17; (309) C21; (310) C42, C47, C69; (322) C7
Hajdu, I.P., (321) 249
Halen, C.J. van, (307) 385
Hall, C.D., (306) 367
Hall, J.R., (303) 139
Hall, M., (315) 321
Hallam, M.F., (315) C35; (325) 271
Haller, K.J., (301) C55; (323) 207
Haltiwanger, R.C., (306) C19
Hamatani, Y, (303) C21
Hammond, P.J., (306) 367
Hammud, H.H., (307) 255
Hamor, T.A., (310) C6
Hampel, B., (301) 283
Han, J.-C., (321) 389
Handlír, K., (315) 299
Hanich, J., (315) C9
Hanika, G., (312) C1; (322) C24
Hänssgen, D., (317) 159
Hara, Y., (312) C71
Harder, C.L., (302) 5
Harding, M.M., (302) 403; (311) 153
Haro, C. de, (317) C23
Harris, R.K., (301) C23
Harrison, P.G., (306) 17
Hartl, H., (319) 77
Hartley, F.R., (306) 133
Hartung, H., (304) 107
Hashida, T., (311) C63
Hasselkuss, G., (321) 339
Haubold, W., (315) 1
Haumaier, L., (301) 355
Haupt, E.T.K., (321) 237
Hayashi, T., (322) C32
Hayashi, Y., (310) 127
Hayen, H.I, (316) 301; (315) 337; (316) 105; (323) 339
Hayes, P.J., (322) 393
He, B., (320) 27
He, J.-G., (307) 115
Heaton, B.T., (301) C5; (311) C31
Hecht, C., (314) 295
Heck, J., (302) 363; (311) C5
Heidrich, J., (312) 329; (322) 77
Heijdenrijk, D., (325) 293
Heil, B., (315) 231
Hein, J., (307) C23
Heinicke, J., (310) C17; (317) 11
Heiser, B., (308) 47
Heisig, H., (303) 343
Heisteeg, B.J.J. van de, (308) 1; (310) C25; (316) 51
Heitz, M.-P., (301) 61; (315) 59
Helms, M., (320) 129
Hemmer, R., (323) C29
Hencsei, P., (321) 7
Hendrickson, D.N., (312) 241
Hengge, E., (314) 1
Henly, T.J., (310) 55
Henner, B.J.L., (312) 305; (320) C1, C7
Hepp, W., (321) 317
Herberhold, M., (301) 355; (308) 35; (309) C29; (310) 27, 95; (314) 105; (315) 105; (317) C38; (320) 37; (321) 37, 51
Herberich, G.E., (307) C16; (308) 153; (309) 143; (312) 13; (314) 123; (319) 9, 311; (320) C35; (322) C29
Herbert, I.R., (308) 373
Herbosa, G.G., (315) 51
Herdtle, J., (315) 1
Herdtweck, E., (314) 151, 295; (319) 183
Hermánek, S., (307) C13
Hernandez, C., (301) 145
Hernandez, E., (311) 307; (315) 245
Herrera, C., (306) C36
Herrmann, W.A., (303) C38; (309) C15; (311) 163; (314) 151, 295; (319) 183, C21; (321) 257
Herzog, R., (320) 197
Hess, R., (303) 429
Hessner, B., (308) 153; (312) 13; (314) 123; (319) 9, 311
Hey, E., (325) 1
Hidalgo, G., (317) 105
Higa, K.T., (325) C7
Higgins, S.J, (325) 285
Higuchi, H., (321) 79
Hill, A.F., (309) C29; (310) 95; (315) 105
Hill, E.A., (302) 5
Hiller, W., (312) 365; (316) 121; (321) 377
Hinrichs, W., (311) 313
Hirschmann, P., (302) 379
Hitchcock, P.B., (302) 159; (303) 321; (309) 25; (315) 27; (320) 137, C27; (325) 1, 117
Ho, N.F., (317) C28
Hoberg, H., (301) C59; (307) C38, C41; (311) 307; (315) 245; (320) 325; (322) 193
Hoch, M., (308) 19
Hodgson, M., (325) C27
Hoff, C.D., (315) 187
Hoffmann, H.M., (320) 273
Hofmann, W., (302) 65; (323) 161
Hohenadel, R., (311) 27
Höhn, A., (306) 227
Holand, S., (316) 271
Holder, A.J., (323) 261
Holecek, J., (315) 299
Holloway, C.E., (303) 1, 39; (304) 41; (321) 143
Holmes, J.M., (301) 203
Holmes, T.F., (325) 13
Holt, E.M., (314) C27
Honig, E.D., (308) 229
Honold, B., (310) 27; (314) 105; (316) 291; (320) 37
Hoogzand, C., (306) 395
Hor, T.S.A., (319) 213
Hori, Y., (321) 397
Hörlein, R., (303) C38; (321) 257
Horn, E., (316) 187
Hornung, N.L., (303) 375
Hostalek, M., (319) 311
Hougen, J., (322) C24; (325) 311
House, D.A., (311) 387
Howard, J.A.K., (325) 185
Howell, J.A.S., (319) C45
Howie, R.A., (303) 213; (304) 301
Hu, C., (307) 115
Huang, Y., (323) 285
Huber, B., (309) C43
Huber, F., (306) 9; (323) 173
Huber, W., (311) 379
Hübner, T., (321) 37, 51
Huch, V., (308) 263
Huet, F., (320) 171
Huggins, J.M., (312) C15
Hughes, C.A., (307) 343
Hughes, D.L., (307) C31; (323) C29, C47

Humphrey, M.G., (314) 213, 311; (315) C51; (321) 91
Humphrey, P.A., (303) 417
Humphries, R.E., (316) 25; (319) 59
Hung, S.C., (312) 53
Hunt, J.J., (320) 307
Hunter, W.E., (311) 325; (325) 69
Hursthouse, M.B., (320) 53; (325) 55, 129, 203, 261
Hussain, B., (325) 55
Hutchinson, D.W., (309) C7
Hutchinson, J.P., (321) 389
Huttner, G., (304) 137, 157, 309; (306) 29; (307) 237; (308) C11; (309) C18; (310) 83, 225; (311) 85; (312) 177, C57; (322) 65; (323) 21, 323
Huy, H.T., (311) 79
Hwan, L., (306) C24; (315) 135
Hyde, T.I., (323) 261
Hynes, M.J., (320) C44

Ibarlucea, L., (311) 225
Igarashi, T., (320) C16
Iglesias, M., (317) 363
Iiskola, E., (314) C49; (319) 327
Iljuchin, A.B., (314) C59
Inamoto, N., (311) C63
Innorta, G., (308) 167
Inumaru, A.T., (320) 91
Iqbal, M., (302) 307
Iraqi, A., (311) C60
Irgolic, K.J., (307) 115
Ishino, M., (309) 209; (312) C75
Isobe, K., (310) 127
Issa, S., (315) 237
Ito, T., (320) C16
Ito, Y., (303) 301
Itoh, K., (314) C46; (319) C11
Ivanov, L.L., (302) 235
Iyer, S.R., (320) 339, 349

Jablonski, C.R., (301) C49
Jackson, S.A., (311) C15
Jacobsen, G.B., (323) 313
Jacobson, R.A., (323) C25
Jager, H.E. de, (316) C24
Jagner, S., (301) 257
Jahn, W., (311) 313
Jain, V.K., (309) 45; (321) 123
Jaitner, P., (311) 379
James, A.P., (310) 47
James, B.R., (309) C59
James, E.J., (316) 79; (325) 181
Janas, Z., (316) 19
Janecki, T., (325) 247
Janik, J.Fr., (323) 149
Janik, T.S., (323) 233, 247
Jannon, G., (309) C51
Jastrzebski, J.T.B.H., (302) C35
Jaud, J., (307) 205
Jawad, H., (302) C30; (312) 67
Jayasinghe, I.S., (317) 55
Jeannin, Y., (304) C1; (310) 367; (323) 371
Jeffery, J.C., (307) C23; (311) C55; (314) 139
Jeffrey, K., (325) C1
Jelinek, T., (307) C13
Jemmis, E.D., (315) 361
Jenkins, S.M., (314) 333
Jenner, G., (307) 263; (310) 115; (322) 81
Jenni, K., (301) C59; (320) 325; (322) 193
Jennings, J.R., (325) 25
Jezowska-Trzebiatowska, B., (322) 331
Jibril, I., (304) 137, 157
Jin, Z., (322) 57
John, C.S., (304) 93
John, G.R., (312) C21
Johnson, B.F.G., (306) C63; (307) 61; (319) C51; (321) 409; (325) C31
Johnson, M.D., (322) 229, 239
Johnston, G.G., (314) C51
Johnston, V.J., (319) C25
Jones, C.J., (307) C19; (325) C19
Jones, P.G., (310) 401; (311) 243
Jones, R.A., (307) 219
Jong, R.L.P. de, (312) 277; (316) C21
Jouan, M., (308) 335
Jousseaume, B., (304) 115
Juengst, C.D., (308) 187
Julia, M., (317) 383
Jung, I.N., (317) C1
Jurkschat, K., (304) 107; (308) 325; (309) C47; (315) 45; (317) 145
Jutzi, P., (301) 283; (309) C43; (319) 139

Kabalka, G.W., (318) 1
Kaganovich, V.S., (323) 111
Kaim, W., (302) 211; (321) 215
Kakimoto, N., (316) C17
Kalck, P., (302) C17
Kamienska-Trela, K., (314) 53
Kaminski, J., (310) 21
Kane-Maguire, L.A.P., (312) C21, C24; (319) C5
Kang, H.C., (321) 79
Kanitz, R, (312) C21
Kanne, U., (309) 215; (317) C41
Kannert, G., (310) 107; (315) 113
Kanters, R.P.F., (307) 385
Kao, L.T.C., (309) 225
Kapoor, P.N., (311) 103; (315) 383; (316) 315; (322) 71
Karim, A., (312) 375; (317) 93
Karjalainen, K., (314) 227
Karsch, H.H., (312) C1, C6; (314) C5; (322) C24
Kashef, N., (323) C47
Kaspar, J., (306) 407
Kato, S., (302) 249
Kaub, J., (312) 221
Kaverin, V.V., (307) 351, 363
Kawahara, T., (323) C43
Kee, T.P., (325) C14
Keefe, A.D., (306) C10; (314) C9
Keister, J.B., (312) C33; (318) 297
Keller, H., (320) 83
Keller, K., (320) C31
Kennard, C.H.L., (309) 117
Kennedy, J.D., (309) C67; (315) C1; (325) 233
Keong, Y.C., (311) 289
Kerber, R.C., (318) 157
Kergoat, R., (304) 127; (322) 357
Kerk, G.J.M. van der, (320) 1
Kerkeni, A., (323) 397
Kerschl, S., (319) 49
Kersting, M., (309) 125
Keys, E.M., (309) 319
Khai, B.T., (309) C63
Khandelwal, B.L., (320) 283
Khatar, R., (319) C51
Kheradmand, H., (310) 115
Khwaja, H., (319) C28
Kikukawa, K., (311) C44
Killing, H., (304) 257
Kilner, M., (302) 181
King, R.B., (314) C27
Kinting, A., (302) 259
Kirillova, N.I., (306) 55
Kiso, Y., (303) C17; (309) C26; (312) 357; (322) C32
Kitagawa, S., (322) 121
Kitching, W., (310) 269
Kite, K., (319) 257

Kizas, O.A., (302) 413
Klapötke, T., (307) 319; (310) 303
Kläui, W., (301) 369
Klaus, J., (301) 209
Klaveness, J., (303) 189
Klaver, W.J., (319) 285
Kleijn, H., (302) 1
Klein, H.-P., (303) 205
Klein, S.I., (302) 87; (304) 371
Kleinwächter, I., (309) 345; (321) 237
Kletzin, H., (306) 227; (310) C11
Kliebisch, U., (314) 33
Klima, S., (321) 209
Klingebiel, U., (306) 295; (314) 33; (315) 19, C17; (323) 1
Knackel, H., (303) 437
Knaup, W., (306) 227
Kneuper, H.-J., (319) C21
Knieriem, B., (314) 53
Kniesel, H., (301) 355
Knobler, C., (323) 371
Knobler, C.B., (302) C10
Knoch, F., (307) 93; (319) 345; (323) 323
Knochel, P., (309) 1
Knoll, K., (307) 237; (310) 225; (312) C57
Knott, A., (308) 55
Knotter, M., (325) 293
Knychala, J., (306) 367
Kobayashi, K., (303) 301
Koch, J., (317) 41
Koch, L., (314) C17
Koch, O., (311) 111
Kochi, J.K., (317) 215; (323) 219
Köffer, D.P.J., (308) 153; (319) 311
Kögler, J., (310) 35; (311) 125
Kohl, F.X., (309) C43
Kohlmann, S., (321) 215
Kojima, M., (301) 17
Kokkes, M.W., (306) 77
Kolesnikov, S.P., (301) C21
Kolis, J.W., (303) 361
Kolobkov, B.I., (301) 349
Kolobova, N.E., (302) 235, 413
Komiya, S., (319) C31
Kondo, T., (309) 333
Kondoh, A, (323) C43
Kondrat'ev, P.V., (301) 173
Konieczny, S., (307) 151
König, K., (314) C1
Konings, M.S., (301) C55
Kool, L.B., (310) 27; (314) 105; (317) C38; (320) 37
Kopasz, J.P., (325) 69
Köpf, H., (303) 167; (307) 319; (310) 303; (315) 9
Kopf, J., (311) 313
Koray, A.R., (317) 301; (319) 99, 197
Korfmacher, W.A., (304) 323
Koridze, A.A., (302) 413
Korsunsky, V.I., (311) 357
Korswagen, R.P., (306) 375
Koten, G. van, (302) C35; (304) 353; (315) 401; (319) 285; (325) 293
Kottwitz, B., (307) 291
Koutsantonis, G.A., (320) 217
Kpoton, A., (301) 131; (311) C39
Kramer, K., (316) C13
Kraus, H.J., (315) C57
Krause, H.-W., (302) 259, 265
Kravtsov, D.N., (303) 121
Krebs, A., (301) C21
Kreindlin, A.Z., (319) 229
Kreissl, F.R., (317) 175; (320) 83
Kreiter, C.G., (302) 217, 35; (303) 367; (310) 35; (311) 125; (312) 59, 221
Kress, W., (301) 1; (306) 273
Krestel, M., (315) C9
Kristiansson, O., (310) 367
Krüger, C., (301) 299; (308) 85; (320) 325; (321) 257
Kruger, G.J., (306) 385; (314) 281; (319) 361; (323) 385
Kruppa, V., (302) C30
Kubicki, M.M., (304) 127; (322) 357
Kuchen, W., (307) 291
Kudinov, A.R., (323) 111
Kudyakov, N.M., (303) 83
Kuhn, N., (301) C9; (302) C4; (304) 181; (314) C39; (315) 93; (320) 391
Kulpe, J., (314) 151
Kumar, R., (323) 53
Kumar Das, V.G., (311) 289; (321) 335; (322) 33, 163
Kümmerle, D., (303) C25
Kun, P.P., (310) 189
Kundel, P., (314) C31
Kunz, E., (303) C1; (320) C11
Kunz, M., (308) 55
Kunz, R.W., (306) 241
Kunze, U., (302) C30; (312) 67
Kuran, W., (312) 1
Kurtev, K., (304) C4
Kurth, Y., (302) 211
Küsthardt, U., (309) C15; (311) 163; (314) 151

Labroue, D., (306) 251
Lagadec, A., (315) 201
Lagow, R.J., (307) C58
Lagrange, G., (308) 335
Lagrone, C.B., (303) 99
Laguna, A., (315) 269
Laguna, M., (315) 269
Lahoz, F.J., (316) 221; (319) C51
Lahuerta, P., (301) 375; (309) 199; (322) 377
Lai, H.Y.C., (306) C24
Lamata, M.P., (316) 221
Landazuri, C., (322) C16
Landi, A., (321) 365
Lanfranchi, M., (312) 249
Lang, H., (304) 137, 157
Langwald, N., (312) 297
Lappert, M.F., (310) 21; (315) 27; (320) C27; (325) 1
Larson, G.L., (313) 141
Larsson, R., (314) 61
Laryukova, M.V., (301) 173
Lasocki, Z., (311) 17
Lasser, W., (302) 201; (308) 303; (311) 69
Latorre, J., (322) 377
Lattes, A., (306) 283
Lavery, A.J., (323) 261
Laviron, E, (302) C7; (309) C11; (314) C17; (317) 201
Lawless, G.A., (325) 203
Lazzaroni, R., (307) C35
Lebibi, J., (309) 299; (310) C63; (320) 295
Le Bihan, J.Y., (321) 353
Lebioda, L., (312) C15
Le Bozec, H., (317) C25
Lechat, J.R., (320) 91
Lecht, R., (311) 45
Lecomte, C., (303) 151
Lee, C.C., (310) 391; (315) 79; (319) 379
Lee, D.H., (317) C45
Lee, F.L., (310) 169
Lee, G.-H., (312) 113
Lee, G.H., (309) 225
Lee, K.S., (307) 71
Lee, S.K., (309) 257
Lee, T.-W., (320) 211
Lee, W.L., (302) 23

Lefloch, P., (311) 79
Legeay, P., (323) 77
Lehmkuhl, H., (303) C43
Leigh, G.J., (323) C29
Leik, R., (312) 177
Leissner, J., (311) C27
Leiva, A.M., (309) 323
Le Marechal, J.-F., (309) C1
Le Marouille, J.-Y., (309) 323; (312) 263; (314) 173; (315) 201
Lemoine, P., (304) 245; (309) 355
Lensch, C., (315) 19
Lensink, C., (325) 169
Leoni, P., (321) 365
Lequan, M., (323) 77
Lequan, R.M., (323) 77
Le Rudulier, M., (310) 209
Leung, W.S., (307) C49
Le Van, D., (307) 327; (311) 37
Levitre, S.A., (308) 253
Lewis, D.B., (325) 185
Lewis, J., (306) C63; (307) 61; (319) C51; (321) 409
Ley, S.V., (302) C13
Leyendecker, M., (302) 35, 217
L'Haridon, P., (304) 127; (322) 357
Li, Y., (302) 171
Li, Y.-J., (301) 49; (312) 121
Liao, M.-Y., (312) 113
Liaw, C.-F., (325) 91
Lickiss, P.D., (302) 159; (308) 159; (309) 25; (315) C5
Liddell, M.J., (320) 217; (321) 91
Liepins, E., (306) 167, 327
Liepinsh, E.E., (316) 249
Liétge, S., (304) 283
Liewald, G.R., (307) 177, (308) 119; (310) 317
Liles, D.C., (306) 385; (323) C39
Lin, I.J.B., (306) C24; (309) 225 (315) 135
Lin, T.-H., (316) C29
Lin, Y., (323) 407
Lin, Y.-T., (307) 273; (317) 277
Lindner, E., (308) 311; (312) 365, C37; (319) 149
Lindqvist, O., (320) 129
Lindsell, W.E., (322) C1
Linse, K., (308) 47
Liou, K.-F., (307) 273
Litvak, V.V., (310) 189
Liu, C.S., (302) 23
Liu, R.-S., (308) 237; (312) 113; (320) 211
Lobkovskii, E.B., (319) 69
Lock, G.A., (303) 213
Loderer, D., (312) 329
Loim, N.M., (301) 173
Lombard, A.van A., (323) 385
Longo, P., (301) 237
Longoni, G., (301) C5; (312) C31; (317) 243; (319) 219
Lopez de la Vega, R., (315) 187
Lopez, A., (311) 145
Lopez, G., (317) C23; (321) 273
Lorenz, I.-P., (316) 121; (321) 377
Losada, J., (320) 317
Lotz, S., (314) 281
Louis, J.M., (311) 79
Low, C.M.R., (302) C1
Lu, L., (307) 285
Lu, X., (304) 239; (307) 285; (323) 407
Luche, J.-L., (322) 177
Lucy, A.R., (314) 241
Lüdemann, F., (303) 167
Ludwig, Jr. E.G., (308) 289; (303) 197
Luh, T.-Y., (307) C49; (317) C28
Luke, M.A., (325) 271
Lukehart, C.M., (316) 319
Lukevics, E., (306) 167, 327; (316) 249
Luo, Y.-Z., (307) 65
Lusser, M., (301) 269; (312) C61
Lüthe, H., (312) 13
Lüttke, W., (314) 53
Luxenburger, G., (323) 161
Lycka, A., (315) 299

Ma, C.K., (304) 87
Ma, D., (323) 407
Mabrouk, S., (301) 391
Macazaga, M.J., (310) 249
Mace, J.M., (321) 409
Machida, K., (322) 121
Machinek, R., (314) 53
Macomber, D.W., (308) 353
Mague, J.T., (305) 1; (324) 57
Mahdi, W., (322) 299
Mahieu, B., (309) C47
Mahon, M.F.T., (320) C44
Maitlis, P.M., (325) 253
Mak, A.N.S, (325) 293
Mak, T.C.W., (311) 289; (317) C28; (322) 33, 163
Malisch, W., (303) C29, C33
Manassero, M., (301) C5; (307) 107; (311) C31; (315) 387
Mancilla, T., (307) 1; (321) 191
Mandon, D., (307) C27
Mann, B.E., (307) C55; (312) C64; (325) 253
Männig, D., (310) 1
Manning, A.R., (306) C61; (316) 325; (323) 53
Manning, P., (307) C55
Manning, P.W., (312) C64
Manojlovic-Muir, L., (301) C1
Mansour, T.S., (310) C60
Manuel, G., (308) 187
Marchino, M.L.N., (307) 97
Marciniec, B., (317) 85
Marechal, J.-F. Le, (309) C1
Marinelli, F., (312) C27
Markó, L., (305) 333
Marks, T.J., (318) 29
Markwell, R.D., (309) 117
Marouille, J.-Y. Le, (309) 323; (312) 263; (314) 173; (315) 201;
Marquez-Silva, R.L., (316) C35
Marr, G., (305) 199; (318) 231
Marsen, K., (315) 211
Marten, D.F., (322) 99
Martin, S., (303) 317
Martina, D., (301) 61; (315) 59
Martinengo, S., (306) C49
Martínez, B., (304) 207
Martinez, F., (317) 105; (316) 351
Martinez-Carrera, S., (301) 79
Martinez-Ripoll, M., (301) 375; (319) 103
Martinho Simoes, J.A., (307) 167
Marton, D., (315) 287; (321) 199
Masaguer, J.R., (310) 249
Mason, J., (309) 45
Masotti, H., (308) 241
Massey, A.G., (302) 343; (308) 207; (316) 25; (319) 59; (320) 13
Masuda, S., (322) 121
Mathey, F., (309) 323; (316) 271
Mathieu, R., (307) C5, C7; (309) 355; (312) 335; (314) 307; (315) C22
Matkovic-Calogovic, D., (306) 1; (319) 1
Matsuda, I., (311) C63; (314) 47; (321) 307
Matsuda, T., (311) C44

Matsui, M., (316) C17
Matsuzaki, T., (320) 239
Matt, D., (301) 401
Matthews, R.S., (325) 153
Mattioda, G., (307) 139
Mauze, B., (322) 131
Mawby, R.J., (310) 121
May, L., (310) 285
Mayer, H., (314) 123; (322) C29
Mazerolles, P., (301) 153
Mazhar, M., (301) 131; (306) C5
Mazouz, A., (320) C39
McArdle, P., (316) 177; (319) C45; (320) C44
McAuley, N., (310) 95
McCarthy, P.J., (306) C27
McCleverty, J.A., (307) C19; (325) C19
McCullough, K.J., (322) C1
McGeary, M.J., (323) 199
McGlinchey, M.J., (303) 361
McIntosh, A.P., (312) C41
McKean, D.C., (312) 183
McKechnie, J.S., (321) C21
McKinney-Forbes, P.K., (310) 285
McMahon, I., (322) 393
McPhail, A.T., (308) 281; (325) C7
McQueen, R.C.S., (325) C31
McQuillan, G.P., (303) 213; (312) 183
McWhinnie, W.R., (310) C6; (312) 323
Mednikov, E.G., (301) C35
Meerssche, M. Van, (309) 267, 273; (317) 145
Meh, D., (302) 5
Mehrotra, R.C., (303) 351; (309) 45
Meidine, M.F., (314) 307
Meier, W., (309) 313
Meller, A., (311) 1
Melník, M., (303) 1, 39; (304) 41; (321) 143
Mena, M., (315) 329
Menjón, B., (304) C24
Mercier, F., (316) 271
Mercier, R., (312) 81
Mercykutty, P.C., (311) 103; (322) 71
Messelhäuser, J., (316) 121; (321) 377
Meunier, P., (320) C39
Meunier-Piret, J., (309) 267, 273; (315) 45; (317) 145
Meyer, J., (303) C5
Meyers, E.A., (306) C36
Meyring, W., (307) 327
Miccoli, G., (312) 343
Micha-Screttas, M., (316) 1
Michels, E., (312) 59, 221
Michl, J., (325) 105
Michman, M., (310) 107; (315) 113
Midollini, S., (312) 383; (323) C5
Mier, G.P.M. van, (322) C37
Miginiac, L., (319) 333; (322) 131
Miginiac, Ph., (304) 83
Mil'chenko, A.Yu., (311) 199; (321) 371
Milchereit, A., (307) C38, C41
Milczarek, R., (323) C35
Miller, J.M., (306) 193
Miller, P.M., (303) 411
Miller, T.J., (302) 19
Millhauser, G., (310) 21
Milner, D.J., (302) 147
Minghetti, G., (307) 107; (315) 387
Mingos, D.M.P., (302) 127; (308) 381; (315) C35; (320) 257; (325) 271
Mink, J., (301) 1; (306) 273
Minshall, E., (309) C21; (310) C47, C69
Mintz, E.A., (307) C52
Misterkiewicz, B., (314) 173; (315) 201
Mistry, T.K., (302) 343; (308) 207
Misumi, S., (321) 79
Mitchell, T.N., (304) 1, 257; (322) 141, 151
Mitchum, R.K., (304) 323
Mitsudo, T.-A., (321) 397
Mitter, F.K., (314) 1
Mlekuz, M., (303) 361
Modder, J.F., (319) 285
Moerlein, S.M., (319) 29
Mohr, G., (304) 157
Mohtachemi, R., (310) 107; (315) 113
Moinet, C., (310) 209
Moise, C., (314) C17
Moldes, I., (315) C22
Molinari, H., (311) 177
Molloy, K.C., (303) 179; (312) 167
Mondal, H., (306) 193
Moneti, S., (312) 383; (323) C5
Montauzon, D. De, (309) 355
Moodley, K.G., (322) C7
Moore, L.S., (311) 281; (315) 309; (321) 15
Mora, M., (309) 369
Moran, G.M., (307) 255
Morán, M., (311) 333; (320) 317
Morandini, F., (306) 407, C45; (308) 345; (310) C66
Moreiras, D., (302) 47
Morell, W., (306) 273
Mori, N., (301) 321
Moro-Oka, Y., (303) C21; (314) C46; (317) C45; (323) C43
Morris, R.H., (309) C59
Morton, S., (314) C25
Mortreux, A., (308) 241; (312) 375; (317) 93
Morvillo, A., (304) 267
Moseley, P.T., (325) 47
Moss, J.R., (315) 255
Moulding, R.P., (304) 391
Mousser, A., (312) 263; (314) 173; (315) 201
Muedas, C.A., (306) 375
Mugnier, Y., (302) C7; (309) C11; (314) C17; (317) 201
Mühlenbernd, T., (314) C21; (319) 201
Muir, K.W., (301) C1; (322) C1
Muller, A., (310) 255
Müller, C., (308) 105
Muller, F., (315) 401
Muller, G., (301) 227
Müller, G., (309) C43; (311) 91; (316) C4; (320) 185; (325) 159
Müller, J., (303) 167; (306) 303; (320) C11
Müller, U., (316) 95; (317) C9
Müller, W.-D., (307) 121
Mulliez, M., (302) 153; (314) 19
Mulvey, R.E., (325) C1
Mun, L.K., (322) 163
Munakata, M., (322) 121
Münstedt, R., (322) 11
Murai, S., (302) 249; (321) 279
Murai, T., (302) 249
Murayama, K., (320) 239
Murphy, M.A., (303) 257
Murrall, N.W., (301) 109
Murray, H.H., (303) 437
Murray, P.T., (323) 53
Murray, S.G., (306) 133
Musco, A., (301) 237
Musso, H., (314) C1
Müssig, S., (320) C23

Myers, J.B. Jr., (316) 319
Mynott, R., (323) C35

Nádvorník, M., (315) 299; (323) 161
Nagashima, H., (314) C46; (319) C11
Nagel, U., (314) C55
Najim, S.T., (315) C5
Nakadaira, Y., (309) 247
Nakagaki, P.C., (311) 193
Nakamura, H., (312) 357
Nakamura, S., (309) 209; (312) C75
Nakamura, Y., (310) 127
Nametkin, N.S., (301) 349; (302) 243
Narayana, C., (323) 145
Nardell, M., (308) 195
Nardelli, M., (317) C19
Naso, F., (312) 343
Nassimbeni, L.R., (315) 255
Navarre, D., (314) C34; (322) 103
Navarro, R., (304) 381; (316) 351
Nazery, M., (303) 329
Nefedov, O.M., (301) C21
Negele, M., (308) 153; (319) 311
Neira, R., (303) 437
Nekhaev, A.I.., (301) 349; (302) 243
Nelson, W.H., (306) 347
Nelson-Reed, K.T., (322) 257
Nemra, G., (304) 245
Neuffer, J., (301) 289
Neumann, W.P., (303) 87; (314) 247, 261
Neuse, E.W., (312) 177
Newbound, T.D., (316) 213
Ng, W.S., (322) 33
Nguyen, V.V., (310) 285
Ni, C., (306) 209
Nicholson, B.K., (306) 139; (309) 257; (320) 217
Nielsen, E., (315) 401
Nietzschmann, E., (310) C17
Niitsu, T., (311) C63
Nikanorov, V.A., (307) 351, 363
Nilsson, M., (301) 257
Nissen-Sobocinska, B., (322) 33
Nist, K., (310) 35; (311) 125
Niven, M.L., (315) 255
Nixon, J.F., (302) 87; (304) 371; (314) 307
Nobel, D., (301) 401
Nobile, C.F., (312) 249
Nolan, S.P., (315) 187
Nolte, R., (314) C21
Norman, A.D., (306) C19
Normant, J.-F., (303) 309, 317; (309) 1
Nöth, H., (308) 131; (310) 1; (312) 139
Nuber, B., (311) 163
Nuel, D., (307) C5
Nussbaum, S., (315) 113

Obendorf, D., (320) 47
Obermann, U., (316) C1
O'Brien, D.H., (307) 115
Odiaka, T.I., (307) 61; (321) 227
Oehme, G., (320) C56
Oehme, H., (319) C16
Öfele, K., (308) 11
Ofori-Okai, K.G., (307) 231
Ofunne, G.C., (315) 143
O'Hare, D., (317) 61; (323) C13
Oharu, K., (309) 247
Ohe, K., (316) 67
Ohmsted, M.C., (304) 93
Ohst, H., (307) C16
Ohsumi, T., (309) 333
Okeya, S., (310) 127
Okuda, J., (320) C35
Olbrich-Deussner, B., (321) 215
Oleynik, I.I., (310) 189
Oliver, J.P., (316) 255; (317) 267; (319) 161
Olszowy, H.A., (310) 269
Oltmanns, P., (308) 19
Ongoka, P., (322) 131
Onoda, T., (312) C71; (320) 239
Onyszchuk, M., (306) 193; (317) C35
Oosthuizen, H.E., (306) 385
Orama, O., (304) 137, 157; (306) 29; (310) 225; (314) 273
Orchin, M., (316) 139
Orlandini, A., (312) 383; (323) C5
Orlova, T.Yu., (304) 331, 337
Oro, L.A., (302) 417; (307) 83; (316) 221, 343; (322) 111, C16
Ortiz, J., (310) 21
Osborne, A.G., (308) 297
Osella, D., (309) C51; (320) 229
Oshima, N., (303) C21; (314) C46; (317) C45
Oskam, A., (304) C13; (306) 77; (307) 307; (316) C24
Ossola, F., (309) 55; (310) C1; (323) 295
Oster, P., (320) 257
Otani, S., (321) 279
Otto, H., (306) C10; (307) 49; (310) C11; (311) 63; (315) C57
Ouzzine, K., (317) C25
Ovchinnikov, Yu.E., (301) 273
Overend, A., (308) C14
Ozaki, S., (319) C31
Özkar, S., (303) 367

Paál-Lukács, J., (321) 249
Padiou, J., (323) 77
Page, J.A., (320) 249
Pain, G.N., (307) 343
Paine, R.T., (320) 307; (323) 149
Pakkanen, T.A., (309) 187; (314) 227, C49; (315) 353; (316) 183; (319) 327
Pakkanen, T.T., (314) C49; (319) 327; (323) 91
Pal-Lukcs, J., (321) 249
Palotai, I.M., (319) C5
Pampaloni, G., (303) 111
Pandey, O.P., (306) 355; (321) 27
Panizo, M., (311) 145
Pannacciulli, E., (319) 119
Pannell, K.H., (301) 145; (316) 315
Pannocchia, P., (302) C21
Paoli, M.A. de, (320) 91
Paolucci, G., (309) 55, 283
Parish, R.V., (311) 281; (315) 309; (321) 15, 135
Párkányi, L., (301) 145; (321) 7
Parker, D., (325) C27
Parker, D.G., (325) 13
Parkin, G., (302) 181; (317) 61
Parlier, A., (312) C11; (322) 103; (323) 353, 371
Parnes, Z.N., (301) 173
Pasman, P., (301) 329
Pasquali, M., (321) 365
Pasynkiewicz, S., (302) 269; (321) 1
Paterson, E.S., (304) 301
Pathak, D.D., (311) 103; (322) 71
Pathirana, H.M.K.K., (312) 323
Patil, S.R., (316) 67
Patin, H., (312) 263; (314) 173
Patrick, J.M., (307) 343
Paul, W., (306) 227
Pauson, P.L., (325) 247
Pavankumar, P.N.V., (315) 361

Pawlowski, V.I., (314) C59
Pearson, K., (311) 153
Peiffer, G., (308) 241; (317) 93
Pelinski, L., (309) 299
Pelizzi, C., (308) 195; (317) C19
Pelizzi, G., (308) 195
Pellegrini, S., (301) 391
Pellinghelli, M.A., (312) 249; (320) 101
Peng, S.-M., (311) 339; (312) 113; (316) C29
Pepermans, H., (306) 395
Peres, Y., (307) C41; (323) 397
Pergola, R.D., (311) C31; (317) 243; (319) 219
Periasamy, M., (309) C39; (319) 113; (323) 145
Périchon, J., (301) 391; (303) 131; (321) C27
Peringer, P., (301) 269; (312) C61; (320) 47; (323) C51
Perkins, O., (302) 101
Perron, R., (302) C17
Perugini, D., (308) 167
Perutz, R.N., (311) C15
Peters, K., (312) 305; (314) 25
Petersen, J.L., (314) C21
Pétillon, F.Y., (301) C1; (312) 81
Petit, F., (308) 241; (312) 375; (317) 93
Petragnani, N., (308) 211
Petrovskii, P.V., (303) 121; (319) 229
Petrovsky, P.V., (304) 331
Pfeffer, M., (321) C13
Pi, R., (306) C1
Picard, C., (315) 277
Pickardt, J., (306) 215
Pickett, C.J., (307) C31
Pierens, R.K., (307) 191; (309) 293
Pietroni, B.R., (309) 363; (317) 121
Pietrzykowski, A., (325) 247
Pignolet, L.H., (307) 385
Pillmann, S., (323) 1
Pilloni, G., (317) 357
Pillot, J.-P., (319) C41
Pince, R., (306) 251
Pino, C. del, (317) 363
Piórko, A., (302) 307; (310) 391; (315) 79; (319) 379
Piraino, P., (322) 369
Piro, G., (301) C5
Pitt, C.G., (308) 281
Pitt, C.P., (325) C7
Plesek, J., (307) C13
Plitzko, K.-D., (321) 79
Pohl, S., (316) C13
Poilblanc, R., (317) 69; (319) 247; (320) C51
Pointeau, P., (312) 263
Poirier, M., (306) C5; (311) C39
Poli, G., (306) 347
Poliakoff, M., (311) C15
Polk, M., (306) 105
Pollhammer, G.I., (314) 1
Polm, L.H., (304) 353
Pombeiro, A.J.L., (306) C33; (323) C47
Pomeroy, R.K., (311) 257; (317) 255; (319) C25
Pons, P., (321) C27
Poplawska, J., (302) 269
Porchia, M., (302) 351; (310) C1; (323) 295
Pornet, J., (319) 333
Pörschke, K.R., (308) 85; (322) 385
Portilla, A., (322) 111
Porzel, A., (312) 27; (314) 39
Potter, D.M., (306) 133
Powell, P., (310) 255
Power, J.M., (325) 203
Power, M.B., (325) 203
Poznjak, A.L., (314) C59
Pracejus, H., (320) C56
Pratten, S.J., (307) 191; (309) 293
Predieri, G., (307) 97; (308) 195; (317) C19
Pregosin, P., (308) 345, 373
Prengel, C., (308) 63
Preut, H., (306) 9; (323) 173
Prewo, R., (306) 241
Priebsch, W., (308) 19
Prigge, H., (310) 1
Probitts, E.J., (310) 121
Prókai-Tátrai, K., (315) 231
Protsky, A.N., (317) 33
Proud, G.P., (301) 385
Prout, K., (306) 145
Puddephatt, R., (319) 129
Puddephatt, R.J., (325) 311
Puebla, M.P., (316) 221
Puff, H., (303) 343; (312) 313
Puga, J., (316) C35
Purcell, T.G, (303) 179; (312) 167
Purdy, A.P., (308) 281; (325) C7
Pursiainen, J., (309) 187; (314) 227; (315) 353
Qian, C., (302) 171; (306) 209; (323) 285
Qian, Y., (314) 113; (320) 27
Qiu, W., (320) 21
Queau, R., (306) 251

Raabe, E., (309) 143; (320) 325
Rae, A.D., (323) C1
Raffaelli, A., (302) C21
Raharinirina, A., (302) 153
Rahman, A.F.M.M., (317) 267; (319) 161
Rai, A.K., (325) 1
Raithby, P.R., (306) C63; (319) C51; (321) 409
Rambaud, M., (308) C27
Ramsey, B., (317) 1
Rao, S.A., (309) C39
Ratier, M., (304) 115
Rattay, W., (308) 131; (312) 139
Raubenheimer, H.G., (314) 281; (319) 361; (323) 385
Rausch, M.D., (308) C1; (310) 27; (314) 105; (317) C38; (320) 37; (321) C9
Ravenscroft, M.D., (312) 33, 45
Razuvaev, G.A., (319) 41
Reber, G., (316) C4
Rebizant, J., (307) 23
Redondo, A., (316) 351
Reed, D., (325) C1
Rees, W.M., (301) 99; (304) 227; (308) 361; (319) 411; (323) 233
Reeves, P.C., (319) 355
Regitz, M., (306) 39; (323) C35
Rehder, D., (308) 19
Reid, A.H. Jr., (319) 87
Reid, G., (315) 255
Reimann, W., (322) 141, 151
Reineke, U., (310) 83; (314) 91
Reitmeier, R., (311) 91
Reizig, K., (306) 105
Renaud, S., (309) C11
Rest, A.J., (304) C13
Rettig, S.J., (309) C59
Reuter, P., (317) 159
Reutov, O.A., (307) 351, 363; (311) 199; (321) 371
Reventos, L.B., (309) 179
Reyes, J., (302) 417
Rheingold, A.L., (310) 55; (312) 241
Ricci, A., (306) 23
Rich, J.D, (325) 105
Richards, R.L., (306) C33; (323) C47

Richardson, J.F., (325) 169
Richie, K.L., (310) 285
Richmond, M.G., (323) 219
Richter W.J., (301) 289
Riede, J., (311) 91; (320) 83
Riera, V., (302) 47; (308) C19; (310) C36; (314) 139; (315) 51; (321) C30
Ries, M., (304) 245
Rigo, P., (315) 165
Rimmelin, J., (309) 355
.Rise, F., (303) 189
Rivarola, E., (317) 285
Rivière, P., (307) 205; (315) 157; (317) C35
Roberts, R.M.G., (303) 387, 397; (307) 231; (312) 33, 45; (317) 233
Roberts, Y.V., (323) 261
Robinson, B.H., (320) 363
Robinson, D.J., (310) 203; (311) 207; (323) C39
Rocamora, M., (301) 227
Rockett, B.W., (305) 199; (318) 231
Rockswold, P.D., (320) 197
Roder, K., (310) C51
Rodin, O.G., (301) 273
Rodriguez, M.L., (314) 139
Roesky, H.W., (320) C31
Rogers, R.D., (308) 353; (323) 339
Rohrmann, J., (314) 295
Rojas, S., (301) 369
Rojo, A., (315) 269
Rokitskaya, V.I. (301) 273
Röll, W., (322) 65
Roller, S., (301) 27; (316) 57
Rollin, Y., (301) 391; (303) 131
Roman, E., (309) 323; (322) C13
Romanelli, M.N., (315) C5
Romao, C.C., (320) 63
Romero, A., (310) C9; (319) 103
Ronzini, L., (312) 343
Roper, W.R., (310) 95; (315) 211
Ros, J., (307) C7; (309) 169; (315) C22; (316) 169
Ros, R., (303) 273
Rösch, W., (306) 39
Rose-Munch, F., (323) 371
Rosenblum, M., (321) 67
Rosenthal, U., (321) 103
Rossetto, G., (302) 351; (309) 55; (310) C1; (323) 295
Rotem, M., (314) 185
Rotsch, A.-R., (310) 1
Roulet, R., (303) 273
Roullier, L., (309) C11; (314) C17
Rowland, C.C., (315) 119; (316) 147
Royo, G., (301) 131; (306) C5; (311) C39
Royo, P., (301) 79; (312) C44; (314) 131; (315) 329
Rozenberg, V.I., (307) 351, 363
Rublein, E.K., (311) 193
Rücker, C., (310) 135
Rudler, H., (312) C11; (314) C34; (322) 103; (323) 353, 371; (323) 353
Rudulier, M. Le, (310) 209
Ruegg, H.J., (316) 233
Rufińska, A., (320) 115; (323) 305
Rühlmann, K., (312) 27; (314) 39
Ruiz, J., (310) C36; (321) 273; (322) C13; (325) 253
Ruiz, M.A., (308) C19
Rumin, R., (301) C1
Ruppert, I., (316) 41
Rushman, P., (317) 255
Russo, U., (317) 285
Rutledge, P.S., (315) 171
Rutschow, D., (304) 257
Rybinskaya, M.I., (319) 229; (323) 111
Ryu, I., (321) 279
Rzepkowska, Z., (322) 309

Saak, W., (316) C13
Sabade, M.B., (310) 311
Sacco, A., (312) 242
Sacher, W., (322) 351
Saegusa, T., (303) 301
Saeki, K., (303) C17; (309) C26; (312) 357; (322) C32
Saiano, F., (317) 285
Saive, R., (308) 153; (319) 9
Sakai, F., (310) 293
Sakaki, S., (314) C63
Sakurai, H., (309) 247
Salerno, G., (314) 231; (315) C45; (317) 373
Sales, J., (307) C44; (322) 405
Salvadori, P., (307) C35
Samples, M.S., (312) 149
Sampson, C.N., (309) C21; (310) C42; (322) C7
Samuel, E., (311) 325
Sánchez, G., (317) C23; (321) 273
Sanchez, M.G., (302) 47
Sanchez-Delgado, R.A., (316) C35
Sanchez-Santano, M.J., (310) 401
Sanctis, Y. De, (311) 371
Sanderson, L.J., (307) C1
Sandhu, G.K., (311) 281; (315) 309; (321) 15
Sandhu, S.S., (311) 281
Sándor, P., (321) 249
Sanehi, R., (303) 351
Sansoni, M., (301) C5
Santen, B.F.K. van, (304) 353
Santos, A., (309) 169; (310) C9; (319) 103
Sanz, F., (309) 199
Sappa, E., (307) 97; (319) 167; (323) 83
Sarkar, A.B., (323) 271
Sarroff, A., (323) C1
Sasaki, Y., (310) 293
Satgé, J., (307) 205; (315) 157; (317) C35
Sato, K., (316) C17
Sato, S., (314) 47
Sato, T., (311) C63
Satyanarayana, N., (319) 113
Sauvêtre, R., (303) 309, 317
Savignac, P., (304) 283; (312) 283; (323) 135
Savoia, D., (301) C62
Sayal, P.K., (301) C31; (317) 55
Schade, C., (306) C1
Schäfer, A., (314) 25; (316) 367
Schat, G., (308) 1; (310) C25
Scheer, M., (308) 325
Scheidtsteger, O., (311) 85
Scheim, U., (312) 27; (314) 39
Schenk, W.A., (303) C25; (311) C27; (320) C23
Scherer, O.J., (309) 77
Scheytt, C., (308) 311
Schianchi, P., (315) C45
Schiavo, S.L., (322) 369
Schiess, P., (317) 41
Schkolnikowa, L.M., (314) C59
Schleman, E.V., (323) 103
Schleyer, P.v.R., (306) C1; (316) C4
Schloter, K., (322) 77
Schmid, J., (306) 203
Schmidbaur, H., (325) 159
Schmidkonz, B., (308) 35
Schmidpeter, A., (319) 49

Schmidt, D., (307) 377; (315) 19
Schmidt, M.S., (311) 193
Schmidtberg, G., (303) 429; (307) 129; (311) 27
Schneider, J., (317) 41
Schnering, H.G. von, (312) 305; (314) 25
Schoemaker, G., (304) C13
Scholz, G., (306) 303
Scholz, H.J., (303) C8
Scholz, J., (314) 13
Schore, N.E., (320) 339, 349
Schott, I., (310) 269
Schouten, A., (320) 1
Schröder, M., (312) C41; (323) 261
Schröder, W., (322) 385
Schroth, G., (320) 325
Schubert, U., (303) C1, C5; (306) 303; (311) C1; (317) 327; (320) C11; (321) 317
Schuh, W., (303) 343; (312) 313
Schuhn, W., (319) 345
Schulz, A., (321) 215
Schulz, W., (321) 103
Schulze, W., (319) 77
Schumann, H., (304) 181, 341; (306) 215; (310) 107, C29; (314) C39; (315) 93, 113; (320) 145; (323) 193
Schümann, U., (322) 299
Schwab, S.T., (307) 219
Schwab, W., (303) 343
Schwager, H., (316) 229
Schwald, J., (323) C51
Schwarz, H., (306) 215
Schwarz, J., (323) 323
Schwickardi, R., (303) C43
Schwind, K.-H., (321) C9
Scotti, M., (301) 369
Screttas, C.G., (316) 1; (317) 137
Scrivanti, A., (303) 273; (314) 369; (319) 233
Sebald, A., (303) 73; (304) 271; (307) 157; (311) 233
Seconi, G., (306) 23
Seddon, K.R., (304) 391
Seiberlich, P., (303) 73
Seils, F., (302) 59; (323) 67; (320) 185
Selas, J.M., (314) 131
Sellmann, D., (304) 195; (310) 83; (311) C11; (314) 91; (323) 21, 323
Semple, G., (309) C7
Sendelbeck, R., (306) 273
Senechal, D., (321) 353
Senechal-Tocquer, M.-C., (321) 353
Sengupta, S.K., (306) 355; (321) 27
Seppelt, K., (319) 77
Sergi, S., (322) 369
Serhadli, O., (306) 227; (314) 295
Serrano, R., (315) 329
Setkina, V.N., (304) 331, 337
Seyerl, J. von, (311) 85
Seyferth, D., (308) C5
Shade, J.E., (319) 391
Shapley, J.R., (310) 55; (312) 121; (315) C29
Shapley, P.A., (318) 409
Sharapov, V.A., (306) 55
Sharma, K.R., (319) 407
Shaw, B.L., (323) 313; (325) 285
Shawkataly, O. Bin, (315) C51; (316) 187
Shcherbakov, V.I., (319) 41
Sheats, J.E., (302) 281
Sheeran, D.J., (316) 139
Sheldrick, G.M., (310) 401, C47; (315) 19
Sheldrick, W.S., (302) 35, 217; (311) 125
Shen, Y., (320) 21
Sherman, D.J., (320) 257
Sherwood, P., (311) C55
Sheu, S.-C., (311) 339
Shibayama, K., (311) C63
Shibue, A., (319) C31
Shieh, C.F., (302) 23
Shihada, A.-F., (322) 185
Shiina, K., (310) C57
Shilovtseva, L.S., (303) 121
Shklover, V.E., (301) 273; (303) 83
Shmueli, U., (314) 185
Shteingarts, V.D., (310) 189
Shvo, Y., (314) 185; (315) C25
Shy, H.C., (315) 135
Sibille, S., (321) C27
Sickinger, A., (312) C37
Siddiqui, K.F., (319) 161
Sidebotham, R.P., (325) C19
Sieber, W.J., (320) 83
Sieler, J., (320) 129
Sielisch, T., (310) 179; (315) C69; (322) 203
Siergiejczyk, L., (311) 253
Sigwarth, B., (304) 137, 157
Sikirica, M., (306) 1; (319) 1
Silver, J., (303) 387, 397; (307) 231
Silvestru, C., (316) 281
Simon, D., (301) 27; (306) 183
Simpson, J., (320) 363
Simpson, S.J., (322) 221
Singh, A.K., (320) 283
Singh, G., (301) 15
Singleton, E., (306) 385; (311) 207; (323) 37; (323) C39
Sironi, A., (306) C45; (322) C21
Sitzmann, H., (309) 77
Siv, C., (317) 93
Sizov, A.I., (319) 69
Skelton, B.W., (306) 115; (307) 343; (309) 157; (314) 333
Slater, S.D., (325) 129
Smeets, W.J.J., (322) C37
Smit, D.N., (304) C17; (310) C47, C69
Smith, A.K., (302) 403; (309) C56; (311) 153
Smith, B.L., (303) 257
Smith, D.O'N., (302) 19
Smith, G., (309) 117
Smith, J.D., (320) 137; (325) 117
Smith, P.J., (325) 141
Smith, S.J., (310) 21; (320) C27
Smits, J.M.M., (307) 385
Snaith, R., (325) C1
Snel, J.J.M., (301) 329
Snook, C.F., (320) 13
Snow, M.R., (303) 417; (310) C33; (311) 217; (314) 213, 311; (315) C51; (316) 187
Snyder, D.C., (320) 163
Sobota, P., (316) 19
Soccolini, F., (304) 217
Sokolova, I.V., (319) 69
Solana, I., (322) 377
Solans, X., (302) 47; (307) C7; (309) 369; (315) C22; (316) 169
Soloveichik, G.L., (317) 33; (319) 69
Sonnek, G., (321) 1
Sonoda, N., (302) 249; (321) 279
Sood, M., (301) 15
Sood, N., (301) 15
Sormunen, P., (319) 327
Soum, A., (312) C11
Sowerby, D.B., (310) 161; (315) 321; (316) 281
Spalding, T.R., (317) 243; (319) 219
Spangenberg, B., (317) 41
Spek, A.L., (320) 1; (322) C37

Spelten, H, (325) 293
Spencer, C.M., (307) C55; (312) C64; (325) 253
Speziale, V., (306) 283
Spiers, J.C., (315) 255
Spink, W.C., (308) C1
Spirlet, M.R., (307) 23
Spogliarich, R., (306) 407
Spohn, K.-H., (316) 367
Squibb, A.D., (319) C45
Srivastava, V., (306) 355; (321) 27
Stacey, C., (315) 143
Stader, C., (311) 233; (321) C1
Stahl, K., (316) 85, 95; (317) C9
Stam, C.H., (304) 353; (315) 401; (319) 285; (325) 293
Stambouli, A., (307) 139
Stamp, L., (308) 105
Standt, A., (322) 49
Stansfield, R.F.D., (306) 303
Stapp, B., (307) 129
Starowieyski, K.B., (322) 309
Stasunik, A., (303) C29
Steel, P.J., (311) 387
Steele, B.R., (317) 137
Steib, C.H., (311) C1
Steigel, A., (309) 241
Stelzer, O., (321) 339
Stepanov, B.I., (301) 273
Stephens, M., (301) 313; (310) 255
Stephenson, G.R., (314) C73; (319) C5
Stibr, B., (307) C13
Stone, F.G.A., (307) C23; (310) 47; (325) 185
Strähle, J., (315) C9
Struchkov, Yu.T. (301) 273; (302) 235, 243, 413; (303) 83; (304) 331; (306) 55; (307) 363; (319) 41, 229
Strum, W., (310) C22
Studabaker, W.B., (310) C39
Stufkens, D.J., (306) 77; (316) C24
Suades, J., (312) 335
Suggs, J.W., (307) 71
Sugita, N., (316) 67
Sullivan, A.C., (303) 321
Sundermeyer, J., (309) C21; (310) C42; (322) C7
Süss-Fink, G., (320) 101
Sutherland, R.G., (302) 307; (310) 391; (315) 79; (319) 379
Sutton, K.H., (320) C19
Suzuki, F., (320) C16
Suzuki, H., (303) C21; (314) C46; (317) C45
Svensson, A., (320) 129
Sweetman, B.J., (316) 319
Sweigart, D.A., (308) 223, 229
Synoradzki, L., (311) 253
Szöllösy, A., (321) 7
Szeverenyi, Z., (302) 101
Szymanska-Buzar, T., (321) 249

Tabard, A., (308) 335
Tacke, R., (316) 243
Taddei, M., (306) 23
Taga, T., (322) 121
Tagliavini, E., (301) C62
Tagliavini, G., (302) 165; (321) 199
Tahvanainen, I., (323) 91
Tainturier, G., (301) C45; (314) C21
Tait, P.J.T., (315) 143
Takada, T., (316) C17
Takamori, M., (301) 321
Takano, T., (309) 209
Takats, J., (302) C25
Talarmin, J., (312) 81
Tamura, M., (312) C75
Tanaka, H., (312) C71
Tanaka, M., (312) 357; (322) C32
Tanguy, G., (314) C43
Tarassoli, A., (306) C19
Tashev, M.T., (301) 349
Taube, R., (304) C4
Taylor, A.D., (309) 25
Taylor, B.F., (325) 253
Taylor, C.A., (317) 1
Taylor, N.J., (303) C47; (315) 27
Taylor, R.J.K., (311) C35
Taylor, R., (325) 285
Tecle', B., (317) 267
Tellier, F., (303) 309
Templeton, J.L., (323) 199
Tercel, M., (315) 171
Terheijden, J., (315) 401
Terpstra, A., (307) 307
Teuben, J.H., (307) 307; (322) 321; (323) 181
Teulade, M.-P., (304) 283; (312) 283; (323) 135
Thalhammer, E., (308) 55
Thewalt, U., (301) 41, 355; (302) 193; (303) 205; (308) 303; (310) 27; (311) 69; (314) 105; (316) 291; (317) 175; (320) 37, 177; (321) 209; (323) C29
Thiele, K.-H., (314) 13; (317) 23
Thom, K.-L., (308) 177
Thomas, S.A., (315) 27
Thompson, D.W., (303) 213
Thompson, J.S., (323) 233
Thorez, A., (302) C17
Thorne, A.J., (315) 27
Thornton-Pett, M., (315) C1; (323) 313
Tiekink, E.R.T., (302) C1; (303) 417, C53; (310) C33; (311) 217; (314) 85, 213, 311; (315) C51; (316) 187; (322) 1
Tinga, M.A.G.M., (316) 51
Tiripicchio, A., (307) 97; (308) C19; (316) C35; (320) 101; (322) C16
Tiripicchio-Camellini, M., (307) 97; (308) C19; (316) C35; (322) C16
Tirouflet, J., (314) C12
Tisnes, P., (315) 277
Tittmann, R., (302) C30
Tocher, J.H., (303) 437; (319) 87
Töfke, S., (308) 27; (309) 87
Tolstikov, G.A., (304) 17
Toma, S., (316) 163
Tomás, M., (304) C24; (316) 351; (317) 105
Tomaszewski, S., (323) 233
tom Dieck, H., (301) 209; (308) 105; (309) 345; (314) 75; (321) 237
Tomotake, Y., (320) 239
Toniolo, L., (314) 369; (316) 233
Tőrös, S., (315) 231
Torrence, G.P, (303) 257
Torres, M.R., (309) 169
Torroni, S., (308) 167
Torto, I., (312) 183
Toryashinova, D.D., (311) 9
Touchard, D., (317) 291
Toupet, L., (317) 291
Toyota, K., (311) C63
Traldi, P., (309) 283
Traven', V.F., (301) 273
Treichel, P.M., (311) 193; (318) 83, 121
Tresoldi, G., (322) 369
Treurnicht, I., (306) 145; (319) 129

Trieu, N.D., (325) C23
Trimaille, B., (314) C12
Tripathi, S.C., (306) 355; (321) 27
Trombini, C., (301) C62
Troupel, M., (303) 131
Trusov, V.V., (302) 243
Tsao, C.-H., (312) 53
Tse, J.S., (310) 169
Tso, C.C., (308) 253
Tsuji, Y., (309) 333
Tuck, D.G., (303) 131; (325) 83
Tueting, D.R., (320) 339, 349
Turco, A., (315) 237
Turnbull, M.M., (321) 67
Turpin, R., (319) 247
Tyers, K.G., (321) 123
Tyler, D.R., (311) 349
Tyurin, V.D., (301) 349; (302) 243
Tzschach, A., (304) 107; (308) 325; (309) C47; (310) C17; (315) 45; (317) 11, 145

Ubeda, M.A., (301) 375; (309) 199
Uccello-Barretta, G., (302) C21
Uchiyama, W.S., (312) 121
Uemura, S., (316) 67
Umani Ronchi, (301) C62
Umekawa, H., (311) C44
Undheim, K., (303) 189
Ungváry, F., (303) 251
Unsin, J., (307) 121
Upmacis, R.K., (311) C15
Urbaniak, W., (317) 85
Urso, F., (301) 257
Usón, M.A., (311) 243
Usón, R., (304) 381, C24; (307) 39
Utko, J., (316) 19

Vähäsarja, E., (319) 327
Valderrama, M., (301) 369
Valin, M.L., (302) 47
Valle, G., (301) 161; (302) 165
Van, D. Le, (307) 327; (311) 37
Van A. Lombard, A., (323) 385
Vanarsdale, W.E., (317) 215
Van Beek, J.A.M., (319) 285
Van de Heisteeg, B.J.J., (308) 1; (310) C25; (316) 51
Van den Winkel, Y., (316) 51
Van der Kerk, G.J.M., (320) 1
Van Halen, C.J., (307) 385
Van Koten, G., (302) C35; (304) 353; (315) 401; (319) 285; (325) 283
Van Meerssche, M., (309) 267, 273; (317) 145
Van Mier, G.P.M., (322) C37
Van Santen, B.F.K., (304) 353
Van Vliet, M.R.P., (319) 285
Vargas, M., (310) 21
Vargas, M.D., (321) 409
Vasapollo, G., (312) 249
Vasisht, S.K., (301) 15
Vdovenko, S.I., (301) 195
Vegas, A., (309) 169; (310) C9; (319) 103
Veith, M., (308) 263
Venäläinen, T., (314) C49; (316) 183; (316) 183; (317) 243
Venzo, A., (301) 161
Verma, S.P., (315) 309; (321) 15
Vermeer, P., (301) 247; (302) 1
Vertal, L., (310) 21
Vettori, U., (315) 237
Vicente, J., (309) 369; (310) 401
Vicenti, M., (301) C27
Viljoen, H.W., (314) 281; (319) 361
Villa, A. Chiesi, (323) 295
Villieras, J., (308) C27; (319) 303
Vinaixa, J., (304) 207
Vinas, J.M., (307) C7
Vioux, A., (321) 327
Vitulli, G., (302) C21; (307) C35
Vivanco, M., (321) C30
Vlček, A., Jr.,(306) 63
Vliet, M.R.P. van, (319) 285
Vogelbacher, U., (306) 39
Vogler, H., (306) 99
Volden, H.V., (312) C49; (322) C24; (325) 311
Vol'kenau, N.A., (303) 121
Völkl, A., (302) 379
Volkov, O.V., (310) 189
Vollendorf, N.W., (303) 375
Völtzke, M., (308) 325
Von Schnering, H.G., (312) 305; (314) 25
Von Seyerl, J., (311) 85
Vondrák, T., (306) 89
Voronkov, M.G., (303) 83; (311) 9
Vos, D. de, (313) 405
Voss, E., (314) 151
Vostrikova, O.S., (304) 17
Vrieze, K., (304) 353; (315) 401; (325) C23

Wachter, J., (309) 313
Wada, K., (312) C71; (320) 239; (325) 39
Wagner, F.E., (309) 363
Wagner, R., (302) 5
Wakita, Y., (301) C17
Walker, D.G., (323) C29
Walker, I.M., (321) 143
Wallet, J.C., (308) 241
Wallis, J.M., (325) 159
Wallis, R.C., (314) 311
Walton, G., (319) C45
Wang, C.-Y., (311) 339
Wang, H.-G., (314) 357
Wang, H.-K., (314) 357
Wang, R.-J., (314) 357
Wang, Y., (309) 225; (315) 135
Wang, Y.-P., (301) C49; (307) 65
Wannagat, U., (322) 11
Ward, A.S., (307) C52
Wardell, J.L., (304) 301
Wasiucionek, M., (310) 225
Wasylishen, R.E., (322) 393
Watanabe, E., (312) C71; (320) 239
Watanabe, Y., (309) 333; (321) 397
Watson, A.A., (311) 387
Wayland, B.B., (317) C5
Weber, C., (321) 257
Weber, L., (306) 105; (311) 269
Weber, P., (309) 313
Weber, U., (304) 157
Weber, W., (304) 195
Weber, W.P., (308) 187
Wegner, P., (308) 311; (312) C37
Wehman, E., (302) C35; (325) 293
Wei, C., (311) 289; (322) 33, 163
Weichmann, H., (309) 267, 273
Weichselbaumer, G., (319) C21
Weidemann, C., (308) 19
Weidenbruch, M., (308) 177; 25; (316) C13
Weigand, W., (314) C55
Weinand, R., (307) 49
Weisemann, C., (312) 133; (316) 367
Weiss, E., (322) 299
Weiss, G.A., (312) 365
Weiss, H., (319) C16
Weiss, K., (311) C1
Weiss, W., (314) C1
Welch, A.J., (301) 109; (304) C24; (316) 351; (317) 105

Weller, F., (322) 185
Wells, A.S., (317) 233
Wells, R.L., (308) 281; (325) C7
Welsh, K.M., (325) 105
Weng, N.G.S., (311) 289
Wermer, P.H., (311) C47
Werner, H., (302) 65; (303) 221, 233, C8; (306) 227, C13; (307) 49; (308) 47; (310) C11, C51; (311) 63; (315) C57; (317) 327; (323) 161
Wesolek, D.M., (316) 281
West, A.A., (310) C6
West, R., (325) 105
Westhoff, T., (323) 173
Wharf, I., (306) 193
White, A.D., (302) C13
White, A.H., (306) 115; (307) 343; (309) 117, 157; (314) 333
Whiteley, M.W., (302) 371
Whitmire, K.H., (303) 99
Whitt, D.R., (312) C15
Whittaker, M., (320) C19
Whitton, A.J., (306) 139
Whyman, A.R., (314) C9
Wiberg, N., (315) 9
Widdowson, D.A., (303) 411
Wielstra, Y., (323) 181
Wijkens, P., (301) 247
Wilczewski, T., (306) 125; (312) 349; (317) 307
Wilke, G., (308) 85; (316) 229
Wilke, J., (310) 317; (316) 261
Willey, G.R., (314) 163
Willhalm, A., (319) 49
Williams, I.D., (325) 271
Williams, M.A., (303) 139
Williams, M.L., (306) 115; (309) 157; (314) 323; (316) 187; (319) 239
Williamson, J.M., (314) 163
Williard, P.G., (307) 71
Willis, A.C., (311) 257; (317) 255
Wilson, J.W., (310) 1
Wimmer, P., (309) C4; (316) C1
Winkel, Y. van den, (316) 51
Winkhaus, V., (307) 93
Winter, G., (314) 85
Winter, M., (301) C9; (320) 391
Witekowa, M., (311) 17
With, J. de., (320) 289
Wochner, F., (309) 65
Wojcicki, A., (319) 391
Wojnowski, W., (312) 305
Wolf, J., (317) 327
Wolfgruber, M., (317) 175; (320) 83
Wolfsberger, W., (317) 167
Wolmershäuser, G., (309) 77
Wolters, J., (313) 405
Wong, C.S., (307) C49; (321) 123
Wong, L.-L., (317) 61
Wong Chi Man, W.W.C., (320) C1, C7
Woodgate, P.D., (315) 171
Wörle, B., (306) 303
Wormhoudt, J., (307) 151
Wormsbächer, D., (312) C53
Wovkulich, M.J., (307) 71
Wrackmeyer, B., (303) 73; (304) 271; (307) 1, 157; (310) 151; (311) 233; (319) 49; (321) C1; (322) 25
Wright, D.S., (325) C1
Wright, L.J., (315) 211
Wu, F.-J., (314) C27
Wu, F.J., (309) 225
Wu, J., (321) 51
Wu, N., (307) 65
Wu, S.C., (306) C24
Wulff, G., (309) 241

Xian, Y.T., (306) 267
Xie, Z., (323) 285
Xing, Y., (322) 57
Xu, J.-M., (320) 267
Xu, Y., (314) 113

Yagupolskii, Yu.L., (301) 195
Yamaguchi, K., (319) C11
Yamamoto, N., (322) 121
Yamasaki, T., (312) 357
Yanez, R., (315) C22; (316) 169
Yang, G., (322) 57
Yang, P.-H., (307) 273
Yanovskii, A.I., (319) 229
Yanovsky, A.I, (302) 413; (304) 331; (307) 363
Yassin, K.H., (301) 313
Ye, C., (302) 171
Yeh, W.-Y., (315) C29
Yeung, L.L., (307) C49
Yoder, C.H., (312) 149
Yongskulrote, W., (304) 323
Yoshifuji, M., (311) C63
Young, C.G., (309) 313
Youssefi-Tabrizi, M., (316) 13
Yuan, S.-S., (302) 255
Yur'ev, V.P., (307) 351, 363

Zahn, T., (311) 163; (321) 257
Zakharov, L.N., (319) 41
Zanella, P, (302) 351; (309) 55; (310) C1; (323) 295
Zauder, E., (302) C4
Zecchin, S., (317) 357
Zeldin, M., (320) 267
Zerner, M.C., (317) 1
Zeuner, S., (321) C6
Zhang, A.-M., (307) 65
Zhang, H., (325) 69
Zhang, S.-M., (307) 65
Zhang, Z., (306) 209
Zhang, Z.-Z., (314) 357
Zhu, J., (304) 239
Zhvanko, O.S., (302) 235
Zicmane, I., (306) 167, 327
Ziegler, M.L., (306) 227, 375; (308) 47; (309) 313; (311) 163; (314) 295; (321) 257
Zigna, A.-M., (306) 257
Zilch, H., (316) 243
Zimmer, R., (312) 313
Zingaro, R.A., (306) C36
Zolk, R., (302) 65; (303) 233; (310) C11
Zotti, G., (317) 357
Zotto, A. Del, (315) 165
Zschunke, A., (308) 325
Zsolnai, L., (304) 137, 157, 309; (307) 237; (309) C18; (310) 83, 225; (312) 177, C57; (322) 65; (323) 21, 323
Zubarev, Yu.E., (306) 55
Zugasti, E., (322) 249

# JOURNAL OF ORGANOMETALLIC CHEMISTRY

## CUMULATIVE SUBJECT INDEX: VOL. 301(1986)–325(1987)

### Actinides

Lanthanides and actinides; annual survey 1981 (R.D. Ernst), (318) 29

### Aluminium

Alkylaluminium ester complexes, stoicheiometry of (G. Fochi), (307) 145

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Alumino-metalloaminocarbene complexes (M = Fe, Mn), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149

1-Aza-4-oxo-3-substituted-1,3-butadienes (α-amino esters and amides), coordination to aluminium chloride, zinc chloride and dimethylzinc of; selective reduction in $ZnEt_2$/$R^1N{=}CHC(NEt_2){=}O$ system; crystal structure of $[EtZn(t\text{-}Bu)NCH_2C(NEt_2){=}O]_2$ (M.R.P. van Vliet, G. van Koten, J.F. Modder, J.A.M. van Beek, W.J. Klaver, K. Goubitz, C.H. Stam), (319) 285

2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbadodecaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139

Hydroalumination of olefins by $LiAlH_4/UCl_4$ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1

Methylaluminium complexes with anisole, reaction mechanisms of (K.B. Starowieyski, Z. Rzepkowska), (322) 309

Methylcopper and methyl(tricyclohexylphosphine) copper, reactions with trialkylaluminium of (S. Pasynkiewicz, J. Popławska), (302) 269

Organoaluminium derivatives from $RC{\equiv}C\text{-}CH_2Br$, reactions with acetals of and formation of α-allenic ethers from (F. Barbot, Ph. Miginiac), (304) 83

Organoaluminium geminal compounds, Al–C bond reactivity in (S. Pasynkiewicz, T. Dłużniewski, G. Sonnek), (321) 1

Silyl ether complexation with triethylaluminium, $^{29}Si$ NMR study of (P. Sormunen, E. Iiskola, E. Vähäsarja, T.T. Pakkanen, T.A. Pakkanen), (319) 327

Tetraethyldialuminoxane, isolation in pure state of (L. Siergiejczyk, L. Synoradzki), (311) 253

Titanium and aluminium bimetallic hydride complexes; octonuclear $\{[(\eta^5C_5Me_5)(\eta^5\text{-}C_5Me_4CH_2)Ti(\mu_2\text{-}H)_2Al]_2\text{-}\mu_3\text{-}O\}_2 \cdot 2C_6H_6$, crystal and molecular structure of (E.B. Lobkovskii, A.I. Sizov, B.M. Bulychev, I.V. Sokolova, G.L. Soloveichik), (319) 69

Tribenzylaluminium diethyl etherate, X-ray structure of (A.F.M.M. Rahman, K.F. Siddiqui, J.P. Oliver), (319) 161

Tricyclopentadienyluranium tetrahydroaluminate, synthesis and characterisation of (F. Ossola, N. Brianese, M. Porchia, G. Rossetto, P. Zanella), (310) C1

Triethylaluminium etherate, ultrasonic irradiation in one-pot synthesis and conversion into other organometallic compounds of (Y.-T. Lin), (317) 277

Trimeric aluminium phosphamide $[(CH_3)_2AlP(CH_3)_2]_3$, molecular structure determined by gas electron diffraction (A. Haaland, J. Hougen, H.V. Volden, G. Hanika, H.H. Karsch), (322) C24

Trimethylaluminium synthesis from methyl iodide via methylaluminium sesquiiodide, ultrasonic irradiation in (P.-H. Yang, K.-F. Liou, Y.-T. Lin), (307) 273

Trimethyl- and triethyl-aluminium, reactions with 2,4,6-tri-t-butylnitrosobenzene, reactions of (Z. Florjańczyk, N. Langwald), (312) 297

Tri-spirocyclic organoaluminiumphosphane-nickel(0) complexes, preparation of (H.H. Karsch, A. Appelt), (314) C5

## Antimony

Allylbis-ligand-nickel(II) hexafluorophosphate complexes, oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balbolov, K. Kurtev), (304) C4

Antimony; Annual survey covering the year 1985 (L.D. Freedman, G.O. Doak), (324) 1

Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo–Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391

Diphenylantimony(III) diphenylphosphonate and diphenylmonothiophosphinate, synthesis, spectra and crystal structure of (M.J. Begley, D.B. Sowerby, D.M. Wesolek, C. Silvestru, I. Haiduc), (316) 281

*p*-Nitrophenyl- and *p*-tolyl-oxadithia- and -trithia-stibocanes, synthesis and correlation between transannular distances and vibrational data of (H.M. Hoffmann, M. Dräger), (320) 273

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Phenylantimony bis(monothioacetate), preparation, structure and stability of (M. Hall, D.B. Sowerby, C.P. Falshaw), (315) 321

Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[C_5H_5Fe(CO)_2(R_3EX)]^+$ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181

$[(PhSbI_2)_4]^-$, a square-planar iodide complex (J. von Seyerl, O. Scheidsteger, H. Berke, G. Huttner), (311) 85

8-Quinolatotriorganoantimony(V) complexes, chelation in solution studied by multinuclear NMR and electronic spectroscopy of (V.K. Jain, J. Mason, R.C. Mehrotra), (309) 45

Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), (303) 197

Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289

Tris(2,4,6-trimethylphenyl)antimony dihydroxide, synthesis and reactions with sulphonic acids $RSO_3H$ ($R = C_6H_5$, $CF_3$) of; crystal structure of $[2,4,6\text{-}(CH_3)_3C_6H_2]_3SbO \cdot HO_3SC_6H_5$ (F. Huber, T. Westhoff, H. Preut), (323) 173

## Arsenic

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Allylic arsenites, reactions with low valent transition metal complexes of (X. Lu, L. Lu), (307) 285

Arsaalkene $F_3CAs{=}CF_2$, Diels–Alder reactions of (J. Grobe, D. Le Van), (311) 37

Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203

Bis(dimethylarsino)sulphide (dmas) complexes of trimethylplatinum halides; synthesis and characterisation of *fac*-$[PtXMe_3)(dmas)_2]$ and $[(PtMe_3)_2(dmas)]$; crystal and molecular structure of $[(PtBrMe_3)_2(dmas)]$ (E.W. Abel, M.A. Beckett, P.A. Bates, M.B. Hursthouse), (325) 261

Bis{[bis(trimethylsilylmethyl)arsino]diphenylgallane}, synthesis and crystal structure of (R.L. Wellis, A.P. Purdy, A.T. McPhail, C.G. Pitt), (308) 281

Bis-metallates, $Na_2\{Me_2Si[(C_5H_4)(CO)_3M]_2\}$ (M = Mo, W), preparation and rearrangement to neutral complexes with $\sigma$-bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), (303) C33

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo–Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Carbonylcyclopentadienylmolybdenum clusters containing $(As_2)_2$ or $(P_2)_2$ groups (O.J.

Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

Carbonyliron RP-bridged clusters, reversible alkyne addition to (K. Knoll, G. Huttner, L. Zsolnai), (307) 237

$(\eta^5\text{-}C_5H_5)(Ph_2PCH_2CH_2PPh_2)Ru{=}CH_2^+$ $AsF_6^-$, spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310) C39

Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands $Ph_2As(CH_2)_nPPh_2$ ($n = 1, 2$), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27

Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391

Dicarbonyl(cyclopentadienyl)manganese complexes with phosphino- and arsino-substituted suphur diimide bridging ligands; crystal structure of $S\{NP\text{-}t\text{-}Bu_2[Mn(CO)_2Cp]\}_2$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 27

Diphosphine and diarsine oxides, coordination behaviour in organotin(IV) adducts of (S. Dondi, M. Nardelli, C. Pelizzi, G. Predieri), (308) 195

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157

Ketene-phosphino and arsino complexes, formation of tungsten-containing pentacyclic compounds by addition of trimethylphosphine to (F.R. Kreissl, M. Wolfgruber, U. Thewalt), (317) 175

Lithium-arsenic homoleptic compound, $[Li\{\mu\text{-}As(CH(SiMe_3)_2)_2\}]_3$, synthesis, structure and reactions of (P.B. Hitchcock, M.F. Lappert, S.J. Smith). (320) C27

Neutral diphenylarsano-transition metal complex *trans*-$Ph_2As(CO)_2(2,2'\text{-bipy})WCNEt_2$ (2,2′-bipy = 2,2′-bipyridyl), (A.C. Filippou, E.O. Fischer, K. Öfele, H.G. Alt), (308) 11

*ortho*-Nitrophenyltriphenylarsinegold(I), crystal and molecular structure of (J. Vicente, A. Arcas, M. Mora, X. Solans, M. Font-Altaba), (309) 369

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Palladium and platinum dinuclear cyclometallated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57

$[Ph_4As]_2[Re_7C(CO)_{21}Au(PPh_3)]$, crystal structure of; comparison of $H^+$ and $Au(PPh_3)^+$ coordination to $[Re_7C(CO)_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55

Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[C_5H_5Fe(CO)_2(R_3EX)]^+$ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181

Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.) (303) 197

Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289

Trifluoroacetylmethylenetriphenylarsorane, synthesis, reactivity and crystal structure of (Y. Shen, Z. Fan, W. Qiu), (320) 21

Tris(arsino)gallane dimer containing nonplanar $(Ga\text{–}As)_2$ ring, synthesis and characterisation of; crystal structure of $\{[(Me_3SiCH_2)_2As]_3Ga\}_2$ (R.L. Wells, A.P. Purdy, K.T. Higa, A.T. McPhail, C.G. Pitt), (325) C7

## Barium

Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, $(Me_5C_5)_2MLn$ (M = Mg, Ca, Sr, Ba), and $Me_5C_5BeCl$, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31

## Beryllium

Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, $(Me_5C_5)_2MLn$ (M = Mg, Ca, Sr, Ba), and $Me_5C_5BeCl$, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31

## Bismuth


Bismuth; Annual survey covering the year 1985 (G.O. Doak, L.D. Freedman), (324) 39

Bismuth(III) as bridging ligand in organoiron complexes (J.M. Wallis, G. Müller, H. Schmidbaur), (325) 159

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo–Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

$[(C_2H_5)_4N^+]_3[BiFe_4(CO)_{16}^{3-}]$, X-ray structural characterisation of (M.R. Churchill, J.C. Fettinger, K.H. Whitmire, C.B. Lagrone), (303) 99

*cis*-Cyclohexane-1,2-diol and *meso*-butane-2,3-diol, enantioselective phenylation in the presence of catalysts of (H. Brunner, U. Obermann, P. Wimmer), (316) C1

Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismuthine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), (303) 197

Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289


## Boron


Alkoxy- and alkylthio-piperidinophenylboranes, comparison of $p_\pi$–$p_\pi$ bonding in (R.H. Cragg, T.J. Miller, D.O'N. Smith), (302) 19

Arylhalogenoboranes, preparation of (W. Haubold, J. Herdtle, W. Gollinger, W. Einholz), (315) 1

Bis(alkynyl)boranes, borol synthesis by organoboration of (A. Sebald, B. Wrackmeyer), (307) 157

Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium complexes, formation in reactions of $RuRhH_2Cl(C_8H_{12})(Ph_2PCH_2PPh_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51

Bis- and tris-(pyrazolyl)borate complexes of methyltin chlorides, preparation of; X-ray structure of five-coordinate [bis(pyrazolyl)borate]chlorodimethyltin(IV) (S.K. Lee, B.K. Nicholson), (309) 257

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310) 151

$\mu$-(Boranedithiolato)bis(tricarbonyliron) compounds, $XBS_2[Fe(CO)_3]_2$, preparation, structure and reactions of (H. Nöth, W. Rattay), (308) 131

Borirane, stability of; ab initio electronic structure calculations of the $C_2H_5B$ potential energy surface (C.A. Taylor, M.C. Zerner, B. Ramsey), (317) 1

($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

($\eta^5$-Borole)rhodium complexes and nucleophilic degradation of $\mu$-($\eta^5$-1-phenylborole)bis[($\eta^5$-1-phenylborole)rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13

($\eta^5$-Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311

Boron: boranes in organic synthesis; annual survey 1984 (G.W. Kabalka), (318) 1

Boron tetracoordinated mono- and bi-cyclic derivatives and $\alpha$-aminodiacidic boron derivatives (B. Garrigues, M. Mulliez, A. Raharinirina), (302) 153

Carbon–tungsten triple bonds, hydroboration of; crystal structures of $[W_2\{\mu\text{-}MeCB(H)Et\}(CO)_4(\eta\text{-}C_5H_5)_2]$ and $[W\{\eta^3\text{-}CH(BC_8H_{14})C_6H_4Me\text{-}4\}(CO)_2(\eta\text{-}C_5H_5)_2]$ and related complexes (D. Barratt, S.J. Davies, G.P. Elliott, J.A.K. Howard, D.B. Lewis, F.G.A. Stone), (325) 185

Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153

$(C_5H_5)(OC)_2(R_3P)MoFBF_3$ (R = Me, Et), dynamic behaviour of the coordinated tetrafluoroborate ligand in (M. Appel, W. Beck), (319) C1

*arachno*-$[(\eta^6\text{-}C_6Me_6)RuB_8H_{14}]$, nine-vertex structural analogue of n-$B_9H_{15}$ rather than of iso-$B_9H_{15}$ (M. Brown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett), (315) C1

Copper(I) alkylborohydrides from alkenes using $CuCl/NaBH_4$ reagent system (S.A. Rao, M. Periasamy), (309) C39

Diazaboracyclopropane, synthesis and crystal structure analysis of (R. Boese, U. Klingebiel), (306) 295

1,3-Diborabenzene complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16

Diborane, simple method for generation from $NaBH_4$ and $I_2$ of (C. Narayana, M. Periasamy), (323) 145

Diborylamines, influence of steric effects on conformation and parameters of (D. Männig, H. Nöth, H. Prigge, A.-E. Rotsch, S. Gopinathan, J.W. Wilson), (310) 1

Dicarboranylmagnesium bis(dioxane) adduct, $Mg(2\text{-}Me\text{-}1,2\text{-}C_2B_{10}H_{10})_2 \cdot 2C_4H_8O_2$, preparation and crystal structure of (W. Clegg, D.A. Brown, S.J. Bryan, K. Wade), (325) 39

Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69

1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), (303) 73

2,6-Diisopropylphenyliminothexylborane(III), synthesis and reactions of (M. Armbrecht, A. Meller), (311) 1

2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbadodecaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139

Dithiaboretanes and trithiaboranes, kinetically and thermodynamically controlled formation of (H. Nöth, W. Rattay), (312) 139

Hexamethylbenzene-ruthenaborane and -osmaborane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67

$6\text{-}H_3N\text{-}6\text{-}CB_9H_{11}$, isolation and reactions of (T. Jelinek, B. Štibr, J. Plešek, S. Heřmánek), (307) C13

Hydroboration of *N*-alkylallylphosphoramide, regio- and stereo-selectivity of (Z. Benmaarouf-Khallaayoun, M. Baboulène, V. Spéziale, A. Lattes), (306) 283

1-Methyl-1,2,4-diazaphosphole, selective 5-metallation of (S. Kerschl, B. Wrackmeyer, A. Willhalm, A. Schmidpeter), (319) 49

Mono- and bi-cyclic boraxazolidones, reactions with nucleophiles of (B. Garrigues, M. Mulliez), (314) 19

Organoboration of *cis*-diethylplatinum(II) complexes with $R_2P(CH_2)_2PR$ ligands; platinacyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), (304) 271

Organo-ruthenaborane and -osmaborane clusters, preparation and NMR studies of [6-($\eta^6$-$C_6Me_6$)-*nido*-6-$MB_9H_{13}$] (M = Ru, Os) and the rearrangement cluster [5-($\eta^6$-$C_6Me_6$)-*nido*-5-$RuB_9H_{11}$-7-($PMe_2Ph$)] (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233

Organylboronic bicyclic esters derived from iminodiacetic acids (T. Mancilla, R. Contreras, B. Wrackmeyer), (307) 1

Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetonate)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), (301) C17

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

Phenylboronic bicyclic esters containing configurationally stable chiral nitrogen and boron, asymmetric synthesis of (T. Mancilla, R. Contreras), (321) 191

Phosphamanganacyclopropanes, formation by reduction of secondary phosphanemanganese complexes with $K[HB(s\text{-}C_4H_9)_3]$ of (E. Lindner, D. Goth), (319) 149

Polycyclic borazines, preparation of (R.H. Cragg, M. Nazery), (303) 329

Stannacyclopentadienes, preparation via organoboration of diethynyldimethylstannane with *B*-alkyl-9-borabicyclo[3.3.1]nonanes (C. Bihlmayer, S.T. Abu-Orabi, B. Wrackmeyer), (322) 25

*N*-Substituted-2-carboxamidophenylboronic acid anhydrides, preparation of (J. Altman, H. Böhnke, A. Steigel, G. Wulff), (309) 241

Tricyclopentadienyl(cyclooctane-1,5-diyl)uranium dihydroborate, synthesis and crystal structure of (P. Zanella, F. Ossola, M. Porchia, G. Rossetto, A. Chiesi Villa, C. Guastini), (323) 295

Tricyclopentadienyluranium(IV) cationic complexes with isonitrile ligands of the type $[Cp'_3U(CNR)L]^+$ (H. Aslan, R.D. Fischer), (315) C64

Triethylaluminium etherate, ultrasonic irradiation in one-pot synthesis and conversion into other organometallic compounds of (Y.-T. Lin), (317) 277

Tris(trimethylsilyl)methanol, preparation of (P.D. Lickiss), (308) 261

## Cadmium

Dicyclopentadienylpyridinecadmium complex, structure of (B. Fischer, G.P.M. van Mier, J. Boersma, W.J.J. Smeets, A.L. Spek), (322) C37

$[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]_2Hg$, $[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]_2Cd$ and $[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]HgBr$, preparation and

reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Buttrus, C. Eaborn, P.B. Hitchcock, J.D. Smith), (320) 137

## Calcium

Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, $(Me_5C_5)_2MLn$ (M = Mg, Ca, Sr, Ba), and $Me_5C_5BeCl$, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31

Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49

## Cerium

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and $^{139}La$ NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

## Chromium

Alkenylphosphanes $RPX_2$ and $R_2PX$ (X = $NEt_2$, Cl), function as monodentate ligands and potential hemilabile chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291

*ortho*-Alkyloxy- and *ortho*-dialkylamino-ethylbenzene-tricarbonylchromium, diastereoselectivity of (J. Brocard, J. Lebibi), (310) C63

Anisotropic optical polarisabilities of $LCr(CO)_5$ (L = $PMe_3$, $NMe_3$, $NH_3$); $\pi$-backbonding in (M.J. Aroney, M.K. Cooper, R.K. Pierens, S.J. Pratten), (309) 293

Arenetricarbonylchromium(0) complexes, acidity in THF of (R.R. Fraser, T.S. Mansour), (310) C60

Arenetricarbonylchromium, regiospecificity of the benzylic functional group of (J. Brocard, J. Lebibi), (320) 295

Arenetricarbonylchromium complexes, influence of substituents on regiospecificity and stereospecificity of (J. Brocard, L. Pelinski, J. Lebibi), (309) 299

Azulenechromium dinuclear complexes, synthesis and structure of (F. Edelman, S. Töfke, U. Behrens), (308) 27

Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by $L_3M(CO)_3$ complexes (M = Cr, Mo, W) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), (301) 161

Benzofulvene-chromium and -iron complexes, preparation of (F. Edelmann, O. Koch, U. Behrens), (311) 111

(9-*exo*-Benzyl-$\eta^6$-fluorene)tricarbonylchromium, stereoselective electrochemical synthesis and cathodic behaviour of (B. Gautheron, C. Degrand, M. Bikrani), (312) 207

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331

Bis[amino(ethoxy)carbene] complexes, rearrangements with Lewis acids of; structure of $\{(CO)_4WBr_3\}[HC(N\text{-}i\text{-}Pr_2)OEt]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

Bis-arene-chromium complexes, synthesis with a varied substituent in one of the ligands (V.V. Litvak, P.P. Kun, I.I. Oleynik, O.V. Volkov, V.D. Shteingarts), (310) 189

Bis-carbene-chromium complex, $(CO)_4\overline{CrC(OEt)CH(Ph)CH(Ph)C(OEt)}$, thermolysis of (H.T. Huy, P. Lefloch, J.M. Louis, M. Fetizon), (311) 79

Bis(cyclobuta-$\eta^6$-benzene)chromium$^{0,+1}$ and bis([1,2 : 4,5]-dicyclobuta-$\eta^6$-benzene)chromium$^{0,+1}$, synthesis and magnetic resonance properties of (C. Elschenbroich, J. Koch, J. Schneider, B. Spangenberg, P. Schiess), (317) 41

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP\text{-}t\text{-}Bu_2[ML_n]\}_2$ ($ML_n$ = $Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates $S(NP\text{-}t\text{-}Bu_2)_2M(CO)_4$ (M = Cr, Mo, W); crystal and molecular structure of $S(NP\text{-}t\text{-}Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Bis(diphenylphosphino)acetylene complexes of $C_5H_5(CO)_2Mn$ and $(CO)_5M$ (M = Cr, W), preparation and characterisation of (O. Orama), (314) 273

Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnering), (312) 297

($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

Carbonylcyclopentadienylmolybdenum clusters containing $(As_2)_2$ or $(P_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407

Carbyne complexes, *trans*-$X(CO)_4M{\equiv}CR$, influence of the central metal, the *trans*-X ligand and the carbyne substituent on M–CO dissociation in (H. Fischer, B. Bühlmeyer), (317) 187

$[\eta^5\text{-}(C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of ($\eta^6$-fulvenylbenzoate)tricarbonylchromium and ($\eta^5$-$C_5H_4CHO$)-$Cr(CO)_3Au(PPh_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

$[(C_5H_4XC_6H_5)Cr(CO)_3]^-$ and $(C_6H_5XC_5H_4)$-$Mn(CO)_3$ (X = –, CO, $CH_2$, $C_2H_2$), electronic structures of (N.J. Fitzpatrick, N.J. Gogan, P.K. Sayal), (301) C31

Cyclopentadienyldicarbonylnitrosylchromium, carbocation stabilisation of (K. England, P.C. Reeves), (319) 355

Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltri-cobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121

Dicyclopentadienyl[$\eta^2$-(*C*,*N*)-ketene imine]-vanadium complexes, synthesis and structure of (T. Sielisch, U. Behrens), (310) 179

($\alpha$-Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), (302) 211

Disphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), (304) 309

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157

1,3-Dipolar germylene ligands, interaction with chromium and tungsten complexes of (A. Castel, P. Rivière, J. Satgé, M. Ahbala, J. Jaud), (307) 205

Diterpenoid chromium carbene complex, synthesis and cyclopentaannulation of (R.C. Cambie, P.S. Rutledge, M. Tercel, P.D. Woodgate), (315) 171

Formylchromium neutral complexes, isolation of (P. Leoni, A. Landi, M. Pasquali), (321) 365

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

Fulvenetricarbonylchromium complexes and $\alpha$-ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333

Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Heterobimetallic $\mu$-phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Hexacarbonyl-$\mu$-$\eta^{6:6}$-1,1′-bi(2,4,6-cycloheptatriene-1-yl)dichromium(0), [4 + 6]-cycloaddition of conjugated dienes to (C.G. Kreiter, E. Michels, J. Kaub), (312) 221

Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (311) 103

Hexacarbonyl-$\mu$-$\eta^{6:6}$-heptafulvenedichromium-(0), [4 + 6]-cycloaddition of 1,3-butadienes to (C.G. Kreiter, E. Michels), (312) 59

$[Hg\{(\mu\text{-}PEt_2)Cr(CO)_5\}_3]^-$, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320) 47

Homodinuclear and *cis*-mononuclear complexes of $Ph_2PNSNPPh_2$, preparation and $^{31}P$ DNMR studies of; crystal structure of *cis*-$Cr(CO)_4(Ph_2PNSNPPh_2) \cdot 0.5C_6H_6$ (T. Chivers, C. Lensink, J.F. Richardson), (325) 169

Metallacyclic alkenyl ketone complexes, $Cp'(CO)_2\overline{Cr[R^1C{=}CR^2C(CO)}Me]$ ($Cp' = \eta^5$-$C_5Me_5$; $R^1$, $R^2$ = H, Me, Ph, $CH_2OH$, $(CH_2)_2Me$, $(CH_2)_5Me$), preparation, characterisation and reactivity of (H.G. Alt, H.I. Hayen), (315) 337

*N*-Methyl-3-aroylpyrrole-tricarbonylchromium complexes, IR, $^1H$ NMR and SCCC-MO studies of (N.J. Gogan, I.S. Jayasinghe, P.K. Sayal), (317) 55

Methyl- and t-butyl-substituted ($\eta^6$-benzene)tricarbonylchromium(0) complexes, dielectric, electro-optic, IR and $^1H$ NMR spectra of and solvent effects on (M.J. Aroney, M.K. Cooper, R.K. Pierens, S.J. Pratten, S.W. Filipczuk), (307) 191

Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ (M = W, Mo, Cr; $SiR_3 = SiPh_3$, $SiMePh_2$; R′ = Me, Et, n-Bu, $C_6H_{11}$, Ph), $HSiR_3$ elimination from (W. Hepp, U. Schubert), (321) 317

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organometallic iron–selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295

$\mu_3$-P and $\mu_3$-As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137

Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

Pentacarbonyl[1,3-difluorophenyl(methoxy)-carbene]chromium and 2,6-dimethyl(phenyl)carbene analogue, cycloaddition with alkynes of (K.H. Dötz, W. Sturm), (310) C22

Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuje, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63

Pentacarbonylmercaptophosphane- and tetracarbonyl-bis(mercaptophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327

Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tschach), (308) 325

Pentacarbonyl-[methoxy- and -[acetoxy-(phenyl)-carbene]-chromium and -tungsten complexes, reactions with tetramethylcyanoguanidine of (H. Fischer, F. Seitz, G. Müller), (320) 185

Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29

Phosphinidene complexes, reasons for extremely paramagnetic shifts in $^{31}P$ NMR spectra of (G. Huttner), (308) C11

$[(PhSbI_2)_4I]^-$, a square-planar iodide complex (J. von Seyerl, O. Scheidsteger, H. Berke, G. Huttner), (311) 85

Silicon-disubstituted ($\eta^4$-silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7

Siloxaphenanthrene coordination with tricarbonylchromium; crystal and molecular structure of [1–4*a*(10*c*)-$\eta$-10,10-dimethyl-10-sila-9-oxa-9,10-dihydrophenanthrene]chromium and tricarbonyl[5–8*a*(4*b*)-$\eta$-10,10-dimethyl-10-sila-9-oxa-9,10-dihydrophenanthrene]-chromium (N.I. Kirillova, A.I. Gusev, V.A. Sharapov, O.B. Afanasova, Yu.E. Zubarev, N.V. Alekseev, E.A. Chernychev, Yu.T. Struchkov), (306) 55

Six- and seven-membered tetracarbonylcarbene and imidate thioether chelates, synthesis by CO or NR insertion into metal–carbene bonds and crystal structures of (H.G. Raubenheimer, G.J. Kruger, H.W. Villoen), (319) 361

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Tetracarbonyl(carbenephosphine) and tetracarbonyl(imidatephosphine) complexes of chromium(0) (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen, S. Lotz), (314) 281

Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Thioketene-cobalt complexes, $[Co(R_2C{=}C{=}S)(PMe_3)(C_5H_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Tricarbonylchromium complexes with aromatic hydrocarbons, reactions with benzaldehydes and furfural in THF and in the presence of t-BuOK of (M.-C. Senechal-Tocquer, D. Senechal, J.-Y. Le Bihan, D. Gentric, B. Caro), (321) 353

Tricarbonylchromium-substituted diarenes, synthesis and conformations of (T.E. Bitterwolf, R. Herzog, P.D. Rockswold), (320) 197

Tricarbonyl-$\eta$-cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.H. Yassin), (301) 313

Tricarbonyl(fulvene)chromium complexes, reactions with $HgCl_2$ and $SnCl_4$ of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109

## Cobalt

Acyltetracarbonylcobalt compounds, preparation from ketenes and hydridotetracarbonylcobalt of (F. Ungváry), (303) 251

Agostic interactions as an alternative to octahedral ethylene-hydride complexes, $\beta$-CH bond activation (P.N.V. Pavankumar, B. Ashok, R.D. Jemmis), (315) 361

Alkyltris(tertiary phosphine)cobalt compounds,

cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Alkynehexacarbonyldicobalt complexes, isomerisation by perpendicular-to-parallel twist of the alkyne of (H. Pepermans, C. Hoogzand, P. Geerlings), (306) 395

Amidocarbonylation catalysation of substituted allylic alcohols (S.-S. Yuan, A.M. Ajami), (302) 255

2-(Arylazo)aryltricarbonylcobalt, insertion reactions of (T. Janecki, P.L. Pauson, A. Pietrzykowski), (325) 247

2-Aryl-2-hydroxyethylcobaloximes, synthesis, characterisation and decomposition of (K.L. Brown, A. Fulep-Poszmik, Z. Szeverenyl, O. Perkins), (302) 101

Bis(dimethylphosphinecyclopentadienylcobalt), $[C_5H_5Co(\mu\text{-}PMe_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

Bis(diphenylphosphino)methane-substituted products from $(\mu_3\text{-}CCH_3)Co_3(CO)_9$ (S. Aime, M. Botta, R. Gobetto, D. Osella), (320) 229

[$\eta^4$-2,5-Bis(trimethylsilyl)cyclopentadienone($\eta^5$-cyclopentadienyl)cobalt), structure of (J.H. Bieri, A.S. Dreiding, T.C.C. Gartenmann, E.R.F. Gesing, R.W. Kunz, R. Prewo), (306) 241

($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

($\eta^5$-Borole)rhodium complexes and nucleophilic degradation of $\mu$-($\eta^5$-1-phenylborole)bis[$\eta^5$-1-phenylborole)rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13

Carbonylcobalt reaction of oxetanes with a hydrosilane and carbon monoxide (T. Murai, K. Furuta, S. Kato, S. Murai, N. Sonoda), (302) 249

Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153

Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111

$(CH_3C(CH_2PPh_2)_3)CoL$ complexes (L = $O_2CO$, $S_2CO$, $O_2SO$), synthesis through metal-assisted $CO_2$, $CS_2$, $SO_2$ oxidation of; crystal structure of $(CH_3C(CH_2PPh_2)_3)Co(O_2SO)$ (F. Cecconi, C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (323) C5

$[C_5H_5Co(\mu\text{-}PMe_2)]_2$, addition reactions with elemental halogen and dihalomethanes of; crystal and molecular structure of *trans*-$\{[C_5H_5(Br)Co]_2(\mu\text{-}P(CH_3)_2)(\mu\text{-}CH_2\text{-}CP(H_3)_2)\}$ (R. Zolk, H. Werner), (303) 233

$[(C_5H_5Co)_2(\mu\text{-}PMe_2)_2(\mu\text{-}H)^+$ cation, opening of the hydrido bridges by Lewis bases in (H. Werner, R. Zolk, W. Hofmann), (302) 65

$C_5H_5MoCo_2(CO)_8CCO^+$: synthesis and characterisation of a mixed metal acylium cation (M. Mlekuz, M.F. D'Agostino, J.W. Kolis, M.J. McGlinchey), (303) 361

Cobaloximes, effect of 2-cyano-2-propyl and 2-cyano-2-propyl peroxy radicals on (T. Szymanska-Buzar, J. Paál-Lukàcs, P. Sándor, I.P. Hajdu, D. Gál), (321) 249

Cobalt and rhodium complexes as catalysts in hydrocarbonylation of lactones (G. Bitsi, H. Kheradmand, G. Jenner), (310) 115

Cobalt and ruthenium catalysts for hydrocarbonylation of butanols (P. Andrianary, G. Jenner), (322) 89

Cobalt atoms as catalysts of the synthesis of pyridines from nitriles and acetylenes (G. Vitulli, S. Bertozzi, R. Lazzaroni, P. Salvadori), (307) C35

Cobalt-catalysed low-pressure double carbonylation of aryl and secondary benzyl halides (F. Francalanci, E. Bencini, A. Gardano, M. Vincenti, M. Foà), (301) C27

Cobalt(II) complexes with phosphorus–sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165

Cobalt, rhodium and iridium; Annual Survey 1984 (J.T. Mague), (305) 1

Cobalt, rhodium and iridium; Annual survey covering the year 1985 (J.T. Mague), (324) 57

Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörlein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257

$CoCl_2/Ph_3P/NaBH_4$ system, isomerisation of olefins catalysed by (N. Satyanarayana, M. Periasamy), (319) 113

$[Co_8(CO)_{18}C]^{2-}$, electrochemical behaviour compared with those of $[M_6(CO)_{15}C]^{2-}$ (M = Co, Rh) and $[Fe_6(CO)_{16}C]^{2-}$ carbido clusters (J. Rimmelin, P. Lemoine, M. Gross, R. Mathieu, D. De Montauzon), (309) 355

$[Co(CO)(dppm)_2ClO_4$, crystal and molecular structure of (C. Carriedo, P. Gomez-Sal, P. Royo, S. Martinez-Carrera, S. Garcia-Blanco), (301) 79

$Co_3(\mu_3\text{-}CPh)(CO)_9$, crystal structures of mixed-metal cluster derivatives of (M. Ahlgrén, T.T. Pakkanen, I. Tahvanainen), (323) 91

[Co(*N*,*N*'-ethylenebis(salicydeneaminato))-

$(CO_2)]^-$, ab-initio study of $\eta^1$-C coordination mode for $CO_2$ in (S. Sasaki, A. Dedieu), (314) C63

$[Co_2W(\mu\text{-}PEt_2)_3(CO)_5(\eta\text{-}C_5H_5)]$, $[Co_2W\{\mu_3\text{-}C(R)C(Et)C(Et)C(O)\}(\mu\text{-}CO)(CO)_4PPh_2\text{-}\{C(Et)=CHEt\}](\eta\text{-}C_5H_5)]$, and $[CoW\{\mu\text{-}C(R)C(Et)C(Et)C(OH)\}(CO)_4(\eta\text{-}C_5H_5)]$ (R = $C_6H_4$Me-4), crystal structures of (P. Dunn, J.C. Jeffery, P. Sherwood), (311) C55

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339

Cyclometallated photodecarboxylation of cobalt(III) complexes with 1-diethylenetriaminemono-3-propionate (A.L. Poznjak, V.I. Pawlowski, L.M. Schkolnikowa, N.M. Djatlowa, A.B. Iljuchin), (314) C59

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391

Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltri-cobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121

$\eta^5$-Cyclopentadienyldicarbonylcobalt, flash-vacuum pyrolysis under formation of cobaltocene of (J.-C. Fiaud, R. Chauvin, R. Bloch), (315) C32

Cyclopentadienyldiiodocarbonylcobalt(I) and trimethylphosphite, double demethylation pathway involving (E.V. Schleman, T.B. Brill), (323) 103

Dicarbonyl(*syn*-$\eta^3$-2,4-pentadienyl)triphenylphosphinecobalt, synthesis, characterisation and crystal structure of (G.-H. Lee, S.-M. Peng, M.-Y. Liao, R.-S. Liu), (312) 113

Dicarbonyl(tetramethylpiperidin-1-oxyl)cobalt, planar coordinated cobalt(I) complex, synthesis and X-ray structure analysis of (P. Jaitner, W. Huber, A. Gieren, H. Betz), (311) 379

Dicobaltdiiron clusters, selectivity in carbonyl reduction of; formyl intermediates in formation of hydrido derivatives (M.G. Richmond, J.K. Kochi), (323) 219

($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305

Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekâroğlu), (317) 301

(1,4-Dioxanylmethyl)diphenylphosphine, selective hydrocarbonylation of methanol with (E. Lindner, A. Sickinger, P. Wegner), (312) C37

Dodecacarbonyltetracobalt, identification of reaction products with bis(diphenylphosphino)ethane of (S. Aime, R. Gobetto, G. Jannon, D. Osello), (309) C51

Dodecacarbonyl-tetrarhodium, -dicobaltdirhodium, -tricobaltrhodium and -tetracobalt clusters, thermal decomposition of (R. Pince, R. Queau, D. Labroue), (306) 251

Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227

Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1

Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Half-open cobaltocene, diene replacement vs. hydride abstraction by triphenylmethyl cation (T.D. Newbound, R.D. Ernst), (316) 213

Heterobimetallic (Ru–Co) complexes with chelating and bridging $Ph_2PCH_2PPh_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), (303) C47

Heterodinuclear complex with bridged ethenyl ligand, $FeCo(CO)_7(\mu\text{-}CH{=}CPhH)$, synthesis and crystal structure of (I. Moldes, J. Ros, R. Yañez, X. Solans, M. Font-Altaba, R. Mathieu), (315) C22

Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M′ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38

$H_3Ru_3Co(CO)_{10}$(dppe) and $HRuCo_3(CO)_{10}$(dppe), synthesis and characterisation of (J. Pursiainen, T.A. Pakkanen), (309) 187

Hydridocobaloxime addition to (*H*)-1-phenylpropene, stereochemistry of forward and reverse reactions in (S. Derenne, A. Laudemer, M.D. Johnson), (322) 229

Metalla-indole, formation from reaction of a cobalt-containing four-membered ring compound with electrophiles (H. Werner, B. Heiser, M.L. Ziegler, K. Linse), (308) 47

*o*-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301

Methyl- and trimethylsilyl-tris(triphenylphosphine)cobalt, interference by phosphine decomposition in oxidative additions of aryl halides to (M. Michman, S. Chocron, S. Nussbaum, H. Schumann, R. Mohtachemi, G. Kannert), (315) 113

Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of t-butylphosphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35

$[M(P(O)(OMe)_2)(P(OMe)_3)_4]$ (M = Co, Ir, Rh), synthesis and variable $^{31}P$ NMR spectra of (S.I. Klein, F. Nixon), (302) 87

Nickel and cobalt electrochemically generated complexes, catalysis of dimerisation of monoolefins by (H. Masotti, J.C. Wallet, G. Peiffer, F. Petit, A. Mortreux, G. Buono), (308) 241

Octacarbonyldicobalt, pyridine induced disproportionation in THF of: homonuclear ion pairs and dihydrogen activation (G. Fachinetti, G. Fochi, T. Funaioli), (301) 91

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organo-iron and -cobalt complexes, ligand exchange reactions between; crystal structure of $[(C_5H_5)_2Co_4(CO)_5(F_3CC{\equiv}CCF_3)]$ (R. Rumin, P. Courtot, J.E. Guerchais, F.Y. Pétillon, L. Manojlović-Muir, K.W. Muir), (301) C1

$\mu_3$-P and $\mu_3$-As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137

Pentamethylcyclopentadienyl complexes: $[(\eta^5\text{-}C_5Me_5)Ru(PPh_3)(L)Cl]$ (L = Co, t-BuNC) and $[(\eta^5\text{-}C_5Me_5)Ru(L)_2Cl]$ (L = t-BuNC, norbornadiene), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322) 221

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

Phenylpropylbis(dimethylglyoximato)pyridinecobalt(III) in aqueous sulphuric acid, kinetics, and mechanism of decomposition of (S. Derenne, A. Gaudemer, M.D. Johnson), (322) 239

Rhodium and iridium phosphonate complexes from $[M(P(OMe)_3)_5]Cl$ (M = Rh, Ir), formation of; reactions of $H_2$ with $[MP(O)(OMe)_2(P(OMe)_3)_4]$ complexes (S.I. Klein, J.F. Nixon), (304) 371

Ruthenium-cobalt homogeneous systems, catalysis of reductive carbonylation of carboxylic esters by; homologation of the alkoxy moiety (G. Jenner, P. Andrianary), (307) 263

Silica-supported carbonylcobalt cluster, synthesis and catalysis of (Y.-P. Wang, S.-M. Zhang, A.-M. Zhang, N. Wu, Y.-Z. Luo, H.-X. Fu), (307) 65

Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Silicon-disubstituted ($\eta^4$-silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7

Tetracobalt octahedral clusters with $\mu_4$-PR and $\mu_4$-S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365

Tetracyanoethylene complexes of monomethylcyclopentadienylcobalt derivatives, formation and characterisation of (M.J. Macazaga, M.S. Delgado, J.R. Masaguer), (310) 249

Thioketene-cobalt complexes, $[Co(R_2C{=}C{=}S)(PMe_3)(C_5H_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Tridecacarbonylnitridohexacarbonylcobalt, $[Co_6N(CO)_{13}]$, synthesis and characterisation of (G. Ciani, S. Martinengo), (306) C49

Trimethylphosphinecobalt(I) complexes, crystal and molecular structure of $[Co(CO)_2(PMe_3)_3]BPh_4$ (Y. Pérès, A. Kerkeni, M. Dartiguenave, Y. Dartiguenave, F. Bélanger-Gariépy, A.L. Beauchamp), (323) 397

Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320) 349

## Copper

1-Acetoxy-1,2,2-triethoxyethane, reactions with organometallic compounds of (A. Stambouli, R. Amouroux, F. Chastrette, M. Chastrette, G. Mattioda, A. Blanc), (307) 139

Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands $Ph_2As(CH_2)_n$-$PPh_2$ ($n = 1, 2$), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27

Copper(I) alkylborohydrides from alkenes using $CuCl/NaBH_4$ reagent systems (S.A. Rao, M. Periasamy), (309) C39

Copper(I) as phosphine abstractor from $(\eta\text{-}C_5H_5)(CO)(PPh_3)(FeCOCH_3)$ (S.A. Levitre, C.C. Tso, A.R. Cutler), (308) 253

Copper(I) complexes with ethylene, structural study of; crystal structures of [Cu(2,2′-bipyridine)(ethylene)]$ClO_4$ and [Cu(1,10-phenanthroline)(ethylene)]$ClO_4$ (H. Masuda, N. Yamamoto, T. Taga, K. Machida, S. Kitagawa, M. Munakata), (322) 121

Copper(I) salts and dialkylcopper magnesium halides as catalysts in $\alpha$-methylene- and $\alpha$-

(hydroxymethyl)-alkanoic ester preparation from substitution of α-(acetoxymethyl) acrylate or addition to ethyl-α-(hydroxymethyl) acrylate (H. Amri, M. Rambaud, J. Villieras), (308) C27

*cis*-Cyclohexane-1,2-diol and *meso*-butane-2,3-diol, enantioselective phenylation in the presence of catalysts of (H. Brunner, U. Obermann, P. Wimmer), (316) C1

8-(Dimethylamino)naphthylcopper(I), synthesis, crystal structure and reactivity of (E. Wehman, G. van Koten, M. Knotter, H. Spelten, D. Heijdenrijk, A.N.S. Mak, C.H. Stam), (325) 293

[2-(4,4-Dimethyl-2-oxazoline)-4-methylphenylcopper]-copper bromide complex, crystal structure of (E. Wehman, G. van Koten, J.T.B.H. Jastrzebski), (302) C35

Lithium 2-(1-dimethylaminoethyl)phenyl cuprates, steric consequence of diastereoselective addition to enones of (S. Andersson, S. Jagner, M. Nilsson, F. Urso), (301) 257

Methylcopper and methyl(tricyclohexylphosphine)copper, reactions with trialkylaluminium of (S. Pasynkiewicz, J. Popławska), (302) 269

*o*-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301

Organocopper(I) mediated synthesis of 1,4-diketones with ethoxyacetylene applied as building block (P. Wijkens, P. Vermeer), (301) 247

$[Pt_2(\mu\text{-}S)(CO)(PPh_3)_3]$, reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271

Ruthenium-rhodium dinuclear complexes mobility of dppm ligand in; formation of trinuclear $RuRh_2$ and Ru–Rh–Cu derivatives; X-ray structure of heterobimetallic hydrido-bridged complex (B. Delavaux, B. Chaudret, F. Dahan, R. Poilblanc), (317) 69

Silylcupration of acetylenes (H.-M. Chen, J.P. Oliver), (316) 255

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

## Erbium

Tricyclopentadienyl-erbium(III) and -thulium-(III), X-ray structure of (S.H. Eggers, W. Hinrichs, J. Kopf, W. Jahn, R.D. Fischer), (311) 313

## Gallium

Amphoteric ligands: $(Me_3SiCH_2)_2GaPPh_2$, $(Me_3SiCH_2)_2InPPh_2$ and $(Me_3CCH_2)_2InPPh_2$, synthesis, characterisation and crystal and molecular structure of (O.T. Beachley, Jr., J.P. Kopasz, H. Zhang, W.E. Hunter, J.L. Atwood), (325) 69

Bis{[bis(trimethylsilylmethyl)arsino]diphenylgallane}, synthesis and crystal structure of (R.L. Wellis, A.P. Purdy, A.T. McPhail, C.G. Pitt), (308) 281

Methylsulphonato(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), crystal structure of (A. Boukhris, C. Lecomte, A. Coutsolelos, R. Guilard), (303) 151

Tris(arsino)gallane dimer containing nonplanar $(Ga–As)_2$ ring, synthesis and characterisation of; crystal structure of $\{[(Me_3SiCH_2)_2As]_3Ga\}_2$ (R.L. Wells, A.P. Purdy, K.T. Higa, A.T. McPhail, C.G. Pitt), (325) C7

## Germanium

Alkene coordination at divalent germanium in $(\eta^2\text{-}Me_4C_5H)Me_2Si(\eta^5\text{-}Me_4C_5)Ge^+\ GeCl_3^-$ (F.X. Kohl, R. Dickbreder, P. Jutzi, G. Müller, B. Huber), (309) C43

Alkoxygermanes, $^{73}Ge$, $^{17}O$ and $^{13}C$ NMR spectra of (E. Liepiņš, I. Zicmane, E. Lukevics), (306) 327

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Aryltrimethyl-silicon, -germanium and -tin compounds, synthesis and spectroscopic characterisation of (S.M. Moerlein), (319) 29

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310) 151

Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls $[Fe(CO)_3(L)(L')]$ ($L = \overline{CN\text{-}(Me)(CH_2)_2\dot{N}Me}$, $L' = PEt_3$ or $L = M(O\text{-}Ar)_2$ ($M$ = Ge, Sn, $Ar = C_6H_2Bu^t_2$-2,6-Me-4), $L' = CO$) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27

$(CH_3)_5C_5(Cl)Ge \rightarrow W(CO)_5$, molecular rearrangement of (P. Jutzi, B. Hampel), (301) 283

α,ω-Dichlorinated polygermanes, $Cl(Ph_2Ge)_nCl$ ($n = 2, 3, 4$), synthesis by germylene insertion of (K. Häberle, M. Dräger), (312) 155

Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de

Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291

13,13-Dimethyl-8,13-dihydro-5*H*-dibenzo[*d*,*g*]-[1.2.6]diselenagermonine and 13,14-diphenyl-8,13-dihydro-5*H*-dibenzo[*d*,*g*][1.2.6]diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven, B.I. Stepanov, M.Yu. Aismont), (301) 273

2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbadodecaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139

5,5-Diphenyloctafluorogermanthrene, $(C_6H_5)_2GeC_{12}F_8$, crystal and molecular structure of (D.S. Brown, A.G. Massey, T.K. Mistry), (302) 343

1,3-Dipolar germylene ligands, interaction with chromium and tungsten complexes of (A. Castel, P. Rivière, J. Satgé, M. Ahbala, J. Jaud), (307) 205

Dodecaphenyl-n-pentagermane, pergerma analogue of n-pentane (S. Roller, M. Dräger), (316) 57

Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligands (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327

Germanium(II) pseudohalides, $Ge(CN)_2$, $Ge(NCO)_2$ and $Ge(NCS)_2$, synthesis and reactivity of (M. Onyszchuk, A. Castel, P. Riviere, J. Satgé), (317) C35

5-Germaspiro[4,4]nona-2,7-dienes, preparations of (P. Mazerolles, F. Grégoire), (301) 153

Germylenes, cycloaddition to 3,5-di-t-butyl orthoquin-one of (P. Riviére, A. Castel, J. Satgé, D. Guyot), (315) 157

Main Group IV organometallic halides, insertion of indium(I) halides into the M–X bond of (T.A. Annan, D.G. Tuck), (325) 83

Metallocenes in biochemistry, microbiology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281

Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1

Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1

Octaphenylpropane analogues, $Ph_3SnSiPh_2SnPh_3$ and $Ph_3SnGePh_2SnPh_3$, correlation between geminal NMR couplings and non-bonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11

Organogermanium *O*,*O'*-dimethyl- and -diethyldithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271

Pentacarbonylmanganesetriphenylphosphinesilicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167

Phenylated trigermanes, preparation of (M. Dräger, D. Simon), (306) 183

$Ph_3GeSiMe_3$ and $Ph_3GeSiMe_2Fe(CO)_2(\eta^5\text{-}C_5H_5)$, synthesis and crystal structures of (L. Párkányi, C. Hernandez, K.H. Pannell), (301) 145

Polygermanes as by-products of the Grignard reaction of PhMgBr and $GeCl_4$ (S. Roller, D. Simon, M. Dräger), (301) 27

Tetramethyldigermane, [2 + 2] cycloaddition to multiple bonds of; synthesis of $\Delta^{1,7}$-2,2,6,6,8,-8,9,9-octamethyl-4-thia-8,9-digermabicyclo-[5.2.0]nonene (O.M. Nefedov, M.P. Egorov, A.M. Gal'minas, S.P. Kolesnikov, A. Krebs, J. Berndt), (301) C21

Tetramethylgermane, hexamethyldigermane and related organogermanes, molecular and electronic structures derived from (C, Glidewell), (303) 337

2,2,6,6-Tetramethyl-4-metallaspiro[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51

1,1,2,2-Tetraphenyl-4,4-di-t-butyl-1,2,4-trigerma-3,5-dioxacyclopentane, preparation of (H. Puff, H. Heisig, W. Schuh, W. Schwab), (303) 343

Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167

α-Triorganostannylvinyllithiums with Group IVB organometallic halides, reactions of; formation of α-trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151

Tris- and tetrakis-(trifluoromethyl)fluorogermanates, structure of an anion with pentacoordinated germanium (D.J. Brauer, J. Wilke, R. Eujen), (316) 261

Trithiagermatranes substituted with functional groups, synthesis of (N. Kakimoto, K. Sato, M. Matsui, T. Takada, M. Akiba), (316) C17

## Gold

*cis*-Alkenyl- or -aryl-dimethyl(triphenylphosphine)gold(III), unusual steric effect on dissociative reductive elimination from (S. Komiya, A. Shibue, S. Ozaki), (319) C31

[AuR(CNR′)], volatile organogold compounds, potential for chemical vapour deposition of gold (R.J. Puddephatt, I. Treurnicht), (319) 129

Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310) C36

$CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)AuPPh_3$-(*Mn–Au*) and $[CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)]_2Pt(3\text{-picolin})_2$-(*Mn–Pt*), synthesis from $Na[CH_2\text{-}C_5H_4(CO)_2MnSiR_3]$; formation of metal–metal bonds and simultaneous $SiR_3/H$ exchange (E. Kunz, J. Müller, U. Schubert), (320) C11

$[\eta^5\text{-}C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of ($\eta^6$-fulvenylbenzoate)tricarbonylchromium and $(\eta^5\text{-}C_5H_4CHO)\text{-}Cr(CO)_3Au(PPh_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

$Co_3(\mu_3\text{-}CPh)(CO)_9$; crystal structures of mixed-metal cluster derivatives of (M. Ahlgrén, T.T. Pakkanen, I. Tahvanainen), (323) 91

Diarylgold(III) mixed complexes, synthesis of; structure of *cis*-[2-(phenylazo)phenyl][2-{(dimethylamino)methyl}phenyl]gold(III) tetrachloroaurate (J. Vicente, M.-T. Chicote, M.D. Bermudez, M.J. Sanchez-Santano, P.G. Jones, C. Fittschen, G.M. Sheldrick), (310) 401

Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amine disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269

Gold clusters, synthesis and characterisation of $[Au_8(PPh_3)_7(CNR)]^{2+}$, $[Au_9(PPh_3)_6\text{-}(CNR)_2]^{3+}$ and $[Au_{11}(PPh_3)_7(CNR)_2I]^{2+}$ and reactivity towards amines of; crystal structure of $[Au_{11}(PPh_3)_7(CN\text{-}i\text{-}Pr)_2I](PF_6)_2$ (W. Bos, R.P.F. Kanters, C.J. van Halen, W.P. Bosman, H. Behm, J.M.M. Smits, P.T. Beurskens, J.J. Bour, L.H. Pignolet), (307) 385

Gold-197 Mössbauer investigation of gold(I) derivatives of five- and six-membered nitrogen-containing heterocycles (F. Bonati, A. Burini, B.R. Pietroni, S. Calogero, F.E. Wagner), (309) 363

Gold ylide dinuclear complexes, vibrational study by Raman spectroscopy of (R.J.H. Clark, J.H. Tocher), (303) 437

Metal atom-free radical reactions, generality of; synthesis of trifluoromethylalkyls of gold(III) and silver (M.A. Guerra, T.R. Bierschenk, R.J. Lagow), (307) C58

Methyl(trimethylphosphine)gold(I), molecular structure determined by gas diffraction of (A. Haaland, J. Hougen, H.V. Volden, R.J. Puddephatt), (325) 311

Mono-, di- and tetra-aurated derivatives of barbituric acid; crystal structure of 1,3-bis(triphenylphosphinegold)-5,5-diethylbarbituric acid (F. Bonati, A. Burini, B.R. Pietroni, B. Bovio), (317) 121

$[Nb(\eta^5\text{-}C_5H_4R)_2\{AuP(C_6H_5)_3\}_2]^+$ (R = H, $Si(CH_3)_3$) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44

*ortho*-Nitrophenyltriphenylarsinegold(I), crystal and molecular structure of (J. Vicente, A. Arcas, M. Mora, X. Solans, M. Font-Altaba), (309) 369

Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357

$[Ph_4As]_2[Re_7C(CO)_{21}Au(PPh_3)]$, crystal structure of; comparison of $H^+$ and $Au(PPh_3)^+$ coordination to $[Re_7C(CO)_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55

Platinum–gold heterometallic clusters, MO calculations on (D.I. Gilmour, D.M.P. Mingos), (302) 127

$[Pt_2(\mu\text{-}S)(CO)(PPh_3)_3]$, reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271

Tetranuclear gold-silver cluster with phenylacetylide groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), (302) C10

Tolyldiphenyl- and dimethylphenyl-phosphinemethylgold, $CH_3/Cl$ exchange reactions with chlorosilanes of (U. Schubert, J. Meyer), (303) C5

Trigonal-bipyramidal platinum-gold cluster compound, $[Pt_3Au_2(\mu\text{-}Cl)(\mu\text{-}SO_2)_2(PCy_3)_3(P\{p\text{-}C_6H_4F\}_3)_2][PF_6]$, synthesis and structural characterisation of (D.M.P. Mingos, P. Oster, D.J. Sherman), (320) 257

## Hafnium

Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183

Di-$\eta^5$-cyclopentadienylhafnacyclopentadiene

compounds, facile, high-yield synthesis of (M.B. Sabade, M.F. Farona), (310) 311
($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305
Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303
Halo(alkoxo)- and monocyclopentadienyl(hal)alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329
Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307
Transition metal butadiene complexes, formation via vinyllithium of (R. Beckhaus, K.-H. Thiele), (317) 23
Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetramides of $V^{IV}$, $CH_3Nb^V$ and $Hf^{IV}$ (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317
Zirconocene and hafnocene dichlorides, electrogeneration of $Zr^{III}$ and $Hf^{III}$ anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Laviron), (302) C7
Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M–H bond (M. Fahim, G. Tainturier), (301) C45
Zirconium and hafnium organometallic compounds, analysis and classification of crystallographic and structural data (*Review*) (C.E. Holloway, I.M. Walker, M. Melník), (321) 143

## Indium

Amphoteric ligands: $(Me_3SiCH_2)_2GaPPh_2$, $(Me_3SiCH_2)_2InPPh_2$ and $(Me_3CCH_2)_2InPPh_2$, synthesis, characterisation and crystal and molecular structure of (O.T. Beachley, Jr., J.P. Kopasz, H. Zhang, W.E. Hunter, J.L. Atwood), (325) 69
Main Group IV organometallic halides, insertion of indium(I) halides into the M–X bond of (T.A. Annan, D.G. Tuck), (325) 83
$Me_3InNHCMe_2(CH_2)_3CMe_2$, $Me_3InN(CH_2CH_2)_3N$ and $Me_3InNHMe(CH_2)_2NHMeIn-Me_3$, formation and X-ray structures of (D.C. Bradley, H. Dawes, D.M. Frigo, M.B. Hursthouse, B. Hussain), (325) 55

## Iridium

Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
*trans*-Bis(diphenylphosphine)cyclopropane, ligand selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.M. Brown, A.R. Lucy), (314) 241
Carbomethoxy-pentacoordinate iridium(I) complex, $CH_3OC(O)Ir(CO)_2(PPh_3)_2$, synthesis and crystal structure of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (304) 227
Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111
$(C_5Me_5)Ir(CO)_2/[Re(CO)_4Br]_2$, cleavage of dichloromethane by; structure of $[(\eta^5\text{-}C_5Me_5)Ir(CO)_2(CH_2Cl)]^+$ $[(\mu\text{-}Cl)_x(\mu\text{-}Br)_{3-x}Re_2(CO)_6]^-$ ($x = \sim 1.5$) (F.W.B. Einstein, P.G. Glavina, R.K. Pomeroy, P. Rushman, A.C. Willis), (317) 255
Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörlein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257
Cobalt, rhodium and iridium; Annual Survey 1984 (J.T. Mague), (305) 1
Cobalt, rhodium and iridium; Annual survey covering the year 1985 (J.T. Mague), (324) 57
Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltri-cobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121
Difulvene-iridium(I) and -rhodium(I) complexes, intramolecular rearrangements in (E.J. Probitts, R.J. Mawby), (310) 121
Dihydridobis(trialkyltin)(pentamethylcyclopentadienyl)-rhodium(V) and -iridium(V) complexes, synthesis, characterisation and reactions of (J. Ruiz, C.M. Spencer, B.E. Mann, B.F. Taylor, P.M. Maitlis), (325) 253
Di-$\mu$-hydroxo- and dimethoxo-pentamethylcyclopentadienyl derivatives of rhodium and iridium with pyridine type ligands; crystal

structure of $[\{(C_5Me_5)Rh(Py)\}_2(\mu\text{-}OH)_2][ClO_4]_2$ (F.J. Lahoz, D. Carmona, L.A. Oro, M.P. Lamata, M.P. Puebla, C. Foces-Foces, F.H. Cano), (316) 221

Di-organo-iridium complexes, $RR'Ir(CO)(PPh_3)_2X$ (R,R' = Me, Ph, $CH_2Ph$, $C(O)CH_3$; X = Cl, I), formation of C–C bonds on; crystal structure of *cis,cis,trans*-$[Ir(CH_3)_2(CO)_2(PPh_3)_2^+][CF_3SO_3^-]$ (M.R. Churchill, J.C. Fettinger, T.S. Janik, W.M. Rees, J.S. Thompson, S. Tomaszewski, J.D. Atwood), (323) 233

Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227

Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1

Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M′ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38

Hydridoiridium(III) complexes with weakly coordinated anions and $N_2$ as leaving groups (H. Bauer, W. Beck), (308) 73

Hydroxycarbonyliridium(III) complexes, modification of the acid–base properties by substitution of CO by a tertiary phosphine ligand in (A.J. Deeming, G.P. Proud), (301) 385

$IrH(diene)L_2$ compounds, preparation via methoxyiridium complexes; catalysts for hydrogen transfer reactions (M.J. Fernandez, M.A. Esteruelas, M. Covarrubias, L.A. Oro), (316) 343

Iridium pentahydride complex, selective conversion of pinane into $\beta$-pinene catalysed by (Y. Lin, D. Ma, X. Lu), (323) 407

Iridium-sulphur dioxide square planar complexes coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27

$MeIr(CO)(PPh_3)_2[C_2(CO_2Me)_2]$, formation by addition of $C_2(CO_2Me)_2$ to *trans*-$MeIr(CO)(PPh_3)_2$, isomerisation and crystal structure of thermodynamic isomer of (W.M. Rees, M.R. Churchill, J.C. Fettinger, J.D. Atwood), (319) 411

$MeIr(CO)(PPh_3)_2(MeCO_2CH{=}CHCO_2Me)$, formation and crystal structure of; comparison of analogous alkene and alkyne complexes (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (301) 99

*trans*-$MeOIr(CO)(PPh_3)_2$, reactions with alkenes of; crystal and molecular structure of pentacoordinate alkoxyalkeneiridium(I) complex, $MeOIr(CO)(PPh_3)_2(TCNE)$ (T.S. Janik, K.A. Bernard, M.R. Churchill, J.D. Atwood), (323) 247

Mono- and di-olefin derivatives of carbonyl tetrairidium clusters, synthesis and stereochemistry of (R. Ros, A. Scrivanti, R. Roulet), (303) 273

$[M(P(O)(OMe)_2P(OMe)_3)_4]$ (M = Co, Ir, Rh), synthesis and variable $^{31}P$ NMR spectra of (S.I. Klein, F. Nixon), (302) 87

Orthometallated iridium(III) compounds, synthesis by chemical and electrochemical methods of (P. Lahuerta, J. Latorre, I. Solana), (322) 377

Perfluorophenoxyiridium(I) complex, *trans*-$(C_6F_5O)Ir(CO)(PPh_3)_2$, synthesis, characterisation, crystal structure and carbonylation of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (308) 361

*O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

Phosphine ligand effects on homogeneous hydrogenation of carbon monoxide catalysed by iridium carbonyls (T. Takano, T. Deguchi, M. Ishino, S. Nakamura), (309) 209

Phosphineiridium chiral complexes as catalysts in asymmetric transfer by hydrogenation of ketones (H.W. Krause, A.K. Bhatnagar), (302) 265

Phosphineiridium(I) complexes, reactions with $S_4N_4$ of; synthesis and crystal structure of $[(dppen)_2Ir(S_2N_2)](BPh_4) \cdot 0.5CH_3COCH_3$ and $\{(dppen)_2Ir(S_2N_2)[W(CO)_5]\}(BPh_4 \cdot 0.5CH_2Cl_2)$ (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383

Rhodium and iridium phosphonate complexes from $[M(P(OMe)_3)_5]Cl$ (M = Rh, Ir), formation of; reactions of $H_2$ with $[MP(O)(OMe)_2(P(OMe)_3)_4]$ complexes (S.I. Klein, J.R. Nixon), (304) 371

Phosphine-rhodium(I) and -iridium(I) complexes, asymmetric transfer hydrogenation of ketones catalysed by (R. Spogliarich, J. Kašpar, M. Graziani, F. Morandini), (306) 407

Tetrafluorobenzobarreleneiridium complexes with 1,10-phenanthroline, 2,2′-bipyridine and diketonate ligands; crystal structure of $[IrI_2(TFB)(phen)ClO_4 \cdot (CH_3)_2CO$ (TFB = 5,6,7,8-tetrafluoro-1,4-dihydro-1,4-dihydro-1,4-ethenonaphthalene, phen = 1,10-phenanthroline) (L.A. Oro, D. Carmona, M.A. Esteruelas, C. Foces-Foces, F.H. Cano), (307) 83

Thionitrosodimethylamine ($Me_2N{-}N{=}S$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105

$\eta$-Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation

reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35

## Iron

$\eta^2$-Acrylonitrilecyclopentadienyldicarbonyliron-(II) tetrafluoroborate, a high-valent transition metal complex, preparation and reactions of (M. Rosenblum, M.M. Turnbull, M.K. Begum), (321) 67

$\eta^2$-Acyliron complexes; crystal structure of $[Fe(I)(\eta^2\text{-}C(O)\text{-}i\text{-}Pr)(CO)(PEt_3)_2]$ (R. Birk, H. Berke, G. Huttner, L. Zsolnai), (309) C18

Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

$\mu$-Alkylideneiron complex, CO insertion reactions of (D. Navarre, H. Rudler, J.C. Daran), (314) C34

$\sigma$-Alkyl- (or $\sigma$-aryl-)iron(III) porphyrins containing Fe–C bonds, Raman spectroscopic investigation of coordination in (A. Tabard, G. Lagrange, R. Guilard, M. Jouan, N.Q. Dao), (308) 335

Alumino-metalloaminocarbene complexes (M = Fe, Mn), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149

Arenecyclopentadienyliron(II), bis-arene-iron(II) and substituted ferrocenes, organometallic conductors obtained by reactions with tetracyanoquinodimethane of (R.M. Lequan, M. Lequan, P. Legeay, J. Padiou), (323) 77

$\eta^6$-Arene-$\eta^5$-cyclopentadienyliron cations and $\eta^6$-arenedi-$\eta^5$-cyclopentadienyliron dications, synthesis of complexed ketones or sulphones by oxidation of (C.C. Lee, R.L. Chowdhury, A. Píorko, R.G. Sutherland), (310) 391

Arenecyclopentadienyliron complexes, addition of cyanide ion to (R.G. Sutherland, R.L. Chowdhury, A. Piórko, C.C. Lee), (319) 379

$\eta^6$-Arene-$\eta^5$-cyclopentadienyliron cations and related systems (*Review*) (R.G. Sutherland, M. Iqbal, A. Piórko), (302) 307

Arylnitrenes formed by cleavage of azoarenes, trapping with $Fe_3(CO)_{12}$ or $Ru_3(CO)_{12}$ of; X-ray structure of $Ru_3(\mu_3\text{-}NPh)_2(\mu\text{-}dppm)(CO)_7$ (M.I. Bruce, M.G. Humphrey, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink), (315) C51

Benzofulvene-chromium and -iron complexes, preparation of (F. Edelmann, O. Koch, U. Behrens), (311) 111

2-Benzylidene[3]ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowiak, Š, Toma), (316) 163

Biferrocenium tetrabromoferrate, $[(C_5H_5)Fe(C_5H_4)\text{–}(C_5H_4)Fe(C_5H_5)]FeBr_4$, X-ray structural characterisation of a mixed-valence compound (S.J. Geib, A.L. Rheingold, T.-Y. Dong, D.N. Hendrickson), (312) 241

Biferrocenyl, high yield synthesis of (A.R. Koray, M. Ertas, Ö. Bekaroğlu), (319) 99

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331

2,2-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271

Bis-$\eta^3$-allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76

Bis[bis(trimethylsilyl)methyl]tin, reactions with $M_3(CO)_{12}$ (M = Fe, Ru, Os) or its derivatives of; crystal and molecular structures of $M_3(\mu\text{-}SnR_2)_2(CO)_{10}$ ($R = CH(SiMe_3)_2$, M = Ru, Os) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203

Bis($\mu$-cyclohexen-2-ylthio)-$\mu_4$-thiododecacarbonyltetrairon, synthesis and structure of (B.I. Kolobkov, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev, G.G. Aleksandrov, M.T. Tashev, H.B. Dustov), (301) 349

Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP\text{-}t\text{-}Bu_2[ML_n]\}_2$ ($ML_n$ = $Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates $S(NP\text{-}t\text{-}Bu_2)_2M(CO)_4$ (M = Cr, Mo, W); crystal and molecular structure of $S(NP\text{-}t\text{-}Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Bis[$\mu$-2,6-dimethylphenylisocyanide)(cyclopentadienyl)(2,6-dimethylphenylisocyanide)iron-(I)], X-ray structural characterisation and solution dynamics of (M.D. Albers, A.A. Chalmers, G.J. Kruger, D.C. Liles, H.E. Oosthuizen, E. Singleton, N.J. Coville), (306) 385

Bis(diphenylphosphino)-ethane- and -ethene-cyclopentadienyliron complexes with $CO^-$, $N_2^-$, $NH_3^-$, $HN_3^-$ or $N_3^-$ as ligands (D. Sellmann, W. Weber), (304) 195

1,1-Bis(diphenylphosphino)ethene-tricarbonyliron and -decacarbonyltriosmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Hardin, K. Pearson, A.K. Smith), (311) 153

Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $Os_3(CO)_9(\mu\text{-dppm})(\eta^1\text{-dppm})$ (dppm = $Ph_2PCH_2PPh_2$) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403

Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310) C36

Bismuth(III) as bridging ligand in organoiron complexes (J.M. Wallis, G. Müller, H. Schmidbaur), (325) 159

Bis(perfluoroalkyl)tetracarbonyliron, intramolecular *cis–trans* isomerisation of (S.I. Vdovenko, I.I. Guerus, Yu.L. Yagupolskii), (301) 195

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo–Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Bis(2,3,4-trimethylpentadienyl)iron, solid-state structure of (J.-C. Han, J.P. Hutchinson, R.D. Ernst), (321) 389

$\mu$-(Boranedithiolato)bis(tricarbonyliron) compounds, $XBS_2[Fe(CO)_3]_2$, preparation, structure and reactions of (H. Nöth, W. Rattay), (308) 131

($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

Bromo(*syn*-$\eta^3$-2,3-pentadienyl)tricarbonyliron, synthesis, characterisation and reactivity of (C.-C. Cheng, R.-S. Liu), (308) 237

$\eta^4$-1,3-Butadienetris(triethylphosphane)iron(0), synthesis properties and characterisation of (H. Hoberg, K. Jenni), (301) C59

(Butadiene)zirconocene, reactions with carbonyliron complexes of (G. Erker, R. Lecht), (311) 45

2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martin, M.-P. Heitz), (315) 59

t-Butanoyl-substituted $\eta^6$-arene-$\eta^5$-cyclopentadienyliron(II) cations, acid-catalysed ketone rearrangement of (R.M.G. Roberts, A.S. Wells), (317) 233

t-Butyldicarbonyl-$\eta^5$-cyclopentadienyliron, insertion reactions of (K.H. Pannell, T. Giasolli, R.N. Kapoor), (316) 315

Carbanion addition to a metallated acetaldehyde, regiospecific alkene synthesis (D.F. Marten, M.N. Akbari), (322) 99

Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls, $[Fe(CO)_3(L)(L')]$ (L = $\overline{CN(Me)(CH_2)_2NMe}$, L' = $PEt_3$ or L = $M(OAr)_2$ (M = Ge, Sn), Ar = $C_6H_2Bu^t_2$-2,6-Me-4), L' = CO) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27

Carbonylcyclopentadienylethyl(triphenylphosphine)iron, $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)CH_2\text{-}CH_3]$, conformational analysis and X-ray crystal structure of (S.G. Davies, I.M. Dordor-Hedgecock, K.H. Sutton, M. Whittaker), (320) C19

Carbonylcyclopentadienyliron complexes with potentially bidentate amine ligands, synthesis, Mössbauer and $^1H$ NMR study of (M.-J. Bermejo, B. Martínez, J. Vinaixa), (304) 207

Carbonyliron compounds, reactions with ketenimines of (T. Sielisch, U. Behrens), (322) 203

Carbonyl-iron dinuclear complexes with $\sigma$-metal–carbon bonds, synthesis, structure and properties of (H. Patin, B. Misterkiewicz, J.-Y. Le Marouille, A. Mousser), (314) 173

Carbonyliron RP-bridged clusters, reversible alkyne addition of (K. Knoll, G. Huttner, L. Zsolnai), (307) 237

Carbonylironrhodium clusters; synthesis and X-ray structure of $[Fe_3Rh_3(CO)_{17}]^{3-}$ trianion (A. Ceriotti, R. Della Pergola, G. Longoni, B.T. Heaton, F. Demartin, M. Manassero), (311) C31

Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153

Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407

C–C bond formation between donor atoms of adjacent acyl and akenyl ligands (C.M. Lukehart, J.B. Myers, Jr., B.J. Sweetman), (316) 319

($\eta^5$-$C_5H_4CH(Ph)Me$)Fe(CO)(L)X chiral complexes, L = phosphine, phosphite; X = acyl, alkyl, halide, hydride, preparation, diastereomers and structural characterisation of (J.E. Shade, A. Wojcicki), (319) 391

$\{(\mu\text{-}CH_2)(\mu\text{-}CO)[\eta^5\text{-}C_5H_5Fe(CO)]_2\}$, $^1H$ NMR study of reversible *cis / trans* isomerisation of (M.I. Altbach, C.A. Muedas, R.P. Korswagen, M.L. Ziegler), (306) 375

($\eta^5$-$C_5H_4COCl$)$(CO)_2FeCH_2Ph$, intramolecular acylation of; crystal structure of $(CO)_2Fe(\eta^5$-$C_5H_4COC_6H_4CH_2)$ (T.Yu. Orlova, V.N. Setkina, P.V. Petrovsky, A.I. Yanovsky, A.S. Batsanov, Yu.T. Struchkov), (304) 331

$[(C_5H_5)_4FeNi](BF_4)_2$, charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39

$[(C_2H_5)_4N^+]_3[BiFe_4(CO)_{16}^{3-}]$, X-ray structural characterisation of (M.R. Churchill, J.C. Fettinger, K.H. Whitmire, C.B. Lagrone), (303) 99

$\mu$-Chloro-$\mu$-(diphenylethenyl)hexacarbonyldiiron(*Fe–Fe*), synthesis and crystal structure of (J. Ros, J.M. Viñas, R. Mathieu, X. Solans, M. Font-Bardia), (307) C7

($\eta^4$-*exo*- and $\eta^4$-*endo*-1-chloro-2,5-diphenylsilacyclopentadiene)tricarbonyliron complexes, stereochemical behaviour of (R.J.P. Corriu, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C1

($\eta^5$-$C_5Me_5Os(CO)(PMe_2Ph)Me$ oxidative reactions; isolation of intermediates during alkyl–metal electrophilic cleavage reactions of (L.J. Sanderson, M.C. Baird), (307) C1

$[Co_8(CO)_{18}C]^{2-}$, electrochemical behaviour compared with those of $[M_6(CO)_{15}C]^{2-}$ (M = Co, Rh) and $[Fe_6(CO)_{16}C]^{2-}$ carbido clusters (J. Rimmelin, P. Lemoine, M. Gross, R. Mathieu, D. De Montauzon), (309) 355

$Co_3(\mu_3$-CPh$)(CO)_9$; crystal structures of mixed-metal cluster derivatives of (M. Ahlgrén, T.T. Pakkanen, I. Tahvanainen), (323) 91

Coordinated cyclic polyolefins, reactions of; mechanism of pericyclic [4.4]-sigmahaptotropic rearrangement; crystal structure of tricarbonyl(2,3,4,5-$\eta$)bicyclo[4.2.1]nona-2,4-diene-7,7,8,8-tetracarbonitrile]iron (Z. Goldschmidt, H.E. Gottlieb, E. Genizi, D. Cohen, I. Goldberg), (301) 337

$Cp^*Fe(CO)_2[\eta^1$-SP(S)$(OR)_2]$ ($Cp^* = \eta$-$C_5H_5$ or $\eta$-$C_5Me_5$), electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320) 317

$[CpFeP_2L]^+$ cations, (Cp = $C_5H_5$, $C_5Me_5$; L = CO vs. $CH_3CN$; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322) C13

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting N.E. Schore), (320) 339

[$\eta^5$-Cyclopentadienyl-$\eta^6$-areneiron]$^+$ cations bearing methylene, methyl or methyne substituents at arene, preparation of (M. Le Rudulier, C. Moinet, E. Raoult), (310) 209

$\eta^5$-Cyclopentadienyl-$\eta^6$-areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), (302) 389

Cyclopentadienylcarbonyliron cationic complexes alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391

Cyclopentadienyldicarbonyl-$\sigma$-benzyliron derivatives with oxygen-containing functional groups in the cyclopentadienyl ring (T.Yu. Orlova, V.N. Setkina), (304) 337

Cyclopentadienyliron complexes, coordination of polyfunctional thioether in (N. Kuhn, H. Schumann), (315) 93

Cyclopentadienyliron complexes, exploratory flash vacuum pyrolysis of (C. Glidewell, J.S. McKechnie), (321) C21

4-Cyanobuta-1,3-dienylidene bridging group, formation from reaction of $[(C_5H_5)$-$Fe(CO)]_2(\mu$-$CO)(\mu$-$C{=}CH_2)$ with $HC{\equiv}CCN$ of (M. Etienne, J.E. Guerchais), (314) C81

Decacarbonyltriiron *nido* clusters, rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (312) C57

Diazabutadienehexacarbonyldiiron complexes of t-BuN=CHCH=N-i-Pr, $^1H$ NMR identification of regioisomers of (H.-W. Frühauf, J. Breuer), (301) 183

(1,4-Diaza-1,3-diene)tricarbonyliron, reactions with alkynes under formation of 1,5-dihydropyrrol-2-ones of; stereospecific ligand incorporation in formation of the [2.2.2]bicyclic intermediate (H.-W. Frühauf, F. Seils), (302) 59

[$\mu$-2,3,8,9-Dibenzo-1,4,7,10-tetrathiadecanylbis-(tricarbonylmolybdenum) disolvate, formation of (D. Sellmann, G. Binker, R. Boese), (311) C11

1,3-Diborabenzene complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16

Dicarbonylcyclopentadienyliron-substituted phosphaalkene with Fe–P bonds, synthesis and structure of (L. Weber, K. Reizig, M. Frebel, R. Boese, M. Polk), (306) 105

$\eta$-*o*-Dichlorobenzene-$\eta^5$-cyclopentadienyliron hexafluorophosphate, nucleophilic substitution reactions with (C.C. Lee, A.S. Abd-El-Aziz, R.L. Chowdhury, U.S. Gill, A. Piórko, R.G. Sutherland), (315) 79

*trans*-Dichlorotetrakis(xylyl isocyanide)iron(II) and chloropentakis(xylyl isocyanide)iron(II) tetrachloroferrate(III) (M.G.B. Drew, G.H. Dodd, J.M. Williamson, G.R. Willey), (314) 163

Dicobaltdiiron clusters, selectivity in carbonyl reduction of; formyl intermediates in formation of hydrido derivatives (M.G. Richmond, J.K. Kochi), (323) 219

($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305

$\eta^5$-Dienyltricarbonyliron cations, iodide addition to a carbon monoxide ligand in (G.R. John, L.A.P. Kane-Maguire, R. Kanitz), (312) C21

Diethylaminodichlorophosphine in reaction with sodium tetracarbonylferrate(−II), diethylamino migrations in (R.B. King, F.-J. Wu, E.M. Holt), (314) C27

Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekâroğlu), (317) 301

1,5-Dihydropyrrol-2-ones, formation from (1,4-diaza-1,3-diene)tricarbonyliron and alkyne, electronic and steric effects in reactions of (H.-W. Frühauf, F. Seils), (323) 67

Diiron $\mu$-ketene complex, $[(\eta^5\text{-}C_5H_5)Fe(CO)_2]CH_2CO[(\eta^5\text{-}C_5H_5)Fe(CO)_2]$, conversion into binuclear cationic oxycarbene complexes of and their bimodal reactivities (M. Akita, A. Kondoh, T. Kawahara, Y. Moro-Oka), (323) C43

Dimethylaminomethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), (303) 397

1-Dimethylaminopropyne, reactivity towards dodecacarbonyltriiron and nonacarbonyldiiron of; synthesis and structures of $Fe_2(CO)_6\{C_5O(CH_3)_2(N(C_2H_5)_2)_2\}]$, $[Fe(CO)_8\{C_4(CH_3)_2(N(C_2H_5)_2)_2\}]$, $[Fe_2(CO)_7\{C_2(CH_3)N(C_2H_5)_2\}]$ and $[Fe_3(CO)_8\{C_4(CH_3)_2(N(C_2H_5)_2)_2\}]$ (E. Cabrera, J.-C. Daran, Y. Jeannin, O. Kristiansson), (310) 367

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures $[Fe_2I(CO)_5\{\mu\text{-}(MeO)_2PN(Et)P(OMe)_2\}_2][PF_6]$ and $[Ru_2(\mu\text{-}I)I(CO)_3\{\mu\text{-}(i\text{-}PrO)_2PN(Et)P(i\text{-}PrO)_2\}_2]$ (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of $[Ru_2Cl_2(CO)_4\{\mu\text{-}(MeO)_2PN(Et)P(OMe)_2\}_2]$ (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310) C42

Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322) C7

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, C. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157

Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane)iron, $[Fe(dttd)(THF)_2]$, reactions with tetracarbonylnorbornadienemolybdenum, $[Mo(CO)_4(nor)]$, by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-}dttd\{Mo(CO)_3\}_2]\cdot 2H_2O$ and $[\mu\text{-}dttd\{Mo(CO)_4\}_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323

Dithioester pentacarbonyldiiron complexes, structures and properties of (A. Lagadec, B. Misterkiewicz, H. Patin, A. Mousser, J.-Y. Le Marouille), (315) 201

Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahsen, Ö. Bekaroğlu), (319) 197

Dodecacarbonyldiironruthenium and tridecacarbonyldihydridodiirondiruthenium, synthetic route to; crystal structure of $H_2Fe_2Ru_2(CO)_{13}$ (T. Venäläinen, T.A. Pakkanen), (316) 183

Dodecacarbonyltriiron related clusters, $^{57}Fe$ Mössbauer spectroscopic study of (M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola, T. Venäläinen), (317) 243

1,2-Ethanedithiolato complex $[(CO)_3Fe]_2SC_2H_4S(O)$, synthesis and structure of; insertion reactions of ethene and carbon monoxide into S–S bonds of nido-clusters $[(CO)_3FeS]_2$ (J. Messelhäuser, K.U. Gutensohn, I.-P. Lorenz, W. Hiller), (321) 377

$Fe\{C(CF_3)_2(OH)\}(CO)_2(\eta\text{-}C_5H_5)$, X-ray structure of (M.I. Bruce, D.N. Duffy, M.R. Snow, E.R.T. Tiekink), (310) C33

$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_{4-n}(CNMe)_n]$ ($n = 0$–4) complexes, reactions with halogens and mercury(II) salts of (R. Kumar, A.R. Manning, P.T. Murray), (323) 53

$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(CNMe)\{CN(Me)H\}]^+$, anion control of the reaction products with $Ag^I$ salts of (B. Callan, A.R. Manning), (306) C61

$[Fe(\eta^5\text{-}C_5H_5)(CO)(\mu\text{-}SC_5H_9NCH_3)]_2$, synthesis, crystal structure and properties of (W. Gaete, J. Ros, R. Yañez, X. Solans, M. Font-Altaba), (316) 169

$Fe(CNCH_3)_4(CN_2)$, photolysis in acetonitrile solution of (L.L. Costanzo, S. Giuffrida, G. De Guidi, G. Condorelli), (315) 73

*cis*-$[Fe(CO)_2(t\text{-}Bu_2C_6H_2S_2)_2]^{2-}$, formation, regiospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21

$Fe_3(N{\equiv}CMe)(CO)_9$ formation during reactions of $Fe_3(\mu_3\text{-}CMe)(CO)_{10}X$ clusters with alkynes (X = NO) or diazoalkanes (X = H); first examples of ethylidyne-nitrogen coupling to acetonitrile (D. Nuel, R. Mathieu), (307) C5

$Fe_3(PhCH_2N)(CO)_{10}$ and $HFe_3(PhCH=N)(CO)_9$, preparation from benzalazine and $Fe_3(CO)_{12}$; X-ray crystal structure of $\mu$-(*o*-$C_6H_4CH_2NN{=}CHPh)Fe_2(CO)_6$ (N.S. Nametkin, V.D. Tyurin, V.V. Trusov, A.I. Nekhaev, A.S. Batsanov, Yu.T. Struchkov), (302) 243

Ferrocene; annual survey 1985 (B.W. Rockett, G. Marr), (318) 231

Ferrocene derivatives, electronic structure studied by He(I) photoelectron spectroscopy and CNDO/2 method of (T. Vondrák), (306) 89

Ferrole C-functional complexes, new synthesis of (D. Seyferth, C.M. Archer, J.C. Dewan), (308) C5

$\{Fe_4S_4\}$ cluster, formation of $\{Fe_2S_2\}$- and $\{Fe_3S\}$-carbonyls from; crystal structure of $[Fe_3S(CO)_9]^{2-}$ (F.T. Al-Ani, D.L. Hughes, C.J. Pickett), (307) C31

$[FeW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_5(\eta\text{-}C_5Me_5)]$, addition of methylene groups to (E. Delgado, J. Hein, J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), (307) C23

Fluxional cryptands containing metallocene units (P.J. Hammond, P.D. Beer, C. Dudman, I.P. Danks, C.D. Hall, J. Knychala, M.C. Grossel), (306) 367

(2-Formylbutadiene)tricarbonyliron, preparation, chirality and reactivity of (M. Franck-Neumann, D. Martina, M.-P. Heitz), (301) 61

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

Fulvenetricarbonylchromium complexes and $\alpha$-ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333

Halogenobenzenecyclopentadienyliron electroneutral derivatives, preparation and properties of (N.A. Vol'kenau, P.V. Petrovskii, L.S. Shilovtseva, D.N. Kravtsov), (303) 121

Hetero-bi- and -trimetallic complexes containing electron-releasing and electron-accepting redox centres (P.D. Beer, C.J. Jones, J.A. McCleverty, R.P. Sidebotham), (325) C19

(*N*-Heterocyclic)($\eta^4$-diene)dicarbonyliron(0) compounds, X-ray structure of (M.-A. De Paoli, J.E. Lechat, A.T. Inumaru), (320) 91

Heterodinuclear complex with bridged ethenyl ligand, $FeCo(CO)_7(\mu\text{-}CH{=}CPhH)$, synthesis and crystal structure of (I. Moldes, J. Ros, R. Yañez, X. Solans, M. Font-Altaba, R. Mathieu), (315) C22

Heterodinuclear complexes with $CH_3C_5H_4(CO)_2(MePh_2Si)Mn$ fragments, reactivity of (U. Schubert, E. Kunz), (303) C1

Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M′ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38

Heteronuclear (W–Fe) and homonuclear (Fe–Fe) $\mu$-alkylidenemetal complexes from mononuclear terminal carbene complexes; crystal structures of $CH_3C_2H_2(CO)_8WFeOC_2H_5$ and $(CO)_6WFeC_3H(CH_3)(OC_2H_5)_2$ (C. Alvarez-Toledano, A. Parlier, R. Rose-Munch, H. Rudler, J.C. Daran, C. Knobler, Y. Jeannin), (323) 371

Hexamethylbenzene, bifunctionalisation via temporary coordination to $Fe^{2+}$ of (D. Mandon, D. Astruc), (307) C27

Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83

Hydrogenation of polyaromatics on ligand exchange with ferrocenes (V. Guerchais, D. Astruc), (312) 97

Indenyliron cationic complexes, $[\eta^5\text{-}C_9H_7Fe(CO)_2L]^+$ (L = phosphine, phosphite, CO), synthesis of (H.H. Hammud, G.M. Moran), (307) 255

Iron-containing $M_6$ and $M_5$ clusters, Mössbauer study of (R.P. Brint, M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2–) ligands (J.R. Dilworth, S. Morton), (314) C25

Iron–rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56

Iron-tris(dimethylphosphinomethyl)methylsilane complexes, chemistry of; crystal structure of $[\{Fe((Me_2PCH_2)_3SiMe)\}_2(\mu\text{-}H)_2(\mu\text{-}C{=}CH_2)]$ with a vinylidene group derived from ethylene (J.M. Boncella, M.L.H. Green), (325) 217

Ligand–iron(0) systems, 1,3-diene reactions with $CO_2$ at; formation of carboxylates and their reactions (H. Hoberg, K. Jenni), (322) 193

Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121

Methoxymethylidyneironruthenium cluster complex, $Fe_2Rh(\mu\text{-}H)(\mu_3\text{-}COCH_3)(CO)_7(\eta\text{-}C_5H_5)$, molecular structure and fluxional behaviour of (L.J. Farrugia), (310) 67

$\mu$-Methylenebis(tetracarbonyliron) complex, $\mu\text{-}CH_2Fe_2(CO)_8$, synthesis from pentacarbonyliron and dibromomethane of (G. Tanguy, J.-C. Clement, H. Des Abbayes), (314) C43

$\mu$-Methyleneiron complex, double acetylene insertion into; formation of $\mu$-(divinyl)-carbeneiron complex after double hydrogen migration (D. Navarre, A. Parlier, H. Rudler, J.C. Daran), (322) 103

Migratory CO insertion, rate structure correlations and steric acceleration in the octahedral iron(II) case for (C.R. Jablonski, Y.-P. Wang), (301) C49

$Mo_2[(\eta^5\text{-}C_5H_4CO_2)Fe(\eta^5\text{-}C_5H_5)]_2(O_2CCH_3)_2\text{-}(C_5H_5N)_2$ and $[Mo_2[(\eta^5\text{-}C_5H_4CO_2)Fe(\eta^5\text{-}C_5H_5)]_4(ax\text{-}CH_3CN)(ax\text{-}DMSO)](DMSO)_2$, synthesis, X-ray crystallographic and electrochemical studies of (F.A. Cotton, L.R. Falvello, A.H. Reid, Jr., J.H. Tochter), (319) 87

Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383

Nonacarbonyldiiron in reactions with $C_5H_5Rh(PhC{\equiv}CH)PPr^i_3$, competitive formation of heterometallic dinuclear complexes with $\mu$-C=CHPh and $\mu\text{-}\eta^1,\eta^3$-CHCPhCO bridging ligands (H. Otto, F.J. Garcia Alonso, H. Werner), (306) C13

Nonacarbonyltriiron triple-bridged clusters, $[(\mu_3\text{-}RP)Fe_3(CO)_9]^{2-}$, synthesis and reactions of (K. Knoll, G. Huttner, L. Zsolnai, O. Orama, M. Wasiucionek), (310) 225

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organo-iron and -cobalt complexes, ligand exchange reactions between; crystal structure of $[(C_5H_5)_2Co_4(CO)_5(F_3CC{=}CCF_3)]$ (R. Rumin, P. Courtot, J.E. Guerchais, F.Y. Pétillon, L. Manojlović-Muir, K.W. Muir), (301) C1

Organoiron chemistry; annual survey 1985 (R.C. Kerber), (318) 157

Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357

Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77

Organometallic iron–selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295

Pentacarbonyliron, reaction with *N,N*-diethyl-*S*-ethylcarbamate of; crystal structure of $[\{Fe_2(CO)_6\}_3(\mu_4\text{-}S)_2(\mu\text{-}CNEt_2)_2]3(Fe\text{–}Fe)$ (H.G. Raubenheimer, G.J. Kruger, A. van A. Lombard), (323) 385

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

$\mu_3\text{-}\eta^2$-Phosphaalkyne complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[M_3H(CO)_9(Bu^tCP)]^-$ (M = Fe, Ru), synthesis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307

Phosphaferrocenes, $\eta^5\text{-}C_5Me_5Fe\text{-}\eta^5\text{-}PC_4(R_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323

Phosphidoiron cluster, $[\{Fe_3(CO)_{10}\}P\{Fe(CO)_4\}]^-$, synthesis and X-ray analysis of (A. Gourdon, Y. Jeannin), (304) C1

Phosphine-centred resolution of ($\eta^4$-diene)-$Fe(CO)_3$ complexes, ($\eta^4$-tropone)$Fe(CO)_2L$ and ($\eta^4$-isoprene)$Fe(CO)_2L$ (L = (+)-(neomenthyl)$PPh_2$) formed by (J.A.S. Howell, A.D. Squibb, G. Walton, P. McArdle, D. Cunningham), (319) C45

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[C_5H_5Fe(CO)_2(R_3EX)]^+$(E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181

Polymethylthiopheneiron complexes, $\sigma$ vs. $\pi$ bonding in (V. Guerchais, D. Astruc), (316) 335

(Pyridine-2-carbaldehyde-iminehexacarbonyl-diiron and -diruthenium) complexes with $\sigma\text{-}N,\mu_2\text{-}N',\eta^2\text{-}C{=}N'$ bonded 6-$R^1$-py-2-C($R^2$)-=NR ligand; X-ray structure of $[Ru_2(CO)_5$-{1,2-bis($\mu$-isopropylamido)-1,2-bis(2-pyridyl)ethane}] containing two C–C linked pyridine-2-carbaldehyde-imine ligands (L.H. Polm, G. van Koten, C.J. Elsevier, K. Vrieze, B.F.K. van Santen, C.H. Stam), (304) 353

Silicon-disubstituted ($\eta^4$-silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7

Silver(I) electrophiles, reactions with $[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(L)\{CN(Me)H\}]^+$ and $[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2\{CN(Me)H\}_2]^{2+}$ salts (L = CO or CNMe) of (B. Callan, A.E. Manning), (316) 325

Stable cationic diene-iron complexes, preparation and characterisation of (M.J. Hynes, M.F.T. Mahon, P. McArdle), (320) C44

Sulphur monoxide-iron cationic complex, [CpFe(dppe)-(SO)]$PF_6$, and sulphur dioxide-iron cationic complex, [CpFe(dppe)$(SO_2)$]$PF_6$, preparation of (W.A. Schenk, S. Müssig), (320) C23

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Thiocarbonyliron(0) complex, formation by desulphurization of $Fe(\eta^2\text{-}CS_2R)^+$ with P-n-$Bu_3$; crystal structure of $Fe(CS)(CO)_2(PPh_3)_2$ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, L. Toupet), (317) 291

Thiolatoamine-iron(II) and -molybdenum(II) with [M(SNNS)] units and CO, $PMe_3$, NO and $N_2H_4$ as coligands (SNNS = $(SC_6H_4N(R)C_2H_4N(R)C_6H_4S)^{2-}$; R = H, $CH_3$) (D. Sellmann, U. Reineke), (314) 91

Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu, Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199

Trialkyl- and triaryl-stannylferrocenes, structure and reactivity of (R.M.G. Roberts, J. Silver, J. Azizian), (303) 387

Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320) 325

Tricarbonyl(1-aza-1,3-butadiene)iron complexes, [$Fe(CO)_3$(R'N=CHCH=CHPh)], mechanism of photochemistry in $CH_4$ matrices at 10 K and in solution at 293 K of (M.W. Kokkes, P.C.J. Beentjes, D.J. Stufkens, A. Oskam), (306) 77

Tricarbonyl-$\eta^5$-cyclohexadienyliumiron tetrafluoroborate, reaction with fluoride ion of (P.M. Miller, D.A. Widdowson), (303) 411

Tricarbonyldieneiron complexes, application of ultrasound to (S.V. Ley, C.M.R. Low, A.D. White), (302) C13

Tricarbonyl(1–5-$\eta$-dienyl)iron(II) cations (dienyl = $C_6H_7$, 2-$MeOC_6H_6$, $C_7H_9$), synthetic and mechanistic studies of addition of 4-chloroaniline to (T.I. Odiaka), (321) 227

Tricarbonyliron complexes of *para*-quinodimethane and related conjugated hydrocarbons, theoretical studies of (H. Vogler), (306) 99

Tricarbonyl($\eta^5$-2-methyl-3-methoxycyclohexadienyl)iron(1 + )$PF_6$(1 − ), application in organic enantiomer synthesis of (I.M. Palotai, G.R. Stephenson, L.A.P. Kane-Maguire), (319) C5

Tricarbonyl-8-*p*-tolyl-8-azaheptafulveneiron, reaction with tetracyanoethene of (S.K. Chopra, P. McArdle), (316) 177

Triferrocenylferrocenoxyoxotungsten, WO(OFc)-$Fc_3$ (Fc = ferrocenyl), molecular structure in the solid state and dynamic behaviour in solution of (M. Herberhold, H. Kniesel, L. Haumaier, U. Thewalt), (301) 355

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29

Trimetallic complex containing three redox centres, syntheses of; assessment of inductive effect transmission through an iron atom (P.D. Beer, S.M. Charsley, C.J. Jones, J.A. McCleverty), (307) C19

($\eta^6$-1-Triphenylstannylbenzene)($\eta^5$-cyclopentadienyl)iron(II) hexafluorophosphate, preparation, structure and reactivity of (C.S. Frampton, K.G. Ofori-Okai, R.M.G. Roberts, J. Silver), (307) 231

Undecacarbonyltriiron cluster, reactions with monosubstituted alkynes of the triiron unit in (J. Suades, R. Mathieu), (312) 335

Vinylcarbynetetrairon complex, synthesis of; crystal and molecular structure of $[(C_5H_5)_2(CO)_2Fe_2(\mu\text{-}CO)]_2(\mu\text{-}C_5H_3)^+$ $BF_4^-$ (C.P. Casey, M.S. Konings, K.J. Haller), (301) C55

## Lanthanides

Lanthanides and actinides; annual survey 1981 (R.D. Ernst), (318) 29

Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1′-(3-oxapentamethylene)dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285

1,1′-Trimethylenedicyclopentadienyl-early lanthanide $\sigma$-bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

## Lanthanum

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and $^{139}La$ NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

## Lead

Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), (301) 15

Lead; Annual Survey covering the year 1983 (J. Wolters, D. de Vos) (313) 413

Main Group IV organometallic halides, insertion of indium(I) halides into the M–X bond of (T.A. Annan, D.G. Tuck), (325) 83

Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1

Organolead solid compounds, high-resolution $^{207}Pb$ NMR of (J.R. Ascenso, R.K. Harris, P. Granger), (301) C23

Phenyltin(IV) and phenyllead(IV) halides hexamethylphosphoramide adducts, fast atom bombardment mass spectrometry of (J.M. Miller, H. Mondal, I. Wharf, M. Onyszchuk), (306) 193

Triorganotin and triorganolead methyloxalates, preparation and structure of (A. Glowacki, F. Huber, H. Preut), (306) 9

α-Triorganostannylvinyllithiums with Group IVB organometallic halides, reactions of; formation of α-trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151

## Lithium

1-Acetoxy-1,2,2-triethoxyethane, reactions with organometallic compounds of (A. Stambouli, R. Amouroux, F. Chastrette, M. Chastrette, G. Mattioda, A. Blanc), (307) 139

Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liétge, N. Collignon), (304) 283

Allyl(pentamethyldiethylenetriamine)lithium, Li-$C_3H_5(Me_2NC_2H_4N(Me)C_2H_4NMe_2)$, preparation and crystal structure of (U. Schümann, E. Weiss, H. Dietrich, W. Mahdi), (322) 299

1-Amido-2-vinylcyclopropanes, preparation from monohalogenated allyllithium compounds and α-ethylenic tertiary-amides (P. Ongoka, B. Mauze, L. Miginiac), (322) 131

Arenetricarbonylchromium(0) complexes, acidity in THF of (R.R. Fraser, T.S. Mansour), (310) C60

Bis-$\eta^3$-allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76

Bis(lithioamino)- and tris(lithioamino)-silane dimers containing electron-deficient $Li_4N_4$ and $Li_6N_6$ clusters, syntheses and crystal structures of (D.J. Brauer, H. Bürger, G.R. Liewald), (308) 119

2,6-Bis(lithiumtrimethylsilylmethyl)pyridine · 2TMEDA, monomeric dilithio compound exhibiting electrostatic charge communication (R. Hacker, P.v.R. Schleyer, G. Reber, G. Müller, L. Brandsma), (316) C4

Bis(tetramethylethylenediamine)lithium tetrakis-(t-butyllutetate(III)), synthesis, molecular structure and reactive behaviour towards α,β-unsaturated carbonylic compounds of (H. Schumann, W. Genthe, E. Hahn, J. Pickardt, H. Schwarz, K. Eckart), (306) 215

*o*-Bromoaryl esters and *o*-chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tzschach), (317) 11

2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martina, M.-P. Heitz), (315) 59

(*Si*-n-Butylamino)methylsilanes (silazates), preparation, IR and $^1H$ and $^7Li$ NMR spectra of mono- and poly-lithiated derivatives of (B.J. Baylett, C.-F. Liaw), (325) 91

n-Butylpotassium, preparation, synthetic use and NMR properties in hexane and THF solutions of (R. Pi, W. Bauer, B. Brix, C. Schade, P.v.R. Schleyer), (306) C1

Carbanion addition to a metallated acetaldehyde, regiospecific alkene synthesis (D.F. Marten, M.N. Akbari), (322) 99

C–C bond formation between donor atoms of adjacent acyl and alkenyl ligands (C.M. Lukehart, J.B. Myers Jr., B.J. Sweetman), (316) 319

Chlorofluorovinylsilanes and derivatives thereof, synthesis of (S. Martin, R. Sauvêtre, J.-F. Normant, (303) 317

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339

*cis*-Diacetoxylation of alkenes with tellurium(IV)

oxide and lithium bromide in acetic acid (S. Uemura, K. Ohe, S.-I. Fukuzawa, S.R. Patil, N. Sugita), (316) 67

1,3-Diborabenzene complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16

$\mu$-[(Di-$\eta^5$-cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), (302) 363

Diene(polyfluorophenyl)platinum(II) complexes, preparations and ligand displacement reactions of (G.B. Deacon, K.T. Nelson-Reed), (322) 257

2,4′-Dilithiophenylethyne, generation and selective trapping of (M. Furber, R.J.K. Taylor, S.C. Burford), (311) C35

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303

Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), (301) 15

Dimethyltris(trimethylsilyl)methylsilylsilanatolithium tetrahydrofuranate, preparation and crystal structure of (P.B. Hitchcock, N.H. Buttrus, A.C. Sullivan), (303) 321

Fluoropyridinyl-containing chlorosilanes, synthesis and hydrolysis of (M. Zeldin, J.-M. Xu), (320) 267

Hydroalumination of olefins by $LiAlH_4/UCl_4$ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1

$Li_2[(C_5(CH_3)_4)_2CH_2]$ and ring-bridged rhodium dinuclear complexes with $(C_5(CH_3)_4)_2CH_2^{2-}$ as bridging ligand (H.J. Scholz, H. Werner), (303) C8

$Li_4(\mu_2\text{-}PR_2)_2(\mu_3\text{-}PR_2)(THF)_2$ and $Li(PR_2)$-(pentamethyldiethylenetriamine), isolation and NMR spectra of; X-ray structures of the former and $[Li(\mu\text{-}PR_2)(THF)_2]_2$ (R = $SiMe_3$) (E. Hey, P.B. Hitchcock, M.F. Lappert, A.K. Rai), (325) 1

$Li[RhI_2(CO)_2]$, iodide and acetate salt promotion of carbonylation of methanol to acetic acid catalysed by (M.A. Murphy, B.L. Smith, G.P. Torrence, A. Aquiló), (303) 257

$\alpha$-Lithio-$\alpha$-substituted alkanephosphonates $(RO)_2P(O)CHR'Li$ (R′ = H, alkyl, Cl), synthesis, relative basicity and seif-condensation of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (312) 283

Lithium-arsenic homoleptic compound, $[Li\{\mu\text{-}As(CH(SiMe_3)_2)_2\}]_3$, synthesis, structure and reactions of (P.B. Hitchcock, M.F. Lappert, S.J. Smith), (320) C27

Lithium 2-(1-dimethylaminoethyl)phenyl cuprates, steric consequence of diastereoselective addition to enones of (S. Andersson, S. Jagner, M. Nilsson, F. Urso), (301) 257

Lithium nitride reduction of chlorocyclopentadienyltitanium complexes, reaction products of (M. Kilner, G. Parkin), (302) 181

Lithium salts of imino- and amino-silanes, crystal structures of (R. Boese, U. Klingebiel), (315) C17

Metallated acetylenes and allenes, reactions with carbon disulphide of (R.L.P. de Jong, L. Brandsma), (312) 277

Methyllithium addition Rh(COMe)(CO)(triphos), formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51

*o*-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301

Nickelirenes and nickeloles as catalytic carriers in oligomerisation of alkynes (J.J. Eisch, J.E. Galle, A.A. Aradi, M.P. Boleslawski), (312) 399

Organonickel hydrides with ionic contacts to sodium and lithium, structural and bonding characteristics of (R. Goddard, C. Krüger, K.R. Pörschke, G. Wilke), (308) 85

Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated dienes prepared via (F. Tellier, R. Sauvêtre, J.-F. Normant), (303) 309

P–C bond cleavage in diphosphines by lithium; crystal structure of $[Li_4\{PhPCH_2CH_2PPh\}_2(OC_4H_8)_8]$ (P. Brooks, D.C. Craig, M.J. Gallagher, A.D. Rae, A. Sarroff), (323) C1

Pentamethylcyclopentadienyl(chloro)dialkyllanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29

$\{PhCH_2NLiCH_2CH_2NMe_2\}_n$, $\{o\text{-}LiC_6H_4CH_2NLiCH_2CH_2NMe_2\}_n$, isolation and solution structures of; evidence for Li ... *o*-HC interactions (D. Barr, R. Snaith, D.S. Wright, R.E. Mulvey, K. Jeffrey, D. Reed), (325) Cl

Phenylated trigermanes, preparation of (M. Dräger, D. Simon), (306) 183

$\alpha$-Silylated and $\alpha,\alpha$-disilylated phosphonates, $(RO)_2P(O)CR^1R^2SiR^3R^4R^5$ and $(RO)_2P(O)CR^1[Si(CH_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135

Silyltin(II) bulky derivative, formation and structure of (A.M. Arif, A.H. Cowley, T.M. Elkins), (325) C11

*N*-Substituted-2-carboxamidophenylboronic acid

anhydrides, preparation of (J. Altman, H. Böhnke, A. Steigel, G. Wulff), (309) 241
α-Sulphonylvinyllithium compounds, stereochemical stability of (H. Kleijn, P. Vermeer), (302) 1
Tetraalkyl esters of methylene bis-phononic acid, relative reactivities of (D.W. Hutchinson, G. Semple), (309) C7
Tetrachlorotitanium and trichlorocyclopentadienyltitanium, reactions with tridentate triaminosilyl ligands; crystal and molecular structure of a titanabicycloheptane with Si–N–Li–Cl–Ti chain (D.J. Brauer, H. Bürger, G.R. Liewald), (307) 177
Tin-alkylation of sterically-hindered stanna-heterocyclic compounds; synthesis of tri-t-butyltin-lithium chalcogenides (D. Hänssgen P. Reuter, G. Döllen), (317) 159
Transition metal butadiene complexes, formation via vinyllithium of (R. Beckhaus, K.-H. Thiele), (317) 23
2,4,6-Tri-t-butylphenyllithium, reaction with bromotrichlorosilane under generation of $LiSiCl_3$ of (H. Oehme, H. Weiss), (319) C16
Trimethylsilyllithium, X-ray crystal structure of (B. Tecle', A.F.M.M. Rahman, J.P. Oliver), (317) 267
Trimethylstannyllithium mediated synthesis of 2-, 3- and 4-trimethylstannylcyclohexanols (A. Ricci, M. Taddei, G. Seconi), (306) 23
α-Triorganostannylvinyllithiums with Group IVB organometallic halides, reactions of; formation of α-trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151
Tris(lithiomethyl)cyclohexane and hexalithiotrimethylcyclohexanetriolate, multiply metallated organic intermediates (C. Rücker), (310) 135
2,4,6-Tris(trifluoromethyl)phenyllithium, a sterically crowded system (G.E. Carr, R.D. Chambers, T.F. Holmes, D.G. Parker), (325) 13
Vinyllithiums containing triorganostannyl groups on the α-carbon atom, preparation and stability of (T.N. Mitchell, W. Reimann), (322) 141

## Lutetium

Bis(tetramethylethylenediamine)lithium tetrakis-(t-butyllutetate(III)), synthesis, molecular structure and reactive behaviour towards α,β-unsaturated carbonylic compounds of (H. Schumann, W. Genthe, E. Hahn, J. Pickardt, H. Schwarz, K. Eckart), (306) 215
$(\eta^5\text{-}C_5H_5)_2LuCl \cdot OC_4H_8$, formation and X-ray crystal structure of (C. Ni, Z. Zhang, D. Deng, C. Qian), (306) 209
Pentamethylcyclopentadienyl(chloro)dialkyllanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29
Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and $^{139}La$ NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

## Magnesium

1-Acetoxy-1,2,2-triethoxyethane, reactions with organometallic compounds of (A. Stambouli, R. Amouroux, F. Chastrette, M. Chastrette, G. Mattioda, A. Blanc), (307) 139
Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343
Alkyl- and alkenyl-sodium compounds, solubility in hexane on complexation with magnesium alkoxides of (C.G. Screttas, M. Micha-Screttas), (316) 1
Alkylation of an arene π-complex, reversal of regiocontrol in (R.P. Alexander, G.R. Stephenson), (314) C73
Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107
Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, $(Me_5C_5)_2MLn$ (M = Mg, Ca, Sr, Ba), and $Me_5C_5BeCl$, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31
(Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7
Carbanion addition to a metallated acetaldehyde, regiospecific alkene synthesis (D.F. Marten, M.N. Akbari), (322) 99
Copper(I) salts and dialkylcopper magnesium halides as catalysts in α-methylene- and α-(hydroxymethyl)-alkanoic ester preparation from substitution of α-(acetoxymethyl) acrylate or addition to ethyl-α-(hydroxymethyl) acrylate (H. Amri, M. Rambaud, J. Villieras), (308) C27
Dicarboranylmagnesium bis(dioxane) adduct, $Mg(2\text{-}Me\text{-}1,2\text{-}C_2B_{10}H_{10})_2 \cdot 2C_4H_8O_2$, pre-

paration and crystal structure of (W. Clegg, D.A. Brown, S.J. Bryan, K. Wade), (325) 39
Diene- and aryne-substituted metallocene complexes, cyclometallation reactions of (G. Erker, T. Mühlenbernd), (319) 201
Diethyl-1-magnesium chloride methanephosphonate, novel Grignard reagent used in organic synthesis (P. Coutrot, M. Youssefi-Tabrizi, C. Grison), (316) 13
Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291
Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19
Grignard reagents, novel, continuous high-yield synthesis of (J.R. Jennings), (325) 25
Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1
2-Phenylcyclobutylmethyl bromide Grignard reagent, formation and rearrangements of (E.A. Hill, C.L. Harder, R. Wagner, D. Meh, R.P. Bowman), (302) 5
Polygermanes as by-products of the Grignard reaction of PhMgBr and $GeCl_4$ (S. Roller, D. Simon, M. Dräger), (301) 27
Tetrafluoroterephthalonitrile, monoalkyldecyanation by reactions with Grignard reagents of (D.J. Milner), (302) 147
Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320) 325
Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, P. Wimmer), (309) C4
Unsolvated dibutylmagnesium, reaction with aldehydes in the presence of lithium alkoxide in hydrocarbon solvents under homogeneous conditions, formation of ketones by (C.G. Screttas, B.R. Steele), (317) 137

## Manganese

$\eta^2$-Acetylene- and $\eta^1$-vinylidene-manganese complexes, peparation from *p*-diethynylbenzene and cymantrene; X-ray crystal and molecular structure of $(C_5H_5)(CO)_2Mn{=}C{=}CHC_6H_4$-$CBrCH_2$ (N.E. Kolobova, O.S. Zhvanko, L.L. Ivanov, A.S. Batsanov, Yu.T. Struchkov), (302) 235
Alkylation of an arene $\pi$-complex, reversal of regiocontrol in (R.P. Alexander, G.R. Stephenson), (314) C73
Alumino-metalloaminocarbene complexes (M = Fe, Mn), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149
Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91
2,2′-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271
Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
Bis(dimethylphosphinecyclopentadienylcobalt), $[C_5H_5Co(\mu\text{-}PMe_2)]$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
Bis(diphenylphosphino)acetylene complexes of $C_5H_5(CO)_2Mn$ and $(CO)_5M$ (M = Cr, W), preparation and characterisation of (O. Orama), (314) 273
Bis[tris(dimethylamino)phosphane]hexacarbonyldimanganese, $Mn_2(CO)_8[P(NMe_2)_3]_2$, structural study of (J.J. Hunt, E.N. Duesler, R.T. Paine), (320) 307
($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9
Carbonyl-manganese(I) and -molybdenum(II) mononuclear complexes with chelating biimidazole, bibenzimidazole or tetramethyl-biimidazole ligands (M.P. Gamasa, E. Garcia, J. Gimeno, C. Ballesteros), (307) 39
Carbonyl-manganese, -iron and -cobalt complexes, dehydrogenative complexation with borolenes of (G.E. Herberich, W. Boveleth, B. Hessner, D.P.J. Köffer, M. Negele, R. Saive), (308) 153
Carbonylmanganese halogen-bridged cationic compounds, synthesis of; X-ray structure of $[Mn_2(\mu\text{-}I)(CO)_8(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (V. Riera, M.A. Ruiz, A. Tiripicchio, M. Tiripicchio Camellini), (308) C19
Carbonylnitrosyl(cycloheptadienyl)manganese cations, electrophilic reactivity of the dienyl ring in (E.D. Honig, D.A. Sweigart), (308) 229
Carbonylnitrosyl(cyclohexadienyl)manganese cations, electrophilic reactivity of the dienyl ring in (Y.K. Chung, D.A. Sweigart), (308) 223
$CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)AuPPh_3$-(*Mn–Au*) and $[CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)]_2Pt$(3-picolin)$_2$-(*Mn–Pt*), synthesis from $Na[CH_2C_5H_4$-$(CO)_2MnSiR_3]$; formation of metal–metal bonds and simultaneous $SiR_3/H$ exchange (E. Kunz, J. Müller, U. Schubert), (320) C11

$[(C_5H_4XC_6H_5)Cr(CO)_3]^-$ and $(C_6H_5XC_5H_4)$-$Mn(CO)_3$ (X = –, CO, $CH_2$, $C_2H_2$), electronic structures of (N.J. Fitzpatrick, N.J. Gogan, P.K. Sayal), (301) C31

$C_5Me_5(CO)(L)Mn(H)SiR_3$ complexes, structural chemistry and $^{29}Si$ NMR spectroscopy of (U. Schubert, G. Scholz, J. Müller, K. Ackermann, B. Wörle, R.F.D. Stansfield), (306) 303

($\eta^5$-$C_5Me_5$)$M(CO)_2S_2$ (M = Mn, Re), investigations of oxidation of the disulphur ligand in (M. Herberhold, B. Schmidkonz), (308) 35

Cymantrene optically active monosubstituted derivatives, relationship of chiroptical characteristics with absolute configuration of (N.M. Loim, M.V. Laryukova, P.V. Kondratev, Z.N. Parnes), (301) 173

Decacarbonyldimanganese, mechanism of photochemistry in the presence of *para*- and *ortho*-quinones of (A. Vlček, Jr.), (306) 63

Decacarbonyldimanganese(0) photochemical reaction with 1,1-dimethylallene (C.G. Kreiter, M. Leyendecker, W.S. Sheldrick), (302) 217

Decacarbonyldimanganese, reaction with allenes under UV irradiation of (C.G. Kreiter, M. Leyendecker, W.S. Sheldrick), (302) 35

Decacarbonylmanganeserhenium, reaction with isocyanides of (D.J. Robinson, E.A. Darling, N.J. Coville), (310) 203

(*exo*- and *endo*-Dialkylphosphonate-$\eta^5$-cyclohexadienyl)tricarbonylmanganese compounds, synthesis of (H.K. Bae, I.N. Jung, Y.K. Chung), (317) C1

Dicarbonyl(cyclopentadienyl)manganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of $S\{NP\text{-}t\text{-}Bu_2[Mn(CO)_2\text{-}Cp]\}_2$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 27

$\mu$-Di-t-butylthioketenebis(dicarbonylcyclopentadienylmanganese), synthesis and structure of (D. Wormsbächer, F. Edelmann, U. Behrens), (312) C53

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, C. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Heterodinuclear complexes with $CH_3C_5H_4$-$(CO)_2(MePh_2Si)Mn$ fragments, reactivity of (U. Schubert, E. Kunz), (303) C1

Hexacarbonyl($\mu$,$\eta^5$ : $\eta^5$-fulvalene)dimanganese, photochemistry of (W.A. Herrmann, D. Andrejewski, E. Herdtweck), (319) 183

Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121

Manganese, technetium and rhenium; annual survey 1984 (P.M. Treichel), (318) 83

Manganese, technetium and rhenium; annual survey 1985 (P.M. Treichel), (318) 121

$Mn(CO)_3L_2$ ($L_2 = R_2PC_2H_4PR_2$; R = Et, Ph), generation, characterisation and use in generation of organic radicals of (D.R. Tyler, A.S. Goldman) (311) 349

Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with $H_2$ and CO of (H.W. Bosch, B.B. Wayland), (317) C5

Octahedral carbonylmanganese(I) complexes with SCN or CN ligands, synthesis of; crystal structure of *fac*-$[SCNMn(CO)_3(dppm)]$ (G.A. Carriedo, M.C. Crespo, V. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), (302) 47

Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77

$\mu_3$-P and $\mu_3$-As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137

(Pentacarbonyl)acylmanganese compounds, synthesis gas incorporation into (D.J. Sheeran, J.D. Arenivar, M. Orchin), (316) 139

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

Pentacarbonylmanganesetriphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167

Pentacarbonyl($\eta^1$-2,4-pentadienyl)manganese, synthesis, characterisation and reactivity of (T.-W. Lee, R.-S. Liu), (320) 211

Phosphamanganacyclopropanes, formation by reduction of secondary phosphanemanganese complexes with $K[HB(s\text{-}C_4H_9)_3]$ of (E. Lindner, D. Goth), (319) 149

Phosphido-bridged dinuclear manganese complexes, synthesis and ligand substitution chemistry of; X-ray crystal structures of $Mn_2(\mu\text{-}H)(\mu\text{-}Cy_2P)(CO)_7(Cy_2PH)$ and $Mn_2$-

($\mu$-H)($\mu$-$Cy_2P$)$(CO)_6(PMe_3)_2$ (Cy = cyclohexyl) (A.M. Arif, R.A. Jones, S.T. Schwab), (307) 219

Phosphine rhodium complexes as catalysts in enantioselective hydration of crotonic acid derivatives (H. Brunner, A. Knott, M. Kunz, E. Thalhammer), (308) 55

[1-5-$\eta$-6-*exo*-$Re(CO)_5C_7H_8$]$Mn(CO)_3$, synthesis by metal carbonyl anion addition to a coordinated cyclic $\pi$-hydrocarbon (RC. Bush, R.A. Jacobson, R.J. Angelici), (323) C25

Siloxycarbenemanganese complexes, preparation of (M.J. McGeary, J.L. Templeton), (323) 199

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Thioketene-cobalt complexes, [$Co(R_2C{=}C{=}S)(PMe_3)(C_5H_5)$], reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199

*mer*-Tricarbonylmanganese(I) compounds containing N-donor chelate ligands (F.J. Garcia Alonso, V. Riera, M. Vivanco), (321) C30

## Mercury

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Bis(diphenylphosphine)methane, deprotonated, as monodentate ligand; preparation and $^{31}P/^{199}Hg$ NMR characterisation of $Hg[CH(PPh_2)_2]_2$ (M. Lusser, P. Peringer), (312) C61

1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323

Bis(phenylmercuric)oxonium tetrafluoroborate hydrate, $[(PhHg)_2OH][BF_4] \cdot H_2O$, preparation and X-ray structure of (B.K. Nicholson, A.J. Whitton), (306) 139

$C_3$-bonded acetylacetonates of tellurium(IV), preparative and spectral investigations of (B.L. Khandelwal, A.K. Singh, N.S. Bhandari), (320) 283

($\eta^5$-$C_5Me_5Os(CO)(PMe_2Ph)Me$ oxidative reactions; isolation of intermediates during alkyl–metal electrophilic cleavage reactions of (L.J. Sanderson, M.C. Baird), (307) C1

Cyanomercuriomethanes, vibrational spectra and force fields of (J. Mink, D.K. Breitinger, W. Kress, W. Morell, R. Sendelbeck), (306) 273

Cyclosilanemetal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1

Di-$\eta^5$-cyclopentadienyl-titanium and -zirconium anthracene, preparation and characterisation of (J. Scholz, K.-H. Thiele), (314) 13

$\beta$-Diketone derivatives of mercury, structures of (W. Depmeier, K. Dietrich, K. König, H. Musso, W. Weiss), (314) C1

[$Fe_2(\eta$-$C_5H_5)_2(CO)_{4-n}(CNMe)_n$] ($n$ = 0–4) complexes, reactions with halogens and mercury(II) salts of (R. Kumar, A.R. Manning, P.T. Murray), (323) 53

Heterodinuclear complexes with $CH_3C_5H_4(CO)_2(MePh_2Si)Mn$ fragments, reactivity of (U. Schubert, E. Kunz), (303) C1

$[Hg_3\{HC(PPh_2)_3\}(OAC)_n](O_3SCF_3)_m$ ($n + m$ = 6) complexes containing an acidic carbon (M. Lusser, P. Peringer), (301) 269

$[Hg\{(\mu$-$PEt_2)Cr(CO)_5\}_3]^-$, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320) 47

Mercuridestannylation of phenylstannatranes and related derivatives, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 33

$[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]_2Hg$, $[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]_2Cd$ and $[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]HgBr$, preparation and reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Buttrus, C. Eaborn, P.B. Hitchcock, J.D. Smith), (320) 137

Methylmercurimethanes, vibrational spectra and force fields of (J. Mink, D.K. Breitinger, W. Kress), (301) 1

Mono-, di- and tetra-aurated derivatives of barbituric acid; crystal structure of 1,3-bis(triphenylphosphinegold)-5,5-diethylbarbituric acid (F. Bonati, A. Burini, B.R. Pietroni, B. Bovio), (317) 121

Organoplatinum(II) formate complexes, preparation, characterisation and reactions of (M. Crespo, J. Sales), (322) 405

Phenylene and polyphenylene mercurials, reactions of (A.G. Massey, N.A.A. Al-Jabar, R.E. Humphries, G.B. Deacon), (316) 25

Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59

Phenylmercury dithiolates, preparation and characterisation of; crystal and molecular structure of $(C_6H_5)Hg(S_2COR)$ (R = Me; $^iPr$) and $(C_6H_5)Hg(S_2CNEt_2)$) (E.R.T. Tiekink), (322) 1

1,2-Phenylenemercury dixanthate, crystal structure of (E.R.T. Tiekink), (303) C53

*ortho*-Terphenylenemercury dimer, $(C_{18}H_{12}Hg)_2$, crystal and molecular structure of (J. Bowen-Jones, D.S. Brown, C.F. Snook, A.G. Massey), (320) 13

Tricarbonyl(fulvene)chromium complexes, reactions with $HgCl_2$ and $SnCl_4$ of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109

Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145

Trimercurated acetaldehyde, crystal structure of $2[OHg_3CCHO]NO_3 \cdot HNO_3$ and $[HOHg_2(NO_3Hg)CCHO]NO_3$ (D. Grdenić, D. Matković-Čalogović, M. Sikirica), (319) 1

Trimercurated acid derivatives, crystal structures of $[Hg(H_2OHg)(NO_3Hg)CCOO]NO_3$ and $2(NO_3Hg)_3CCOOH \cdot HNO_3$ (D. Grdenić, M. Sikirica, D. Matković-Čalogović), (306) 1

## Metallocenes

Alkylpermethylyttrocene complexes, synthesis of (K.H. den Haan, Y. Wielstra, J.J.W. Eshuis, J.H. Teuben), (323) 181

Arenecyclopentadienyliron(II), bis-arene-iron(II) and substituted ferrocenes, organometallic conductors obtained by reactions with tetracyanoquinodimethane of (R.M. Lequen, M. Lequan, P. Legeay, J. Padiou), (323) 77

$\eta^6$-Arene-$\eta^5$-cyclopentadienyliron cations and $\eta^6$-arenedi-$\eta^5$-cyclopentadienyliron dications, synthesis of complexed ketones or sulphones by oxidation of (C.C. Lee, R.L. Chowdhury, A. Píorko, R.G. Sutherland), (310) 391

$\eta^6$-Arene-$\eta^5$-cyclopentadienyliron cations and related systems (*Review*) R.G. Sutherland, M. Iqbal, A. Piórko), (302) 307

2-Benzylidene[3]ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowiak, Š, Toma), (316) 163

Biferrocenium tetrabromoferrate, $[(C_5H_5)Fe(C_5H_4)$–$(C_5H_4)Fe(C_5H_5)]FeBr_4$, X-ray structural characterisation of a mixed-valence compound (S.J. Geib, A.L. Rheingold, T.-Y. Dong, D.N. Hendrickson), (312) 241

Biferrocenyl, high yield synthesis of (A.R. Koray, M. Ertas, Ö. Bekaroğlu), (319) 99

Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49

Bis($\eta$-styrene)molybdenum, synthesis and polymerisation of; crystal structures of $Mo(\eta$-$C_6H_5CH_2CH{=}CH_2)_2$ and $[Mo(\eta$-$C_6H_5$-$SiMe_2H)_2BF_4$ (M.L.H. Green, I. Treurnicht, J.A. Bandy, A. Gourdon, K. Prout), (306) 145

Bis- and mono-(substituted cyclopentadienyl)titanium derivatives, high-performance liquid chromatographic behaviour of (B. He, Y. Qian, S. Chen), (320) 27

[$\eta^4$-2,5-Bis(trimethylsilyl)cyclopentadienone($\eta^5$-cyclopentadienyl)cobalt, structure of (J.H. Bieri, A.S. Dreiding, T.C.C. Gartenmann, E.R.F. Gesing, R.W. Kunz, R. Prewo), (306) 241

($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

(Butadiene)zirconocene, reactions with carbonyliron complexes of (G. Erker, R. Lecht), (311) 45

t-Butanoyl-substituted $\eta^6$-arene-$\eta^6$-cyclopentadienyliron(II) cations, acid-catalysed ketone rearrangement of (R.M.G. Roberts, A.S. Wells), (317) 233

($\eta^1$ : $\eta^5$-$C_5H_4$)-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of $Cp(\mu$-[$\eta^1$ : $\eta^5$-$C_5H_4$])Ti-$[PMe_3]_2$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310) 27

$[(C_5H_5)_4FeNi](BF_4)_2$ charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39

$(\eta^5$-$C_5H_5)_2Zr[CH(SC_6H_5)C_6H_5]_2$, thermally induced elimination from (E.A. Mintz, A.S. Ward), (307) C52

$(C_5H_5)_2Zr(CO)[(P(OCH_3)_3]$, preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), (301) 299

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339

[$\eta^5$-Cyclopentadienyl-$\eta^6$-areneiron]$^+$ cations bearing methylene, methyl on methyne sub-

stituents at arene, preparation of (M. Le Rudulier, C. Moinet, E. Raoult), (310) 209

$\eta^5$-Cyclopentadienyl-$\eta^6$-areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), (302) 389

$\eta^5$-Cyclopentadienyldicarbonylcobalt, flash-vacuum pyrolysis under formation of cobaltocene of (J.-C. Fiaud, R. Chauvin, R. Bloch), (315) C32

Cyclopentadienyliron complexes, exploratory flash vacuum pyrolysis of (C. Glidewell, J.S. McKechnie), (321) C21

Cyclopentadienyltitanium(IV) complexes, behaviour in aqueous media of; titanocene complexes as cancerostatica (K. Döppert), (319) 351

Dibenzoato(di-$\pi$-cyclopentadienyl)titanium(IV), preparation in aqueous solution and structure of (K. Döppert, H.-P. Klein, U. Thewalt), (303) 205

Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39

Dichloroniobocene, electrochemical reduction at various temperatures of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron, E. Laviron), (317) 201

Dicyclopentadienylbis(toluolsulphonato)zirconium, preparation and structure of (W. Lasser, U. Thewalt), (302) 201

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37

Di-$\eta^5$-cyclopentadienyl(cinnamylato-$C^3,O$)-titanium/phenylpropiolic acid (1/1), synthesis and molecular structure of; synthesis of dicyclopentadienylbis(phenylpropiolato)titanium (E. Samuel, J.L. Atwood, W.E. Hunter), (311) 325

Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183

Di-$\eta^5$-cyclopentadienylhafnacyclopentadiene compounds, facile, high-yield synthesis of (M.B. Sabade, M.F. Farona), (310) 311

Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69

Dicyclopentadienylmolybdenum complexes derived from dimethyl acetylenedicarboxylate; crystal structure of $[(\eta^5\text{-}C_5H_5)_2MoOC(O)\text{-}CH{=}CCO_2CH_3]$ (M. Cariou, M.M. Kubicki, R. Kergoat, J.E. Guerchais, P. L'Haridon), (304) 127

Dicyclopentadienylmolybdenum derivatives containing a four-membered ring, $[Mo(\eta^5\text{-}C_5H_5)_2(2\text{-}NHC_5H_4)][PF_6]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(2\text{-}ONC_5H_4)][PF_6]$, molecular structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, R.G. Da Costa, A.R. Dias, M.T.L.S. Duarte, M.B. Hursthouse), (320) 53

Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di-$\eta^5$-cyclopentadienyliodoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5\text{-}C_5H_5)_2I(NCCH_3)][PF_3]$ (M.J. Calhorda, M.A.A.F. de Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63

Dicyclopentadienyltantalum hydrides containing a Ta–Sn $\sigma$-bond; crystal and molecular structure of $(\eta^5\text{-}C_5H_5)_2TaH_2Sn(CH_3)Cl_2$ (T.M. Arkhireeva, B.M. Bulychev, A.N. Protsky, G.L. Soloveichik, V.K. Bel'sky), (317) 33

Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $Cp_2Ti(P_2S_4O_2(OEt)_2)$, isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209

Dicyclopentadienyltitanium(IV) pyridine-2,6-dicarboxylate complexes, synthesis and characterisation as pentacoordinate titanocene derivatives of (R. Leik, L. Zsolnai, G. Huttner, E. Neuse, H.H. Brintzinger), (312) 177

Diene- and aryne-substituted metallocene complexes, cyclometallation reactions of (G. Erker, T. Mühlenbernd), (319) 201

Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekâroğlu), (317) 301

Dihydrido($\eta$-cyclopentadienyl)bis(triphenylphosphine)osmium(IV) cation, formation, properties, and reactions with halogen compounds of (T. Wilczewski), (317) 307

Dimethylaminomethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), (303) 397

Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahsen, Ö. Bekaroğlu), (319) 197

Dithiophosphate and dithiophosphinate dicyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morán, I. Cuadrado), (311) 333

1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310) C25

Dynamic stereochemistry of TiBr + $SPh^-$ → TiSPh conversion with isocyanato complexes of titanocene (J. Besançon, J. Tirouflet, B. Trimaille, Y. Dusausoy), (314) C12

Ferrocene; annual survey 1985 (B.W. Rockett, G. Marr), (318) 231

Ferrocene derivatives, electronic structure studied by He(I) photoelectron spectroscopy and CNDO/2 method of (T. Vondrák), (306) 89

Fluxional cryptands containing metallocene units (P.J. Hammond, P.D. Beer, C. Dudman, I.P. Danks, C.D. Hall, J. Knychala, M.C. Grossel), (306) 367

Half-open cobaltocene, diene replacement vs. hydride abstraction by triphenylmethyl cation (T.D. Newbound, R.D. Ernst), (316) 213

Heteroallene complexes of molybdenocenes, structure of (J. Okuda, G.E. Herberich), (320) C35

Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M′ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38

Hydrogenation of polyaromatics on ligand exchange with ferrocenes (V. Guerchais, D. Astruc), (312) 97

Metallocene–chalcogen compounds, synthesis of $[(\eta\text{-}C_5H_4R)_2ZrTe]_2$ complexes with a planar square metallacyclic squelette (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21

Metallocenes in biochemistry, microbiology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281

Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383

Nickel(II) isolable phosphonio complexes, $C_5H_5Ni(PH_3)I$ and $[C_5H_5Ni(PH_3)_2]BF_4$ (N. Kuhn, M. Winter), (301) C9

Nickelocene, high activity in catalysis of cross-linking of an acetylene-terminated monomer of (W. Douglas, A. Overend), (308) C14

Nonamethylruthenocenylcarbenium hexafluorophosphate, synthesis and crystal structure of (A.Z. Kreindlin, P.V. Petrovskii, M.I. Rybinskaya, A.I. Yanovskii, Yu.T. Struchkov), (319) 229

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1′-(3-oxapentamethylene)-dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285

Permethyllyttrocene chloride, synthesis and coordination chemistry of (K.H. den Haan, J.H. Teuben), (322) 321

Phosphaferrocenes, $\eta^5\text{-}C_5Me_5Fe\text{-}\eta^5\text{-}PC_4(R_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323

Phosphamanganacyclopropanes, formation by reduction of secondary phosphanemanganese complexes with $K[HB(s\text{-}C_4H_9)_3]$ of (E. Lindner, D. Goth), (319) 149

Potassium selective metallocene cryptand molecules (P.D. Beer, C.G. Crane, A.D. Keefe, A.R. Whyman), (314) C9

Ruthenocene-carboxylic and -boronic acids, separation and identification of; detection of alkali metal cations (T. Wilczewski), (306) 125

Ruthenocene fluxional bis-crown ethers, synthesis of (P.D. Beer, A.D. Keefe), (306) C10

Titanium and aluminium bimetallic hydride complexes; octonuclear $\{[(\eta^5\text{-}C_5M_5)(\eta^5\text{-}C_5Me_4\overline{CH_2})Ti(\mu_2\text{-}H)_2Al]\text{-}\mu_3\text{-}O\}_2 \cdot 2C_6H_6$, crystal and molecular structure of (E.B. Lobkovskii, A.I. Sizov, B.M. Bulychev, I.V. Sokolova, G.L. Soloveichik), (319) 69

Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307

*ansa*-Titanocene chiral derivative with trimethylene-bridged tetrahydroindenyl ligands, synthesis of (W. Röll, L. Zsolnai, G. Huttner, H.H. Brintzinger), (322) 65

Titanocene chloride, activation of N=N bond in benzo[*c*]cinnoline by (S. Renaud, Y. Mugnier, L. Roullier, E. Laviron), (309) C11

Titanocene dichloride, hydrolysis of; preparation, structure and properties of trinuclear, oxygen-bridged, basic carboxylate complexes: $[Ti_3(\mu_3\text{-}O)(\mu_2\text{-}OH)_3(\mu_2\text{-}HCOO)_3(\eta^5\text{-}C_5H_5)_3]^+ HCOO^- \cdot 2HCOOH$ (K. Döppert, U. Thewalt), (301) 41

Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167

Titanocenyl-$Ti^{IV}$ cationic complexes, preparation and structure of $[(\eta^5\text{-}C_5H_5)_2Ti(bipy)]^{2+}(CF_3SO_3^-)_2$ and $[(\eta^5\text{-}C_5H_5)_2Ti(Phen)]^{2+}(CF_3SO_3^-)_2$ (U. Thewalt, K. Berhalter), (302) 193

Trialkyl- and triaryl-stannylferrocenes, structure

and reactivity of (R.M.G. Roberts, J. Silver, J. Azizian), (303) 387

Triferrocenylferrocenoxyoxotungsten, $WO(OFc)Fe_3$ (Fc = ferrocenyl), molecular structure in the solid state and dynamic behaviour in solution of (M. Herberhold, H. Kniesel, L. Haumaier, U. Thewalt), (301) 355

Trimetallic complex containing three redox centres, syntheses of; assessment of inductive effect transmission through an iron atom (P.D. Beer, S.M. Charsley, C.J. Jones, J.A. McCleverty), (307) C19

Trioxo($\eta^5$-pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to organozirconium(II) compounds by (W.A. Herrmann, T. Cuenca, U. Küstdardt), (309) C15

($\eta^6$-1-Triphenylstannylbenzene)($\eta^5$-cyclopentadienyl)iron(II) hexafluorophosphate, preparation, structure and reactivity of (C.S. Frampton, K.G. Ofori-Okai, R.M.G. Roberts, J. Silver), (307) 231

1,2,3-Triselena[3]ruthenocenophane, crystal and molecular structure of (A.J. Blake, R.O. Gould, A.G. Osborne), (308) 297

Zirconocene and hafnocene dichlorides, electrogeneration of $Zr^{III}$ and $Hf^{III}$ anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Laviron), (302) C7

Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M–H bond (M. Fahim, G. Tainturier), (301) C45

Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320) 349

Zirconocene bridged and unbridged alkyl derivatives, hydrogenolysis of (F. Wochner, H.H. Brintzinger), (309) 65

## Molybdenum

Acetylcarbonyl-$\eta^4$-cyclopentadiene-$\eta^5$-cyclopentadienylmolybdenum, reactions with conjugated dienes of (C.G. Kreiter, J. Kögler, W.S. Sheldrick, K. Nist), (311) 125

Alkenylphosphanes $RPX_2$ and $R_2PX$ (X = $NEt_2$, Cl), function as monodentate ligands and potential hemilabile chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291

Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*-$[M(N_2)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (M = Mo, W) and with $[Mo(Ph_2PCH_2PPh_2)_3]$; X-ray structure of *trans*-$[Mo(C{\equiv}CPh)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pombeiro), (323) C47

Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes; crystal structure of $[W_2Cl_8(PhC{\equiv}C{-}C{\equiv}CSiMe_3)(pyridine)_2]$ (M. Kersting, K. Dehnicke, D. Fenske), (309) 125

($\eta^3$-Allyl)dicarbonylmolybdenum(II) complexes of the unsymmetrical diphosphenes $Ph_2PP(C_6H_4X)$ (X = *m*-F, *p*-F or *m*-$CF_3$) (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (322) 71

$\eta^3$-Allylmolybdenum cationic complex, $[\eta^5\text{-}C_5H_5)_2Mo(\eta^3\text{-}C_3H_5)]^+[p\text{-}CH_3C_6H_4SO_3]^-$, convenient one-step synthesis of (T. Ito, T. Igarashi, F. Suzuki), (320) C16

Azulenechromium dinuclear complexes, synthesis and structure of (F. Edelman, S. Töfke, U. Behrens), (308) 27

Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from ($\eta^5$-$C_5H_5$)$(CO)_3MH$ (M = Mo, W) and $(CO)_5ReCH_3$ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322) 351

Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by $L_3M(CO)_3$ complexes (M = Cr, Mo, W) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), (301) 161

Benzyltricarbonyl-$\eta^5$-cyclopentadienylmolybdenum(II) and related substituted benzyl complexes, crystal structures of (J.D. Cotton, C.H.L. Kennard, R.D. Markwell, G. Smith, A.H. White), (309) 117

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331

2,2′-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271

2,2′-Bipyridinemolybdenum(II) six-coordinate complexes containing thiolate, nitrate, nitrite and pentane-2,4-dionate ligands (J.A. Connor, E.J. James), (316) 79

Bisacetonitriledihalogenotricarbonyl-molybdenum(II) and -tungsten(II) seven-coordinate complexes, synthesis and spectral properties of (P.K. Baker, S.G. Fraser, E.M. Keys), (309) 319

Bis[amino(ethoxy)carbene]complexes, rearrange-

ments with Lewis acids of; structure of $\{(CO)_4WBr_3\}[HC(N\text{-}i\text{-}Pr_2)OEt]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

Bis(1-t-butylimino-2-t-butylaminoethane)hexacarbonyldimolybdenum, metal–metal bond breaking and rearrangement of (R.R. Andréa, H.E. de Jager, D.J. Stufkens, A. Oskam), (316) C24

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP\text{-}t\text{-}Bu_2[ML_n]\}_2$ ($ML_n$ = $Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates $S(NP\text{-}t\text{-}Bu_2)_2M(CO)_4$ (M = Cr, Mo, W); crystal and molecular structure of $S(NP\text{-}t\text{-}Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Bis(cyclobuta-$\eta^6$-benzene)chromium$^{0,+1}$ and bis([1,2 : 4,5]-dicyclobuta-$\eta^6$-benzene)chromium$^{0,+1}$, synthesis and magnetic resonance properties of (C. Elschenbroich, J. Koch, J. Schneider, B. Spangenberg, P. Schiess), (317) 41

Bis(2,3-dicarbomethyoxynorbornadiene)dicarbonylmolybdenum and related complexes, structure and bonding characteristics of (T.J. Chow, T.-H. Lin, S.-M. Peng, M.-C. Cheng), (316) C29

Bis-metallates, $Na_2\{Me_2Si[(C_5H_4)(CO)_3M]_2\}$ (M = Mo, W), preparation and rearrangement to neutral complexes with $\sigma$-bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), (303) C33

Bis($\eta$-styrene)molybdenum, synthesis and polymerisation of; crystal structures of $Mo(\eta\text{-}C_6H_5CH_2CH{=}CH_2)_2$ and $[Mo(\eta\text{-}C_6H_5\text{-}SiMe_2H)_2BF_4$ (M.L.H. Green, I. Treurnicht, J.A. Bandy, A. Gourdon, K. Prout), (306) 145

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo–Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Carbonylcyclopentadienylmolybdenum clusters containing $(As_2)_2$ or $(P_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

Carbonyl-dichromium(0) and -dimolybdenum(0) complexes containing bridging *trans*-$Ph_2PCH{=}CHPPh_2$ ligands, synthesis of and NMR studies on; crystal structure of $[Mo_2(CO)_2(\mu\text{-}trans\text{-}Ph_2PCH{=}CHPPh_2)_2]$ (G.B. Jacobson, B.L. Shaw, M. Thornton-Pett), (323) 313

Carbonyldi-$\eta$-cyclopentadienylhydridoniobium, insertion reactions with heteroallenes of (G.E. Herberich, H. Mayer), (322) C29

Carbonyl-managanese(I) and -molybdenum(II) mononuclear complexes with chelating biimidazole, bibenzimidazole or tetramethylbiimidazole ligands (M.P. Gamasa, E. Garcia, J. Gimeno, C. Ballesteros), (307) 39

Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407

Carbonylmolybdenum complexes containing unidentate and bridging diphosphines, one-pot syntheses of (T.S.A. Hor), (319) 213

$[\eta^5\text{-}(C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of ($\eta^6$-fulvenylbenzoate)tricarbonylchromium and $(\eta^5\text{-}C_5H_4CHO)\text{-}Cr(CO)_3Au(PPh_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

$(C_5H_5)(OC)_2(R_3P)MoFBF_3$ (R = Me, Et), dynamic behaviour of the coordinated tetrafluoroborate ligand in (M. Appel, W. Beck), (319) C1

$C_5H_5MoCo_2(CO)_8CCO^+$: synthesis and characterisation of a mixed metal acylium cation (M. Mlekuz, M.F. D'Agostino, J.W. Kolis, M.J. McGlinchey), (303) 361

$(C_5Me_5)_2Mo_2(\mu\text{-}SCH_3)_2(\mu\text{-}S)_2$ isomers, preparation, separation and characterisation of (H. Brunner, W. Meier, J. Wachter, P. Weber, M.L. Ziegler, J.H. Enemark, C.G. Young), (309) 313

Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltri-cobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121

Cyclopentadienylmolybdenum complexes, acetyl substitution of; nucleophilic additions to coordinated allyl groups (W.E. Vanarsdale, J.K. Kochi), (317) 215

Cyclopentadienyltricarbonylmolybdenum complexes, heats of reaction with $CCl_4$, $CBr_4$, $I_2$ and $CH_3$ of; solution thermochemical study of the Mo–X bond (X = H, Cl, Br, I, $CH_3$) (S.P. Nolan, R. López de la Vega, C.D. Hoff), (315) 187

[$\mu$-2,3,8,9-Dibenzo-1,4,7,10-tetrathiadecanyl-bis(tricarbonylmolybdenum) disolvate, formation of (D. Sellmann, G. Binker, R. Boese), (311) C11

Dicarbonyl- and carbonyl-(trimethylphosphine)-(cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320) 83

Dicyclopentadienyl-diligand-molybdenum and -titanium complexes, estimation of stepwise M–L bond dissociation enthalpies in (M.J. Calhorda, A.R. Dias, A.M. Galvão, J.A. Martinho Simões), (307) 167

Dicyclopentadienyldiphenylphosphinehydridomolybdenum(IV) chloride, preparation and reactions with electron poor alkynes; formation of molybdaphosphacyclobutanes and X-ray structure of $[(\eta^5\text{-}C_5H_5)_2\overline{MoCH(CF_3)\text{-}CH(CF_3)}\overline{PPh_2}]Cl \cdot H_2O$ (M.M. Kubicki, R. Kergoat, M. Cariou, J.E. Guerchais, P. L'Haridon), (322) 357

Dicyclopentadienylmolybdenum complexes derived from dimethyl acetylenedicarboxylate; crystal structure of $[(\eta^5\text{-}C_5H_5)_2\overline{MoOC(O)\text{-}CH{=}CCO_2CH_3}]$ (M. Cariou, M.M. Kubicki, R. Kergoat, J.E. Guerchais, P. L'Haridon), (304) 127

Dicyclopentadienylmolybdenum derivatives containing a four-membered ring, $[Mo(\eta^5\text{-}C_5H_5)_2(2\text{-}NHC_5H_4)][PF_6]$ and $[Mo(\eta^5\text{-}C_5H_5)_2(2\text{-}ONC_5H_4)][PF_6]$, molecular structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, R.G. Da Costa, A.R. Dias, M.T.L.S. Duarte, M.B. Hursthouse), (320) 53

Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di-$\eta^5$-cyclopentadienyliodoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5\text{-}C_5H_5)_2I(NCCH_3)][PF_6]$ (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63

Dicyclopentadienyltetracarbonyldimolybdenum, $(\eta^5\text{-}C_5H_5)_2Mo_2(CO)_4$, addition of PH functional methylenebisphosphanes to the Mo≡Mo bond in (D.J. Brauer, G. Hasselkuss, O. Stelzer), (321) 339

($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305

($\alpha$-Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), (302) 211

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303

Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), (304) 309

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157

Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane)iron, $[Fe(dttd)(THF)_2]$, reactions with tetracarbonylnorbornadienemolybdenum, $[Mo(CO)_4(nor)]$, by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-}dttd\{Mo(CO)_3\}_2] \cdot 2H_2O$ and $[\mu\text{-}dttd\{Mo(CO)_4\}_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323

Fluoromethylidyne-bridged molybdenum cluster, preparation and structure of $[(C_5H_5)_3(CO)_6Mo_3(\mu_3\text{-}CF)]$ (W. Schulze, H. Hartl, K. Seppelt), (319) 77

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

Fulvenetricarbonylchromium complexes and $\alpha$-ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333

Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligands (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Heteroallene complexes of molybdenocenes, structure of (J. Okuda, G.E. Herberich), (320) C35

Hetero-bi- and -tri-metallic complexes containing electron-releasing and electron-accepting redox centres (P.D. Beer, C.J. Jones, J.A. McCleverty, R.P. Sidebotham), (325) C19

Heterobimetallic $\mu$-phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (311) 103

Hexacarbonyl-$\mu$-$\eta^{6:6}$-heptafulvenedichromium-(0), [4 + 6]-cycloaddition of 1,3-butadienes to (C.G. Kreiter, E. Michels), (312) 59

Hexacarbonylmolybdenum, reductive coupling with thioketals of (C.S. Wong, W.S. Leung, L.L. Yeung, T.-Y. Luh), (307) C49

Homodinuclear and *cis*-mononuclear complexes of $Ph_2PNSNPPh_2$, preparation and $^{31}P$ DNMR studies of; crystal structure of *cis*-$Cr(CO)_4(Ph_2PNSNPPh_2) \cdot 0.5C_6H_6$ (T. Chivers, C. Lensink, J.F. Richards), (325) 169

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2–) ligands (J.R. Dilworth, S. Morton), (314) C25

$[M(CO)_3]_2$-$\mu$-$[(\eta^5\text{-}Cp)_2SiMe_2]$, reactivity towards tetramethyldiphosphane, formation of

a PMP-heteroallyl system (M = Mo, W) (J. Heck), (311) C5

1-*syn*-Methyl- and -phenyl-allyl complexes with symmetric metal ligand backbones, synthesis and spectra of; molecular structures of [($\eta$-1-$PhC_3H_4$)Pd(tmeda)]$BF_4$, [($\eta$-$C_5H_5$)Pd($\eta$-1-$PhC_3H_4$)], and [(phen)$Mo(CO)_2$(NCS)($\eta$-1-$PhC_3H_4$)] (N.W. Murrall, A.J. Welch), (301) 109

$Mo_2[(\eta^5\text{-}C_5H_4CO_2)Fe(\eta^5\text{-}C_5H_5)]_2(O_2CCH_3)_2$-$(C_5H_5N)_2$ and $[Mo_2[(\eta^5\text{-}C_5H_4CO_2)$-$Fe(\eta^5\text{-}C_5H_5)]_4(ax\text{-}CH_3CN)(ax\text{-}DMSO)]$-$(DMSO)_2$, synthesis, X-ray crystallographic and electrochemical studies of (F.A. Cotton, L.R. Falvello, A.H. Reid, Jr., J.H. Tochter), (319) 87

*cis*-$Mo(CO)_2(Ph_2P(CH_2)_nPPh_2)_2$ ($n$ = 1, 2, 3), preparation from *cis*-dicarbonylbis(norbornadiene)molybdenum and crystal structure of [*cis*-$Mo(CO)_2(Ph_2P(CH_2)_3PPh_2)_2$] (T.J. Chow, C.-Y. Wang, S.-C. Sheu, S.-M. Peng) (311) 339

Molybdenum and tungsten cyclopentadienyl-pentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structure of [$MoTl(SC_6F_5)_2Cp$] (L = $SC_6F_5$, CO) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322) C1

Molybdenum(II) seven-coordinate complexes containing carbonyl, triphenylphosphine and O-donor or S-donor anionic bidentate ligands (V. Riera, F.J. Arnaiz, G.G. Herbosa), (315) 51

Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ (M = W, Mo, Cr; $SiR_3$ = $SiPh_3$, $SiMePh_2$; R' = Me, Et, n-Bu, $C_6H_{11}$, Ph), $HSiR_3$ elimination from (W. Hepp, U. Schubert), (321) 317

Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with $H_2$ and CO of (H.W. Bosch, B.B. Wayland), (317) C5

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77

Osmium and molybdenum trinuclear cluster, crystal structure of the co-crystallized molecules $MoOs_2(CO)_{11}[P(OMe)_3]$ and $[(MeO)_3$-$P](OC)_4OsMo(CO)_5$ (H.B. Davis, F.W.B. Einstein, V.J. Johnston, R.K. Pomeroy), (319) C25

$PdMo(\mu\text{-}Ph_2Ppy)_2(\mu\text{-}CO)(CO)_2 \cdot 0.5CH_2Cl_2$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357

Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuje, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-trazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

Pentacarbonylmercaptophosphane- and tetracarbonyl-bis(mercaptophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327

Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tzschach), (308) 325

Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29

Phosphinidene complexes, reasons for extremely paramagnetic shifts in $^{31}P$ NMR spectra of (G. Huttner), (308) C11

Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30

Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41

Supported transition metals and metal oxides and catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Thiolatoamine-iron(II) and -molybdenum(II) with [M(SNNS)] units and CO, $PMe_3$, NO and $N_2H_4$ as coligands (SNNS = ($SC_6H_4N$-

$(R)C_2H_4N(R)C_6H_4S)^{2-}$; R = H, $CH_3$) (D. Sellmann, U. Reineke), (314) 91

Thiolato-bridged carbonylcyclopentadienylmolybdenum dimeric complexes, $^1H$ NMR and electrochemical studies of isomerisation of; synthesis and X-ray crystal structure of $\{(\eta^5\text{-}C_5H_5)Mo(CO)_2(\mu\text{-S-t-Bu})\}_2(BF_4)_2$ (J. Courtot-Coupez, M. Guéguen, J.E. Guerchais, F.Y. Pétillon, J. Talarmin, R. Mercier), (312) 81

*o*-Tolyl radicals from organomolybdenum sources, attack on side chain of toluenes by (L.P. Battaglia, M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli), (317) C19

Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

Tricarbonyl-$\eta$-cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.Y. Yassin), (301) 313

Tricarbonyl-$\eta^5$-cyclopentadienylmethylmolybdenum, photoreaction with 1,3-cyclopentadienes of (C.G. Kreiter, J. Kögler, K. Nist), (310) 35

Tricarbonyl($\eta^6$-cyclophane)molybdenum complexes and their geometry-dependent $^{13}C$ NMR behaviour (M. Takamori, N. Mori), (301) 321

Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145

Trifluoromethanesulphonato-molybdenum, tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), (303) C29

Trimetallic complex containing three redox centres, syntheses of; assessment of inductive effect transmission through an iron atom (P.D. Beer, S.M. Charsley, C.J. Jones, J.A. McCleverty), (307) C19

Tris-bipyridine-molybdenum(II) complexes and related compounds, formation and characterisation of (J.A. Connor, E.J. James), (325) 181

Tris(triaminophosphino)tricarbonylmolybdenum, *fac*-$[(i\text{-}PrNH)_3P]_3Mo(CO)_3$, synthesis of (H.-J. Chen, A. Tarassoli, V.S. Allured, R.C. Haltiwanger, A.D. Norman), (306) C19

## Neodymium

Cyclopentadienylneodymium dichloride, crystal structure of (G. Yang, Y. Fan, Z. Jin, Y. Xin, W. Chen), (322) 57

1,1′-Trimethylenedicyclopentadienyl-early lanthanide $\sigma$-bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

## Nickel

Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

Allylbis-ligand-nickel(II) hexafluorophosphate complexes, catalysis of oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balbolov, K. Kurtev), (304) C4

Allylic phosphites, nickel chloride catalysed rearrangement of (X. Lu, J. Zhu), (304) 239

Azanickelacyclopentanones, $\alpha,\omega$-diacidic amides of alkenes and phenyl isocyanate, intermolecular CC bond formation in (H. Hoberg, E. Hernandez), (311) 307

Azanickelacyclopentanones, and cinnamanilide, catalytic formation from styrene and isocyanates by CC coupling of (E. Hernandez, H. Hoberg), (315) 245

Benzylnickel, reactions of dioxygen with (G. Favero, S. Issa, A. Turco, U. Vettori), (315) 237

Binuclear carbonyls of Cr, Mo, Fe and Ni with single hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (322) 331

2,2′-Bipyridinenickel, catalytic activity in electrochemical reduction of aliphatic halides of (S. Mabrouk, S. Pelligrini, J.-C. Folest, J. Périchon), (301) 391

$[(C_5H_5)_4FeNi](BF_4)_2$ charge-transfer complex consisting of electron-rich and electron-poor metallocene fragments (N. Kuhn, H. Schumann), (314) C39

$(\eta^5\text{-}C_5H_5)NiOs_3(\mu\text{-}H)_3(CO)_9$, reactions with Group V donor ligands, spectroscopic characterisation of disubstituted derivatives of; crystal structure of $(\eta^5\text{-}C_5H_5)NiOs_3(\mu\text{-}H)_3(CO)_7(PMe_2Ph)_2$ (E. Sappa, M.L.N. Marchino, G. Predieri, A. Tiripicchio, M. Tiripicchio-Camellini), (307) 97

$(\eta^5\text{-}C_5H_5)NiRu_3(\mu\text{-}H)_3(CO)_9$, homogeneous catalytic hydrogenation and isomerisation of linear and cyclic monoenes and dienes in the presence of (M. Castiglioni, R. Giordano, E. Sappa), (319) 167

$(C_5H_5)_2Ni_2(\mu\text{-}SR)_2$ (R = Ph, $PhCH_2$, l-decyl, 2-naphthyl), reduction of the C–S bond in

(N.F. Ho, T.C.W. Mak, T.-Y. Luh), (317) C28

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339

Cyclopentadienylcarbonyliron cationic complexes alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145

Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekâroğlu), (317) 301

Di-halo- and di-pseudohalo-bipyridine nickel(0) complexes, organic group coupling by electrochemical reduction catalysed by (Y. Rollin, M. Troupel, D.G. Tuck, J. Perichon), (303) 131

Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103

1,3-Diphosphaallylnickel complexes, preparation and structures of (R. Appel, W. Schuhn, F. Knoch), (319) 345

Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahsen, Ö. Bekaroğlu), (319) 197

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83

*o*-Methylphenyl isocyanides, oxidative dimerisation via lithium intermediates of; synthesis of bidentate bis-isonitrile and cyclic tetrakis-isonitrile ligands (Y. Ito, K. Kobayashi, T. Saegusa), (303) 301

Monoazadienenickel complexes, synthesis and structure of (C. Müller, L. Stamp, H. tom Dieck), (308) 105

Nickel and cobalt electrochemically generated complexes, catalysis of dimerisation of monoolefins by (H. Masotti, J.C. Wallet, G. Peiffer, F. Petit, A. Mortreux, G. Buono), (308) 241

Nickel-catalysed amidation of bromo- and iodobenzene (P. Giannococcaro, E. Pannacciulli), (319) 119

Nickel-catalysed coupling of activated alkenes with organic halides (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani Ronchi), (301) C62

Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383

Nickel complex induced C–C linkage of carbon dioxide with trienes (A. Behr, U. Kanne), (317) C41

Nickel(II) isolable phosphonio complexes, $C_5H_5Ni(PH_3)I$ and $[C_5H_5Ni(PH_3)_2]BF_4$ (N. Kuhn, M. Winter), (301) C9

Nickel, palladium and platinum; Annual survey covering the year 1980 (P.A. Chaloner), (324) 283

Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3′-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383

Nickelirenes and nickeloles as catalytic carriers in oligomerisation of alkynes (J.J. Eisch, J.E. Galle, A.A. Aradi, M.P. Boleslawski), (312) 399

Nickelocene, high activity in catalysis of crosslinking of an acetylene-terminated monomer of (W. Douglas, A. Overend), (308) C14

$[Ni_9Pt_3(CO)_{21}H_{4-n}]^{n-}$ ($n = 4,3,2$) anionic clusters, synthesis, NMR and structural characterisation of (A. Ceriotti, F. Demartin, G. Longoni, M. Manassero, G. Piva, G. Piro, M. Sansoni, B.T. Heaton), (301) C5

$[NiRR'L_2]$ (R = aryl or vinyl; L = $PMe_2Ph$, $PEt_3$) complexes, decomposition by bromine or anodic oxidation of (J.M. Coronas, G. Muller, M. Rocamora), (301) 227

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organonickel hydrides with ionic contacts to sodium and lithium, structural and bonding characteristics of (R. Goddard, C. Krüger, K.R. Pörschke, G. Wilke), (308) 85

Oxanickela complexes and pentenoic acids, reaction products from C–C coupling of alkenes with $CO_2$ to nickel(0) (H. Hoberg, Y. Peres, A. Milchereit), (307) C41

Oxanickelacyclopentanones and cinnamic acid, reaction products from C–C coupling of alkenes with $CO_2$ to nickel(0) (H. Hoberg, Y. Peres, A. Milchereit), (307) C38

Pentafluorophenyl asymmetric binuclear palladium(II) derivatives, synthesis of (G. Lopez, G. Garcia, C. de Haro, G. Sanchez, J. Garcia), (317) C23

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

1-Phosphaallene $\eta^1$-complexation with tetracarbonylnickel (R. Appel, F. Knochi, V. Winkhaus), (307) 93

*N*-Protonated 2-pyridylnickel(II) complexes, insertion of isocyanides into the nickel–2-

pyridyl bond of (B. Crociani, F. Di Bianca, A. Giovenco, A. Berton), (323) 123

(tmeda)Ni($\eta^2$-$C_4H_6$)$_2$ and {(tmeda)Ni($\eta^2$-$C_4H_6$)}$_2$($\eta^2$,$\eta^2$-$C_4H_6$), preparation and properties of (W. Schröder, K.R. Pörschke), (322) 385

Triethenenickel, reactions with 7,7-difluorocyclopropabenzene in the presence of tetraethylenediamine (R. Benn, H. Schwager, G. Wilke), (316) 229

## Niobium

Dichloroniobocene, electrochemical reduction at various temperatures of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron, E. Laviron), (317) 201

Di-$\eta$-cyclopentadienyl[1,3,4-$\eta^3$-(1,2,3,4-tetramethyl-1,3-butadienyl)]niobium, synthesis, and crystal and molecular structures of (G.E. Herberich, B. Hessner, H. Mayer), (314) 123

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebsch), (308) 19

[Nb($\eta^5$-$C_5H_4R$)$_2${AuP($C_6H_5$)$_3$}$_2$]$^+$ (R = H, Si($CH_3$)$_3$) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Gómez-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44

Niobium organometallic compounds, analysis and classification of crystallographic data (*Review*) (C.E. Holloway, M. Melník), (303) 1

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of $V^{IV}$, $CH_3Nb^V$ and $Hf^{IV}$ (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317

## Osmium

Alkylidyne-alkylidyne and alkylidyne-carbonyl coupling on the triosmium framework (W.-Y. Yeh, J.R. Shapley), (315) C29

Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91

Bis[bis(trimethylsilyl)methyl]tin, reactions with $M_3(CO)_{12}$ (M = Fe, Ru, Os) or its derivatives of; crystal and molecular structures of $M_3$($\mu$-$SnR_2$)$_2$(CO)$_{10}$ (R = CH($SiMe_3$)$_2$, M = Ru, Os) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203

1,1-Bis(diphenylphosphino)ethene-tricarbonyliron and -decacarbonyltriosmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Harding, K. Pearson, A.K. Smith), (311) 153

Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $Os_3(CO)_9$($\mu$-dppm) ($\eta^1$-dppm) (dppm = $Ph_2PCH_2PPh_2$) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403

($\eta^5$-Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311

Carbonylchloro($\eta$-cyclopentadienyl)(triphenylphosphine)ruthenium(II), synthesis, reactivity and crystal structure of (T. Wilczewski, Z. Dauter), (312) 349

Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of $Ru_3$($\mu$-H)$_2$($\mu$-PPh)(CO)$_8$($PMePh_2$), $Ru_4$($\mu$-H)$_4$($\mu$-dppm)(CO)$_{10}$, $Ru_4$($\mu$-H)($\mu_3$-$PPhCH_2PPh_2$)(CO)$_{10}$ and $Os_3$($\mu$-H)$_2$($\mu$-dppm)(CO)$_8$ (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink, M.L. Williams), (316) 187

Carbonylruthenium complexes of *cis*-1,2-bis(diphenylphosphino)ethene, preparation of; X-ray structure of $Ru_2${$\mu$-$C_2H_2$($PPh_2$)$_2$}(CO)$_6$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (306) 115

$\mu$-Carbyne-triosmium complex, formation in the reaction of O=$COs_3H(CO)_9${$\mu_3$-$\eta^2$-C=C(Ph)C=C(Ph)Re(CO)$_4$} with dimethylphenylphosphine; X-ray structure of $HOs_3(CO)_{10}${$\mu$-CC(Ph)=C=C(Ph)Re(CO)$_4$$PMe_2Ph$} (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), (302) 413

($\eta^5$-$C_5H_5$)$NiOs_3$($\mu$-H)$_3$(CO)$_9$, reactions with Group V donor ligands, spectroscopic characterisation of disubstituted derivatives of; crystal structure of ($\eta^5$-$C_5H_5$)$NiOs_3$($\mu$-H)$_3$(CO)$_7$($PMe_2Ph$)$_2$ (E. Sappa, M.L.N. Marchino, G. Predieri, A. Tiripicchio, M. Tiripicchio-Camellini), (307) 97

($\eta^5$-$C_5Me_5$)Os(CO)($PMe_2Ph$)Me oxidative reactions; isolation of intermediates during alkyl–metal electrophilic cleavage reactions of (L.J. Sanderson, M.C. Baird), (307) C1

Dihydrido($\eta$-cyclopentadienyl)bis(triphenylphosphine)osmium(IV) cation, formation, properties, and reactions with halogen compounds of (T. Wilczewski), (317) 307

Dodecacarbonyltriosmium, photochemical reactivity of and thermal activation of diosmacyclobutanes towards alkynes (M.R. Burke, J. Takats), (302) C25

Dodeca-triruthenium and -triosmium and triphenylphosphine, redox chemistry of; mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320) 363

Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227

Group IV derivatives of $Os_3(\mu\text{-}H)_2(CO)_{10}$, structures of $HOs_3(\mu\text{-}H)_2(CO)_{10}(SiHPh_2)$ and $Os_3(\mu\text{-}H)_2(CO)_{10}(SnMe_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257

Halovinylidene-containing ruthenium and osmium complexes, synthesis and properties of; X-ray structure of $[Ru(C{=}CIPh)(PPh_3)_2(\eta\text{-}C_5H_5)][I_3]$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell, B.K. Nicholson), (320) 217

Hexamethylbenzene-ruthenaborane and -osmaborane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67

Hex-5-en-2-one, double bond shifts induced by reaction with triosmium clusters of (A.J. Arce, E. Boyar, A.J. Deeming), (320) 385

$(\mu\text{-}H)_3Ru_3(\mu_3\text{-}CR)(CO)_9$, protonation of; evidence for formation of an agostic metal–hydrogen bond (D.K. Bower, J.B. Keister), (312) C33

Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisopropylphosphine as ligand (M.A. Esteruelas, H. Werner), (303) 221

Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29

Nitrosylthiocarbonylosmium complexes, synthesis of (M. Herberhold, A.F. Hill, N. McAuley, W.R. Roper), (310) 95

Octacarbonyltriosmium clusters, stepwise synthesis from decacarbonyltriosmium clusters of; X-ray crystal structure of $[Os_3(CO)_8(Ph_2C_2)_2]$, a bis(alkyne) without an osmacyclopentadiene ring (B.F.G. Johnson, R. Khattar, F.J. Lahoz, J. Lewis, P.R. Raithby), (319) C51

Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357

Organo-ruthenaborane and -osmaborane clusters, preparation and NMR studies of $[6\text{-}(\eta^6\text{-}C_6Me_6)\text{-}nido\text{-}6\text{-}MB_9H_{13}]$ (M = Ru, Os) and the rearrangement cluster $[5\text{-}(\eta^6\text{-}C_6Me_6)\text{-}nido\text{-}5\text{-}RuB_9H_{11}\text{-}7\text{-}(PMe_2Ph)]$ (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233

$OsC_2P$ metallaheterocycles, formation via cationic hydrido- and deuterido-methylene intermediates of (H. Werner, K. Roder), (310) C51

$Os_5(\mu_5\text{-}\eta^2,\ P\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$, synthesis and X-ray structure of (J.-C. Daran, E. Cabrera, M.I. Bruce, M.L. Williams), (319) 239

$Os(\equiv CR)Cl(CO)(PPh_3)_2$ and $Os(=C[AgCl]R)Cl(CO)(PPh_3)_2$, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211

Osma-five-membered heterocyclic compounds, formation by insertion reactions of alkyne into Os–I or Os–H bonds of (H. Werner, R. Weinand, H. Otto), (307) 49

Osmium and molybdenum trinuclear cluster, crystal structure of the co-crystallized molecules $MoOs_2(CO)_{11}[P(OMe)_3]_2$ and $[(MeO)_3P](OC)_4OsMo(CO)_5$ (H.B. Davis, F.W.B. Einstein, V.J. Johnston, R.K. Pomeroy), (319) C25

Osmium and ruthenium complexes, mechanism of homogeneous hydrogenation of carbon monoxide catalysed by (D.S. Barratt, D.J. Cole-Hamilton), (306) C41

Osmium cluster radical anions (S.R. Drake, B.F.G. Johnson, J. Lewis, R.C.S. McQueen), (325) C31

*O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

Phosphaalkenyl, disilylphosphido and diacylphosphido complexes of dicarbonylpentamethylcyclopentadienylosmium (L. Weber, D. Bungardt), (311) 269

Platina-allenyl ligand coordination to a triosmium cluster, X-ray cluster structure of the acetylide complex $Os_3Pt(\mu\text{-}H)(\mu_4\text{-}\eta^2\text{-}C{\equiv}C\text{-}Ph)(CO)_{10}(PCy_3)$ (Cy = cyclohexyl) (P. Ewing, L.J. Farrugia), (320) C47

Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41

$Ru(C{\equiv}CPh)(dppe)(\eta\text{-}C_5H_5)$ and $[Ru(L)(PPh_3)_2(\eta\text{-}C_5H_5)]X$ (L = C(OMe)Et, X = $PF_6$; L = C=CMePh, X = I), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekink), (314) 213

$[Ru_3(CO)_{11}(CNBu^t)]$ and $[Os_3(CO)_{11}(CNBu^t)]$,

X-ray structures of (M.I. Bruce, G.N. Pain, C. Hughes, J.M. Patrick, B.W. Skelton, A.H. White), (307) 343

Ruthenium and osmium; annual survey 1983 (J.B. Keister), (318) 297

Ruthenium and osmium; annual survey 1984 (P.A. Shapley), (318) 409

Ruthenium and osmium cluster carbonyls containing olefinic tertiary phosphine $PPh_2$-($C_6H_4CH{=}CH_2$-2) (sp); X-ray structure of $Os_3H(\mu\text{-}H)(CO)_{10}$(sp) (M.I. Bruce, M.L. Williams), (314) 323

Ruthenocene-carboxylic and -boronic acids, separation and identification of; detection of alkali metal cations (T. Wilczewski), (306) 125

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Thionitrosodimethylamine ($Me_2N{-}N{=}S$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105

Tricarbonyl-*tetrahapto*-cyclopentadienoneruthenium(0) complexes, catalysis with; a water-gas type reaction (Y. Shvo, D. Czarkie), (315) C25

Trinuclear osmium clusters containing aminophosphine and phosphinoamido ligands, synthesis and molecular structure of $Os_3(CO)_{11}(PPh_2NHPh)$ and $HOs_3(CO)_8(PPh_2NHPh)(PPh_2NPh)$ (G. Süss-Fink, M.A. Pellinghelli, A. Tiripicchio), (320) 101

Triosmium cluster, $[Os_3(CO)_{10}(NCMe)_2]$, synthetic studies of reactions with aldehydes of (B.F.G. Johnson, J. Lewis, T.I. Odiaka), (307) 61

Triosmium clusters, oxidative addition of 2-formylfuran and related pyrrole and thiophene compounds to (A.J. Arce, Y. De Sanctis, A.J. Deeming), (311) 371

## Palladium

Alkenyl stereospecific sulphides, synthesis by cross-coupling reactions of secondary alkyl Grignard reagents with *Z*- or *E*-1-bromo-2-phenylthioethene in the presence of transition metal catalysts (V. Fiandanese, G. Miccoli, F. Naso, L. Ronzini), (312) 343

Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum-(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233

$\mu_3$-Allyl-$\mu_1$-chlorobis(triphenylphosphine)dipalladium(I), preparation and crystal structure of (J. Sieler, M. Helms, W. Gaube, A. Svensson, O. Lindqvist), (320) 129

Allylic arsenites, reactions with low valent transition metal complexes of (X. Lu, L. Lu), (307) 285

Aryl-palladium(II) and -platinum(II) rigid complexes, synthesis and structure aspects of; X-ray crystal structure of *o*,*o*-bis[(dimethylamino)methyl]phenyl-platinum(II) bromide (J. Terheijden, G. van Koten, F. Muller, D.M. Grove, K. Vrieze, E. Nielsen, C.H. Stam), (315) 401

Binuclear and trinuclear complex clusters with Pd–Pd and Pd–Pt bonds stabilised by $Ph_2PCH_2PPh_2$ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefon, M. Ries), (304) 245

Biphosphinepalladium chiral complexes as catalysts for asymmetric hydrocyanation of norbornene (M. Hodgson, D. Parker), (325) C27

*cis*-Bis-acetylene-bis(pentafluorophenyl)-palladium(II) and -platinum(II) complexes, preparation of; crystal structure of *cis*-$[Pt(C_6F_5)_2(PhC{=}CpH)_2]$ (R. Usón, J. Forniés, M. Tomás, B. Menjón, A.J. Welch), (304) C24

Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381

1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)-methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323

Bis(pyrazolyl)alkane-palladium(II) and -platinum(II) complexes, preparation and characterisation of; crystal and molecular structures of $[Pd\{CH_2(pz)_2\}_2][BF_4]_2$ and $[PdCl_2\{(CH_3)_2C(pz)_2\}]$ (pzH = pyrazole), example of Pd···H–C agostic interaction (G. Minghetti, M.A. Cinellu, A.L. Bandini, G. Banditelli, F. Demartin, M. Manassero), (315) 387

Carbonylphosphine-palladium high-nuclear cluster, $Pd_{23}(CO)_{22}(PEt_3)_{10}$, production and characterisation of (E.G. Mednikov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (301) C35

Chloride-bridged methylpalladium(II) dimers, preparation, carbonylation and bridge-splitting reactions with tertiary phosphines of (Y. Hayashi, K. Isobe, Y. Nakamura, S. Okeya), (310) 127

$[CpFeP_2L]^+$ cations, ($Cp = C_5H_5$, $C_5Me_5$; L = CO vs. $CH_3CN$; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322) C13

1,5-Cyclooctadienedihalogenometal (M = Pd, Pt, X = Cl, Br) complexes, attack by cyclohexylamine on the diene ligands in (D.J. Evans, L.A.P. Kane-Maguire), (312) C24

Cyclopalladated benzyl methyl sulphide, one-pot synthesis of heterocyclic compounds through insertion of alkynes into Pd–C bonds of (J. Dupont, M. Pfeffer), (321) C13

Dichloro- and diacetoxy-allylic compounds, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, A.-M. Zigna, G. Balavoine), (306) 257

Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekâroğlu), (317) 301

Dithio- and trithio-carbonate-bridged palladium (II) and/or platinum(II) complexes; X-ray structure of $[\{(Ph_2PCH_2CH_2PPh_2)Pd(\mu\text{-}S_2CS)\}_2Pt(C_6F_5)_2] \cdot CH_2Cl_2$ (J. Forniés, M.A. Usón, J.I. Gil, P.G. Jones), (311) 243

Iron-containing $M_6$ and $M_5$ clusters, Mössbauer study of (R.P. Brint, M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219

$K_2[Pd(C_6F_5)_4]$-catalysed cyclotrimerisation of malononitrile (G. Lopez, G. Sanchez, G. Garcia, J. Galvez, J. Ruiz), (321) 273

1-*syn*-Methyl- and -phenyl-allyl complexes with symmetric metal ligand backbones, synthesis and spectra of; molecular structures of $[(\eta\text{-}1\text{-}PhC_3H_4)Pd(tmeda)]BF_4$, $[(\eta\text{-}C_5H_5)Pd(\eta\text{-}1\text{-}PhC_3H_4)]$, and $[(phen)Mo(CO)_2(NCS)(\eta\text{-}1\text{-}PhC_3H_4)]$ (N.W. Murrall, A.J. Welch), (301) 109

Methylbenzalazines with Pd–C (aliphatic) bonds, six-membered cyclometallated compounds of ($R.M^a$. Ceder, J. Granell, J. Sales), (307) C44

Nickel, palladium and platinum; Annual survey covering the year 1980 (P.A. Chaloner), (324) 283

Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3′-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77

Palladium(II) and platinum(II) complexes with hybrid phosphine-phosphine oxide ligands $Ph_2P(CH_2)_nP(=O)Ph_2$ ($n = 1$–4) (S.J. Higgins, R. Taylor, B.L. Shaw), (325) 285

Palladium and platinum dinuclear cyclometallated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57

Palladium(II) and platinum(II) derivatives with chiral 2,2′-bipyridines; X-ray structure of $C_{18}H_{15}ClN_2Pd$; *C*- and *N*-coordination in a six-membered metallacycle (G. Minghetti, M.A. Cinellu, G. Chelucci, S. Gladiali, F. Demartin, M. Manassero), (307) 107

Palladium- and rhodium-catalysed synthesis of esters by reactions in mixtures of butadiene, carbon dioxide and oxiranes (A. Behr, U. Kanne), (309) 215

Palladium(II) and rhodium(I) cationic complexes, reaction with t-butylperoxy anion and formation of t-butylperoxo-palladium(II) and -rhodium(II) complexes (N. Oshima, Y. Hamatani, H. Fukui, H. Suzuki, Y. Moro-Oka), (303) C21

Palladium and rhodium complexes with $[R_2PCH_2CO_2]^-$ ligands (R = Ph, cyclo-$C_6H_{11}$); crystal and molecular structure of $[(o\text{-}\overline{C_6H_5CH_2NMe_2})\overline{Pd\{Ph_2PCH_2C(O)O\}}]$ (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), (301) 401

Palladium-assisted organic reactions, simple synthesis of 2,3-disubstituted phthalimidines (N. Barr, N.P. Bartley, P.W. Clark, P. Dunstan, S.F. Dyke), (302) 117

Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320) C56

Palladium-catalysed 2-acetoxyallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397

Palladium-catalysed alkoxy- and amido-carbonylation of allenyl and propynyl halides, formation of allenyl esters and amides by (N.D. Trieu, C.J. Elsevier, K. Vrieze), (325) C23

Palladium-catalysed aryldestannylation of α-styrylstannanes by arenediazonium salts (K. Kikukawa, H. Umekawa, T. Matsuda), (311) C44

Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetonate)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), (301) C17

Palladium-catalysed cross-coupling followed by bromination, synthesis of broparestrol from (M.I. Al-Hassan), (321) 119

Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated di-

enes prepared via (F. Tellier, R. Sauvêtre, J.-F. Normant), (303) 309

Palladium(II) complexes with $C^2$-bonded heteroaromatic ligands *trans*-[$PdCl(R_N)(PPh_3)_2$] ($R_N$ = 2-pyridyl, 2-pyrazyl, 2-pyrimidyl), preparation and reactions of (R. Bertani, A. Berton, F. Di Bianca, B. Crociani), (303) 283

$PdMo(\mu\text{-}Ph_2Ppy)_2(\mu\text{-}CO)(CO)_2 \cdot 0.5CH_2Cl_2$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357

[$Pd(OAc)_2(PPh_3)_2$]-trialkylammonium formate reagent, reaction of aryl iodides with hindered $\alpha,\beta,\gamma,\delta$-dienones in the presence of (A. Arcadi, F. Marinelli, S. Cacchi), (312) C27

Pentachlorophenylpalladium(I) derivatives, synthesis and reactivity of; molecular structure of $Pd_2(\mu\text{-dppm})_2\text{-}(C_6Cl_5)_2$ (P. Espinet, J. Fornies, C. Fortuño, G. Hidalgo, F. Martinez, M. Tomas, A.J. Welch), (317) 105

Pentafluorophenylpalladium(I)-platinum(I) derivatives, synthesis and reactivity of; molecular structures of $ClPt(\mu\text{-dppm})_2Pd(C_6F_5)$ (J. Fornies, F. Martinez, R. Navarro, A. Redondo, M. Tomas, A.J. Welch), (316) 351

Pentafluorophenyl asymmetric binuclear palladium(II) derivatives, synthesis of (G. Lopez, G. Garcia, C. de Haro, G. Sanchez, J. Garcia), (317) C23

Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*-[$Pt(PPh_3)_2(I)(CH_2P(O)\text{-}(OCH_3)_2)$] (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225

[$(PMe_3)Pd(\mu\text{-}Se_2CPMe_3)]_2$, dinuclear complex with $\eta^1,\eta^2$-bonded $Se_2CPMe_3$ bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63

$RuCl_2(PPh_3)_3HCOOH/Et_3N$, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63

Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of [(*p*-cymeme)$ClRu(\mu\text{-}Cl)(\mu\text{-pz})Pd(C_8H_{11})$] (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322) 111

Sulphur ylide complexes of palladium, preparation by phase transfer catalysis of (I.J.B. Lin, H.Y.C. Lai, S.C. Wu, L. Hwan), (306) C24

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

1,1,1,4-Tetrachlorobut-2-ene, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, Y.T. Xian, G. Balavoine), (306) 267

Tetrakis(triphenylphosphine)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), (304) 257

Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Trichlorostannate derivatives of chloro-bridged palladium(II) dimers, $^{31}P$ and $^{119}Sn$ NMR of (C. Arz, I.R. Herbert, P.S. Pregosin), (308) 373

(4*S*,7*R*)-7,8,8-Trimethyl-1-phenyl-4,5,6,7-tetrahydro-4,7-methano-1*H*-indazole, structural study of cyclopalladation of (A.A. Watson, D.A. House, P.J. Steel), (311) 387

Trithia macrocyclic complexes of palladium, structural and electrochemical studies on (A.J. Blake, A.J. Holder, T.I. Hyde, Y.V. Roberts, A.J. Lavery, M. Schröder), (323) 261

## Phosphorus

$\eta^2$-Acyliron complexes; crystal structure of [$Fe(I)(\eta^2\text{-}C(O)\text{-i-Pr})(CO)(PEt_3)_2$] (R. Birk, H. Berke, G. Huttner, L. Zsnolnai), (309) C18

*cis*-Alkenyl- or -aryl-dimethyl(triphenylphosphine)gold(III), unusual steric effect on dissociative reductive elimination from (S. Komiya, A. Shibue, S. Ozaki), (319) C31

Alkenylphosphanes $RPX_2$ and $R_2PX$ (X = $NEt_2$, Cl), function as monodentate ligands and potential hemilabile chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291

Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liétge, N. Collignon), (304) 283

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*-[$(N_2)_2(Ph_2PCH_2CH_2PPh_2)_2$] (M =

Mo, W) and with [Mo($Ph_2PCH_2PPh_2$)$_3$]; X-ray structure of *trans*-[Mo(C≡CPh)$_2$($Ph_2$-$PCH_2CH_2PPh_2$)$_2$] (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pombeiro), (323) C47

Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum-(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233

Allylbis-ligand-nickel(II) hexafluorophosphate complexes, oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balbolov, K. Kurtev), (304) C4

$\mu_3$-Allyl-$\mu_1$-chlorobis(triphenylphosphine)dipalladium(I), preparation and crystal structure of (J. Sieler, M. Helms, W. Gaube, A. Svensson, O. Lindqvist), (320) 129

($\eta^3$-Allyl)dicarbonylmolybdenum(II) complexes of the unsymmetrical diphosphenes $Ph_2PP$-($C_6H_4X$) (X = *m*-F, *p*-F or *m*-$CF_3$) (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (322) 71

Allylic phosphites, nickel chloride catalysed rearrangement of (X. Lu, J. Zhu), (304) 239

Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bressan, A. Morvillo), (304) 267

Aminophosphinephosphinite chiral ligands, synthesis and applications as catalysts of (A. Karim, A. Mortreux, F. Petit, G. Buono, G. Peiffer, C. Siv), (317) 93

Asymmetric hydrogenation of dehydroamino acids catalysed by aminophosphinerhodium complexes (A. Karim, A. Mortreux, F. Petit), (312) 375

Azanickelacyclopentanones, $\alpha,\omega$-diacidic amides of alkenes and phenyl isocyanate, intermolecular CC bond formation in (H. Hoberg, E. Hernandez), (311) 307

2,1,3-Benzophosphadiazine ring system, synthetic and NMR spectroscopic studies on (M.R. Bryce, R.S. Matthews), (325) 153

Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203

Binuclear and trinuclear complex cluster with Pd–Pd and Pd–Pt bonds stabilised by $Ph_2PCH_2PPh_2$ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefon, M. Ries), (304) 245

Biphosphinepalladium chiral complexes as catalysts for asymmetric hydrocyanation of norbornene (M. Hodgson, D. Parker), (325) C27

2,2′-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271

Bis-$\eta^3$-allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76

Bis-$\mu$-[bis(diphenylphosphino)methane]dihalodiplatinum(*Pt–Pt*) and its hydrido "A" frame derivatives, preparation and NMR spectra of (M.C. Grossel, J.R. Batson, R.P. Moulding, K.R. Seddon), (304) 391

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes S{NP-t-$Bu_2$[$ML_n$]}$_2$ ($ML_n$ = $Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates S(NP-t-$Bu_2$)$_2$M(CO)$_4$ (M = Cr, Mo, W); crystal and molecular structure of S(NP-t-$Bu_2$)$_2$Cr(CO)$_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

2,3-Bis(dimenthylphosphino)maleic anhydride and 2,3-bis(dimenthylphosphino)-*N*-phenylmaleimide, asymmetric hydrogenation catalysed by rhodium complexes of (A. Kinting, H.-W. Krause), (302) 259

Bis(dimethylphosphinecyclopentadienylcobalt), [$C_5H_5Co(\mu$-$PMe_2)$]$_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

Bis(diphenylphosphino)acetylene complexes of $C_5H_5(CO)_2Mn$ and $(CO)_5M$ (M = Cr, W) preparation and characterisation of (O. Orama), (314) 273

Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381

Bis(diphenylphosphino)-ethane- and -ethene-cyclopentadienyliron complexes with $CO^-$, $N_2^-$, $HN_3^-$, $HN_3^-$ or $N_3^-$ as ligands (D. Sellmann, W. Weber), (304) 195

Bis(diphenylphosphino)methane, deprotonated, as monodentate ligand; preparation and $^{31}P/^{199}Hg$ NMR characterisation of Hg-[$CH(PPh_2)_2$]$_2$ (M. Lusser, P. Peringer), (312) C61

1,1-Bis(diphenylphosphino)ethene-tricarbonyliron and -decacarbonyltriosmium complexes, preparations and X-ray crystal structures of (J.A. Clucas, R.H. Dawson, P.A. Dolby, M.M. Harding, K. Pearson, A.K. Smith), (311) 153

Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $Os_3(CO)_9(\mu$-dppm)($\eta^1$-dppm)

(dppm = $Ph_2PCH_2PPh_2$) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403

Bis(diphenylphosphino)methane-substituted products from $(\mu_3\text{-}CCH_3)Co_3(CO)_9$ (S. Aime, M. Botta, R. Gobetto, D. Osella), (320) 229

Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310) C36

Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium complexes, formation in reactions of $RuRhH_2Cl(C_8H_{12})(Ph_2PCH_2PPh_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51

Bis-metallates, $Na_2\{Me_2Si[(C_5H_4)(CO)_3M]_2\}$ (M = Mo,W), preparation and rearrangement to neutral complexes with σ-bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch) (303) C33

*cis*-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weisemann), (316) 367

Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27

Bis(tertiary phosphine)cycloheptatrienyltungsten complexes, synthesis and spectra of (R. Breeze, S. bt. Endud, M.W. Whiteley), (302) 371

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo–Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Bis[tris(dimethylamino)phosphane]hexacarbonyldimanganese, $Mn_2(CO)_8[P(NMe_2)_3]_2$, structural study of (J.J. Hunt, E.N. Duesler, R.T. Paine), (320) 307

($\eta^5$-Borole)rhodium complexes and nucleophilic degradation of $\mu$-($\eta^5$-1-phenylborole)bis[$\eta^5$-1-phenylborol)rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13

($\eta^5$-Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311

*o*-Bromoaryl esters and *o*-chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tzschach), (317) 11

$\eta^4$-1,3-Butadienetris(triethylphosphane)iron(0), synthesis properties and characterisation of (H. Hoberg, K. Jenni), (301) C59

(Butadiene)zirconocene, reactions with carbonyliron complexes of (G. Erker, R. Lecht), (311) 45

Butadiynetungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehnicke), (316) 85

{3-[t-Butyl(phenyl)phosphino]propyl}dimethyltin chloride, crystal and molecular structure of (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 267

Carbomethoxy-pentacoordinate iridium(I) complex, $CH_3OC(O)Ir(CO)_2(PPh_3)_2$ synthesis and crystal structure of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (304) 227

Carbonylcyclopentadienylethyl(triphenylphosphine)iron, $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)CH_2\text{-}CH_3]$, conformational analysis and X-ray crystal structure of (S.G. Davies, I.M. Dordor-Hedgecock, K.H. Sutton, M. Whittaker), (320) C19

Carbonylcyclopentadienylmolybdenum clusters containing $(As_2)_2$ or $(P_2)_2$ groups (O.J. Scherer, H. Sitzmann, G. Wolmershäuser), (309) 77

Carbonyl-dichromium(0) and -dimolybdenum(0) complexes containing bridging *trans*-$Ph_2PCH{=}CHPPh_2$ ligands, synthesis of and NMR studies on; crystal structure of $[Mo_2(CO)_2(\mu\text{-}trans\text{-}Ph_2PCH{=}CHPPh_2)_2]$ (G.B. Jacobson, B.L. Shaw, M. Thornton-Pett) (323) 313

Carbonyliron RP-bridged clusters, reversible alkyne addition to (K. Knoll, G. Huttner, L. Zsolnai), (307) 237

Carbonylmanganese halogen-bridged cationic compounds, synthesis of; X-ray structure of $[Mn_2(\mu\text{-}I)(CO)_8(\mu\text{-}Ph_2PCH_2PPh_2)][BF_4]$ (V. Riera, M.A. Ruiz, A. Tiripicchio, M. Tiripicchio Camellini), (308) C19

Carbonylmolybdenum complexes containing unidentate and bridging diphosphines, one-pot syntheses of (T.S.A. Hor), (319) 213

Carbonylphosphine-palladium high-nuclear cluster, $Pd_{23}(CO)_{22}(PEt_3)_{10}$, production and characterisation of (E.G. Mednikov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), (301) C35

Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of $Ru_3(\mu\text{-}H)_2(\mu_3\text{-}PPh)(CO)_8(PMePh_2)$, $Ru_4(\mu\text{-}H)_4(\mu\text{-dppm})(CO)_{10}$, $Ru_4(\mu\text{-}H)_3(\mu_3\text{-}PPhCH_2PPh_2)(CO)_{10}$ and $Os_3(\mu\text{-}H)_2(\mu\text{-dppm})(CO)_8$ (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink, M.L. Williams), (316) 187

Carbonylruthenium clusters containing aryldiazo ligands; X-ray structure of $Ru_3(\mu_3\text{-}PPhCH_2PPh_2)(\mu\text{-}\eta^1\text{-}N{=}NC_6H_3Cl_2\text{-}2,4)(CO)_9$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A. White), (309) 157

Carbonylruthenium complexes of *cis*-1,2-bis(diphenylphosphino)ethene, preparation of; X-ray structure of $Ru_2\{\mu\text{-}C_2H_2(PPh_2)_2\}(CO)_6$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (306) 115

Carbyne complexes, *trans*-$X(CO)_4M{\equiv}CR$, influence of the central metal, the *trans*-X ligand and the carbyne substituent on M–CO dissocation in (H. Fischer, B. Bühlmeyer), (317) 187

$\mu$-Carbyne-triosmium complex, formation in the reaction of $O{=}COs_3H(CO)_9\{\mu_3\text{-}\eta^2\text{-}C{=}C(Ph)C{=}C(Ph)Re(CO)_4\}$ with dimethylphenylphosphine; X-ray structure of $HOs_3(CO)_{10}\{\mu\text{-}CC(Ph){=}C{=}C(Ph)Re(CO)_4PMe_2Ph\}$ (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), (302) 413

$(\eta^1:\eta^5\text{-}C_5H_4)$-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of $\{Cp(\mu\text{-}[\eta^1:\eta^5\text{-}C_5H_5])Ti[PMe_3]_2\}$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310) 27

$[\eta^5\text{-}(C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of ($\eta^6$-fulvenylbenzoate)tricarbonylchromium and $(\eta^5\text{-}C_5H_4CHO)Cr(CO)_3Au(PPh_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

$(\eta^5\text{-}C_5H_4CH(Ph)Me)Fe(CO)(L)X$ chiral complexes, L = phosphine, phosphite; X = acyl, alkyl, halide, hydride, preparation, diastereomers and structural characterisation of (J.E. Shade, A. Wojcicki), (319) 391

$CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)AuPPh_3$-(*Mn–Au*) and $[CH_3C_5H_4(CO)_2Mn\text{-}(\mu\text{-}H)]_2Pt(3\text{-picolin})_2$-(*Mn–Pt*), synthesis from $Na[CH_2C_5H_4(CO)_2MnSiR_3]$; formation of metal–metal bonds and simultaneous $SiR_3/H$ exchange (E. Kunz, J. Müller, U. Schubert), (320) C11

$[C_5H_5Co(\mu\text{-}PMe_2)]_2$, addition reactions with elemental halogen and dihalomethanes of; crystal and molecular structure of *trans*-$\{[C_5H_5(Br)Co]_2(\mu\text{-}P(CH_3)_2)(\mu\text{-}CH_2P(CH_3)_2)\}$ (R. Zolk, H. Werner), (303) 233

$[(C_5H_5Co)_2(\mu\text{-}PMe_2)_2(\mu\text{-}H)]^+$ cation, opening of the hydrido bridges by Lewis bases in (H. Werner, R. Zolk, W. Hofmann), (302) 65

Chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium, preparation from $[RuHCl(PPh_3)_3]$ and penta-1,4-diene of, C–C bond formation by dehydrogenation (B.E. Mann, P.W. Manning, C.M. Spencer), (312) C64

Chloromethylplatinum(II), formation of cationic ylide-platinum(II) complex from; crystal structures of *cis*-$[Pt(CH_2PPh_3)_2X(PPh_3)_2]I$ (X = Cl, I) (C. Engelter, J.R. Moss, L.R. Nassimbeni, M.L. Niven, G. Reid, J.C. Spiers), (315) 255

$(\eta^5\text{-}C_5H_5)NiOs_3(\mu\text{-}H)_3(CO)_9$, reactions with Group V donor ligands, spectroscopic characterisation of disubstituted derivatives of; crystal structure of $(\eta^5\text{-}C_5H_5)NiOs_3(\mu\text{-}H)_3(CO)_7(PMe_2Ph)_2$ (E. Sappa, M.L.N. Marchino, G. Predieri, A. Tiripicchio, M. Tiripicchio-Camellini), (307) 97

$(C_5H_5)(OC)_2(R_3P)MoFBF_3$ (R = Me, Et), dynamic behaviour of the coordinated tetrafluoroborate ligand in (M. Appel, W. Beck), (319) C1

$(\eta^5\text{-}C_5H_5)(Ph_2PCH_2CH_2PPh_2)Ru{=}CH_2^+$ $AsF_6^-$, spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310) C39

$[(\eta\text{-}C_5H_5)Ru\{(S,S)\text{-}Ph_2PCH(CH_3)CH(CH_3)PPh_2\}(olefin)]^+PF_6^-$ optically active complexes, enantioface selection in (G. Consiglio, F. Morandini, P. Pregosin), (308) 345

$(C_5H_5)_2Zr(CO)[P(OCH_3)_3]$, preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), (301) 299

$C_5Me_5(CO)(L)Mn(H)SiR_3$ complexes, structural chemistry and $^{29}Si$ NMR spectroscopy of (U. Schubert, G. Scholz, J. Müller, K. Ackermann, B. Wörle, R.F.D. Stansfield), (306) 303

$[C_6Me_6RuH(NH_2Pr^i)PMe_3]PF_6$, formation and structure of, example of reductive amination of acetone by a hydridometal complex (H. Werner, H. Kletzin, R. Zolk, H. Otto), (310) C11

$(C_5Me_5)Ta(H)_2(\eta^2\text{-}CHPMe_2)(PMe_3)$, synthesis, molecular structure and reactivity of $(C_5Me_5)Ta(H)_2(\eta^2\text{-}CHPMe_3)(PMe_3)$ (T.P. Kee, V.C. Gibson, W. Clegg), (325) C14

Cobalt(II) complexes with phosphorus–sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165

$[Co(CO)(dppm)_2]ClO_4$, crystal and molecular structure of (C. Carriedo, P. Gomez-Sal, P. Royo, S. Martinez-Carrera, S. Garcia-Blanco), (301) 79

$Co_3(\mu_3\text{-}CPh)(CO)_9$; crystal structures of mixed-metal cluster derivatives of (M. Ahlgrén, T.T. Pakkanen, I. Tahvanainen), (323) 91

Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands $Ph_2As(CH_2)_n$-$PPh_2$ ($n = 1, 2$), synthesis and dynamic be-

haviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27

Copper(I) as phosphine abstractor from ($\eta$-$C_5H_5$)(CO)($PPh_3$)($FeCOCH_3$) (S.A. Levitre, C.C. Tso, A.R. Cutler), (308) 253

[$Co_2W(\mu$-$PEt_2)_3(CO)_5(\eta$-$C_5H_5)$], [$Co_2W\{\mu_3$-C(R)C(Et)C(Et)C(O)}($\mu$-CO)$(CO)_4(PPh_2$-{C(Et)=CHEt})($\eta$-$C_5H_5$)], and [CoW{$\mu$-C(R)C(Et)C(Et)C(OH)}$(CO)_4(\eta$-$C_5H_5$)] (R = $C_6H_4$Me-4), crystal structures of (P. Dunn, J.C. Jeffery, P. Sherwood), (311) C55

Cp′(CO)(L)W[$(PMe_3)$HCCHCOMe] (Cp′ = $\eta^5$-$C_5H_5$, $\eta^5$-$C_5Me_5$; L = CO, $PMe_3$), rearrangements with $CF_3COOH$ of; reactions of [$C_5$-$Me_5(CO)_2(CF_3COO)_2$][$PMe_3CH_2CH_2CO$-Me] with Co, $PMe_3$, $NOBF_4$ and $Et_3OBF_4$ (H.G. Alt, H.I. Hayen), (316) 301

Cp*$Fe(CO)_2[\eta^1$-SP(S)$(OR)_2$] (Cp* = $\eta$-$C_5H_5$ or $\eta$-$C_5Me_5$), electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320) 317

[$CpFeP_2L$]$^+$ cations, (Cp = $C_5H_5$, $C_5Me_5$; L = CO vs. $CH_3CN$; P = phosphine, phosphite), photosynthesis, reactivity and electrochemical properties of (J. Ruiz, E. Roman, D. Astruc), (322) C13

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339

Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of [$Me_2$SnSP(S)$CH_2CH_2$]·HMPT (H. Weichmann, J. Meunier-Piret, M. Van Meersche), (309) 273

Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391

$\eta^5$-Cyclopentadienyl-$\eta^5$-1-phenylpentadienylrhodium hexafluorophosphate, crystal and molecular structure of (P. Powell, M. Stephens, A. Muller, M.G.B. Drew), (310) 255

Cyclopentadienylruthenium alkoxycarbene, stereochemical aspects of conversion to acetylide complexes of; crystal structure of [($\eta$-$C_5H_5$)Ru($Ph_2PCHMeCHMePPh_2$)(C≡CPh)] (G. Consiglio, F. Morandini, A. Sironi), (306) C45

Decacarbonyltriiron *nido* clusters, rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (312) C57

Di-n-alkyl- and n-alkylaryl-chlorophosphanes, preparation and NMR spectroscopic characterisation of (W. Wolfsberger), (317) 167

(*exo*- and *endo*-Dialkylphosphonate-$\eta^5$-cyclohexadienyl)tricarbonylmanganese compounds, synthesis of (H.K. Bae, N. Jung, I.K. Chung), (317) C1

1,3-Diborabenzene complexes containing carbonyliron groups, preparation of (G.E. Herberich, H. Ohst), (307) C16

Dibromoacetylenetungsten(IV) complexes, crystal structure of $PPh_4[WBr_5(BrC{=}CBr)\cdot 0.5CCl_4$ (K. Stahl, A. El-Kholi, U. Müller, K. Dehnicke), (316) 95

Dicarbonyl- and carbonyl-(trimethylphosphine)(cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320) 83

Dicarbonylcyclopentadienylalkylidynetungsten complex, [W(≡CR)$(CO)_2(\eta$-$C_5H_5)$], reactions with $PHPh_2$ of; synthesis and X-ray structures of [W(CHR$PPh_2$)$(CO)_2(\eta$-$C_5H_5)$] and [W(CHRCOO$PPh_2$)$(PHPh_2)$(CO)($\eta$-$C_5H_5$)] (R = $C_6H_4$Me-4) (G.A. Carriedo, V. Riera, M.L. Rodriguez, J.C. Jeffery), (314) 139

Dicarbonylcyclopentadienyliron-substituted phosphaalkene with Fe–P bonds, synthesis and structure of (L. Weber, K. Reizig, M. Frebel, R. Boese, M. Polk), (306) 105

Dicarbonyl(cyclopentadienyl)manganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of S{NP-t-$Bu_2$[$Mn(CO)_2$-Cp]}$_2$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 37

Dicarbonyl(*syn*-$\eta^3$-2,4-pentadienyl)triphenylphosphinecobalt, synthesis, characterisation and crystal structure of (G.-H. Lee, S.-M. Peng, M.-Y. Liao, R.-S. Liu) (312) 113

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of $CO_2$ and $CS_2$ of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37

Dicyclopentadienyldiphenylphosphinehydridomolybdenum(IV) chloride, preparation and reactions with electron poor alkynes; formation of molybdaphosphacyclobutanes and X-ray structure of [($\eta^5$-$C_5H_5)_2$MoCH($CF_3$)-CH($CF_3$)$PPh_2$]Cl·$H_2O$ (M.M. Kubicki, R.

Kergoat, M. Cariou, J.E. Guerchais, P. L'Haridon), (322) 357

Dicyclopentadienyltetracarbonyldimolybdenum, $(\eta^5\text{-}C_5H_5)_2Mo_2(CO)_4$, addition of PH functional methylenebisphosphanes to the Mo≡Mo bond in (D.J. Brauer, G. Hasselkuss, O. Stelzer), (321) 339

1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1

($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305

Diethylaminodichlorophosphine in reaction with sodium tetracarbonylferrate(−II), diethylamino migrations in (R.B. King, F.-J. Wu, E.M. Holt), (314) C27

Diethyl(diphenylphosphinomethyl)aminerhodium(I) derivative, ligand for synthesis of homo- and hetero-dinuclear complexes (R. Turpin, P. Dagnac, R. Poilblanc), (319) 247

Diethyl-1-magnesium chloride methanephosphanate, novel Grignard reagent used in organic synthesis (P. Coutrot, M. Youssefi-Tabrizi, C. Grison), (316) 13

*trans*-Difulminatobis(triphenylphosphane)platinum(II), $(Ph_3P)_2Pt(CNO)_2$, preparation and structure of (W. Weigand, U. Nagel, W. Beck), (314) C55

*mer*-Dihalogenotricarbonyldialkylaminocarbynetungsten anioic complexes, formation and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (310) 357

Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103

(1,4-Dioxanylmethyl)diphenylphosphine, selective hydrocarbonylation of methanol with (E. Lindner, A. Sickinger, P. Wegner), (312) C37

Diphenylantimono(III) diphenylphosphonate and diphenylmonothiophosphinate, synthesis, spectra and crystal structure of (M.J. Begley, D.B. Sowerby, D.M. Wesolek, C. Silvestru, I. Haiduc), (316) 281

*o*-(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with $Sn^{II}$–$Sn^{IV}$ bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47

*cis*-Diphenylplatinum(II) nitro-substituted compounds, synthesis of (H.A. Brune, B. Stapp, G. Schmidtberg), (307) 129

1,3-Diphosphaallylnickel complexes, preparation and structures of (R. Appel, W. Schuhn, F. Knoch), (319) 345

Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosphorus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322) C7

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of $[Ru_2Cl_2(CO)_4\{\mu\text{-}(MeO)_2PN(Et)P(OMe)_2\}_2]$ (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310) C42

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures $[Fe_2I(CO)_5\{\mu\text{-}(MeO)_2PN(Et)P(OMe)_2\}_2][PF_6]$ and $[Ru_2(\mu\text{-}I)I(CO)_3\{\mu\text{-}(i\text{-}PrO)_2PN(Et)P(i\text{-}PrO)_2\}_2]$ (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21

Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), (304) 309

Diphosphine and diarsine oxides, coordination behaviour in organotin(IV) adducts of (S. Dondi, M. Nardelli, C. Pelizzi, G. Predieri), (308) 195

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157

Di-$\mu$-pyrazolate($\mu$-carbonyl)dirhodium triply-bridged complexes with pentamethylcyclopentadienyl and diphosphine ligands, preparation and properties of (L.A. Oro, D. Carmona, J. Reyes), (302) 417

Diruthenium bridged cations containing cyclopentadienyl and bidentate amine ligands, sythesis of; crystal and molecular structure of $[\{(\eta^5\text{-}C_5H_5)Ru(1,10\text{-phenanthroline})\}_2(\mu\text{-bis(diphenylphosphine)methane})](PF_6)_2 \cdot CH_2Cl_2$ (M.O. Albers, D.C. Liles, D.J. Robinson, E. Singleton), (323) C39

Dithiophosphate and dithiophosphinate dicyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morán, I. Cuadrado), (311) 333

1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. bickelhaupt), (310) C25

Dodecacarbonyltetracobalt, identification of reaction products with bis(diphenylphosphino)-ethane of (S. Aime, R. Gobetto, G. Jannon, D. Osello), (309) C51

Dodecacarbonyl-triruthenium and -triosmium and triphenylphosphine, redox chemistry of; mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320) 363

Ethylene glycol direct synthesis from CO and $H_2$, catalyst for (M. Tamura, M. Ishino, T. Deguchi, S. Nakamura), (312) C75

Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227

*cis*-$[Fe(CO)_2(t\text{-}Bu_2C_6H_2S_2)_2]^{2-}$, formation, regiospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21

Fulvenetricarbonylchromium complexes and $\alpha$-ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333

Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311

Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amide disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269

Gold clusters, synthesis and characterisation of $[Au_8(PPh_3)_7(CNR)]^{2+}$, $[Au_9(PPh_3)_6(CNR)_2]^{3+}$ and $[Au_{11}(PPh_3)_7(CNR)_2I]^{2+}$ and reactivity towards amines of; crystal structure of $[Au_{11}(PPh_3)_7(CN\text{-}i\text{-}Pr)_2I](PF_6)_2$ (W. Bos, R.P.F. Kanters, C.J. van Halen, W.P. Bosman, H. Behm, J.M.M. Smits, P.T. Beurskens, J.J. Bour, L.H. Pignolet), (307) 385

Heterobimetallic $\mu$-phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Heterobimetallic (Ru–Co) complexes with chelating and bridging $Ph_2PCH_2PPh_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), (303) C47

Heterodinuclear complexes with $CH_3C_5H_4(CO)_2(MePh_2Si)Mn$ fragments, reactivity of (U. Schubert, E. Kunz), (303) C1

Hexacarbonylbis(tricyclopentylphosphine)dirhodium and hexacarbonylbis(triisopropylphosphine)dirhodium from a catalytic system for syngas conversion to ethylene glycol (Y. Tomotake, T. Matsuzaki, K. Murayama, E. Watanabe, K. Wada, T. Onoda), (320) 239

Hexacarbonyl($\mu,\eta^5:\eta^5$-fulvalene)dimanganese, photochemistry of (W.A. Herrmann, D. Andrejewski, E. Herdtweck), (319) 183

Hexaruthenium frameworks, behaviour of phenylphosphinidene ligands to (J.S. Field, R.J. Haines, D.N. Smit), (304) C17

$[Hg\{(\mu\text{-}PEt_2)Cr(CO)_5\}_3]^-$, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320) 47

Homodinuclear and *cis*-mononuclear complexes of $Ph_2PNSNPPh_2$, preparation and $^{31}P$ DNMR studies of; crystal structure of *cis*-$Cr(CO)_4(Ph_2PNSNPPh_2) \cdot 0.5C_6H_6$ (T. Chivers, C. Lensink, J.F. Richards), (325) 169

Hydridocarbonylchlorotris(triphenylphosphine)-ruthenium(II), insertion reactions of; X-ray structure of carbonylchloro(*cis*-1,2-diphenylethynyl)bis(triphenylphosphine)ruthenium(II) (M.R. Torres, A. Vegas, A. Santos, J. Ros), (309) 169

Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisorpopylphosphine as ligand (M.A. Esteruelas, H. Werner), (303) 221

Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebsch), (308) 19

Hydridoiridium(III) complexes with weakly coordinated anions and $N_2$ as leaving groups (H. Bauer, W. Beck), (308) 73

Hydridoruthenium cationic complexes containing *N*- and *P*-donor ligands; crystal structure of carbonylhydrido(1,4-dicyclohexyldiaza-1,3-butadiene)bis(methyldiphenylphosphine)-ruthenium(II) perchlorate (A. Romero, A. Vegas, A. Santos, M. Martinez-Ripoll), (319) 103

Hydridozirconium-rhodium complex, $Cp_2Zr(CH_2PPh_2)_2RhH(PPh_3)$, catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60

Hydroboration of *N*-alkylallylphosphoramide, regio- and stereoselectivity of (Z. Benmaarouf-Khallaayoun, M. Baboulène, V. Speziale, A. Lattes), (306) 283

Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83

Hydroxycarbonyliridium(III) complexes, modification of the acid–base properties by substitution of CO by a tertiary phosphine ligand in (A.J. Deeming, G.P. Proud), (301) 385

Indenyliron cationic complexes, $[\eta^5\text{-}C_9H_7Fe(CO)_2L]^+$ (L = phosphine, phosphite, CO), synthesis of (H.H. Hammud, G.M. Moran), (307) 255

Iridium-sulphur dioxide square planar com-

plexes, coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27

Iron–rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56

Iron-tris(dimethylphosphinomethyl)methylsilane complexes, chemistry of; crystal structure of $[\{Fe((Me_2PCH_2)_3SiMe)\}_2(\mu\text{-}H)_2(\mu\text{-}C{=}CH_2)]$ with a vinylidene group derived from ethylene (J.M. Boncella, M.L.H. Green), (325) 217

Ketene-phosphino and -arsino complexes, formation of tungsten-containing pentacyclic compounds by addition of trimethylphosphine to (F.R. Kreissl, M. Wolfgruber, U. Thewalt), (317) 175

$Li_2[(C_5(CH_3)_4)_2CH_2]$ and ring-bridged rhodium dinuclear complexes with $(C_5(CH_3)_4)_2CH_2^{2-}$ as bridging ligand (H.J. Scholz, H. Werner), (303) C8

Ligand–iron(0) systems, 1,3-diene reactions with $CO_2$ at; formation of carboxylates and their reactions (H. Hoberg, K. Jenni), (322) 193

$Li_4(\mu_2\text{-}PR)_2(\mu_3\text{-}PR_3)(THF)_2$ and $Li(PR_2)$-(pentamethyldiethylenetriamine), isolation and NMR spectra of; X-ray structures of the former and $[Li(\mu\text{-}PR_2)(THF)_2]_2$ (R = $SiMe_3$) (E. Hey, P.B. Hitchcock, M.F. Lappert, A.K. Rai), (325) 1

α-Lithio-α-substituted alkanephosphonates $(RO)_2P(O)CHR'Li$ (R' = H, alkyl, Cl), synthesis, relative basicity and self-condensation of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (312) 283

Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121

$[M(CO)_3]_2\text{-}\mu\text{-}[(\eta^5\text{-}Cp)_2SiMe_2]$, reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system (M = Mo, W) (J. Heck), (311) C5

$MeIr(CO)(PPh_3)_2[C_2(CO_2Me)_2]$, formation by addition of $C_2(CO_2Me)_2$ to *trans*-$MeIr(CO)(PPh_3)_2$, isomerisation and crystal structure of thermodynamic isomer of (W.M. Rees, M.R. Churchill, J.C. Fettinger, J.D. Atwood), (319) 411

$MeIr(CO)(PPh_3)_2(MeCO_2CH{=}CHCO_2Me)$, formation and crystal structure of; comparison of analogous alkene and alkyne complexes (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (301) 99

$Me_3SnO_2PCl_2$ and $Me_3SnO_2PMe_2$, crystal structures of; vibrational spectra of $Me_3Sn$-$O_2PMe_2$ (F. Weller, A.-F. Shihada), (322) 185

Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29

Metallacyclic alkenyl ketone complexes, $Cp'(CO)_2Cr[R^1C{=}CR^2C(O)Me$ ($Cp' = \eta^5C_5Me_5$; $R^1$, $R^2$ = H, Me, Ph, $CH_2OH$, $(CH_2)_2Me$, $(CH_2)_5Me$), preparation, characterisation and reactivity of (H.G. Alt, H.I. Hayen), (315) 337

Metalla-indole, formation by reaction of a cobalt-containing four-membered ring compound with electrophiles (H. Werner, B. Heiser, M.L. Ziegler, K. Linse), (308) 47

Methylcopper and methyl(tricyclohexylphosphine)copper, reactions with trialkylaluminium of (S. Pasynkiewicz, J. Popławska), (302) 269

1-Methyl-1,2,4-diazaphosphole, selective 5-metallation of (S. Kerschl, B. Wrackmeyer, A. Willhalm, A. Schmidpeter), (319) 49

Methyllithium addition $Rh(COMe)(CO)$(triphos), formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51

Methyl(trimethylphosphine)gold(I), molecular structure determined by gas diffraction of (A. Haaland, J. Hougen, H.V. Volden, R.J. Puddephatt), (325) 311

*cis*-$Mo(CO)_2(Ph_2P(CH_2)_nPPh)_2$ ($n$ = 1, 2, 3), preparation from *cis*-dicarbonylbis(norbornadiene)molybdenum and crystal structure of $[cis\text{-}Mo(CO)_2(Ph_2P(CH_2)_3PPh_2)_2]$ (T.J. Chow, C.-Y. Wang, S.-C. Sheu, S.-M. Peng), (311) 339

Monoazadienenickel complexes, synthesis and structure of (C. Müller, L. Stamp, H. tom Dieck), (308) 105

Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1

Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of t-butylphosphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35

$[M(P(O)(OMe)_2)(P(OMe)_3)_4]$ (M = Co, Ir, Rh), synthesis and variable $^{31}P$ NMR spectra of (S.I. Klein, F. Nixon), (302) 87

$[Nb(\eta^5\text{-}C_5H_4R)_2\{AuP(C_6H_5)_3\}_2]^+$ (R = H, $Si(CH_3)_3$) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Goméz-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44

Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383

Nickel(II) isolable phosphonio complexes,

$C_5H_5Ni(PH_3)I$ and $[C_5H_5Ni(PH_3)_2]BF_4$ (N. Kuhn, M. Winter), (301) C9

Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3′-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383

$[NiRR'L_2]$ (R-aryl or vinyl; L = $PMe_2Ph$, $PEt_3$) complexes, decomposition by bromine or anodic oxidation of (J.M. Coronas, G. Muller, M. Rocamora), (301) 227

Nonacarbonyldiiron in reactions with $C_5H_5Rh(PhC{\equiv}CH)PPr^i_3$, competitive formation of heterometallic dinuclear complexes with $\mu$-C=CHPh and $\mu$-$\eta^1,\eta^3$-CHCPhCO bridging ligands (H. Otto, F.J. Garcia Alonso, H. Werner), (306) C13

Nonacarbonyltriiron triple-bridged clusters, $[(\mu_3\text{-RP})Fe_3(CO)_9]^{2-}$, synthesis and reactions of (K. Knoll, G. Huttner, L. Zsolnai, O. Orama, M. Wasiucionek), (310) 225

Octahedral carbonylmanganese(I) complexes with SCN of CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)$_3$(dppm)] (G.A. Carriedo, M.C. Crespo, C. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), (302) 47

Optically active phosphines, formation by asymmetric substitution of prochiral, homochiral substituted phosphinous acid esters of (J. Neuffer, W.J. Richter), (301) 289

Organoboration of *cis*-diethylplatinum(II) complexes with $R_2P(CH_2)_2PR$ ligands; platinacyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), (304) 271

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organogermanium *O,O′*-dimethyl- and -diethyldithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271

Organorhodium complexes, two-dimensional indirect $^1H$, $^{103}Rh$ NMR spectroscopic investigations of (R. Benn, H. Brenneke, A. Rufińska), (320) 115

Organo-ruthenaborane and -osmaborane clusters, preparation and NMR studies of [6-($\eta^6$-$C_6Me_6$)-*nido*-6-$MB_9H_{13}$] (M = Ru, Os) and the rearrangement cluster [5-($\eta^6$-$C_6Me_6$)-*nido*-5-$RuB_9H_{11}$-7-($PMe_2Ph$)] (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233

Organotin(IV) chloride complexes of bis-$\beta$-ketophosphonium ylides, synthesis and characterisation of (R. Sanehi, R.K. Bansal, R.C. Mehrotra), (303) 351

$OsC_2P$ metallaheterocycles, formation via cationic hydrido- and deuterido-methylene intermediates of (H. Werner, K. Roder), (310) C51

$Os(\equiv CR)Cl(CO)(PPh_3)_2$ and $Os(=C[AgCl]R)Cl(CO)(PPh_3)_2$, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211

Osma-five-membered heterocyclic compounds, formation by insertion reactions of alkyne into Os–I or Os–H bonds of (H. Werner, R. Weinand, H. Otto), (307) 49

Osmium and molybdenum trinuclear cluster, crystal structure of the co-crystallized molecules $MoOs_2(CO)_{11}[P(OMe)_3]$ and $[(MeO)_3P](OC)_4OsMo(CO)_5$ (H.B. Davis, F.W.B. Einstein, V.J. Johnston, R.K. Pomeroy), (319) C25

Osmium and ruthenium complexes, mechanism of homogeneous hydrogenation of carbon monoxide catalysed by (D.S. Barratt, D.J. Cole-Hamilton), (306) C41

$Os_5(\mu_5\text{-}\eta^2,P\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$, synthesis and X-ray structure of (J.-C. Daran, E. Cabrera, M.I. Bruce, M.L. Williams), (319) 239

$\mu_3$-P and $\mu_3$-As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), (304) 137

$^{31}P$ and $^{195}Pt$ investigations of substituted *cis*- and *trans*-diphenylbis(tri-n-butylphosphane)platinum(II) compounds (H.G. Alt, W.-D. Müller, J. Unsin, H.A. Brune), (307) 121

Palladium and platinum dinuclear cyclometallated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57

Palladium and rhodium complexes with $[R_2PCH_2CO_2]^-$ ligands (R = Ph, cyclo-$C_6H_{11}$); crystal and molecular structure of $[(o\text{-}C_6H_5CH_2NMe_2)Pd\{Ph_2PCH_2C(O)O\}]$ (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), (301) 401

Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320) C56

Palladium-catalysed 2-acetoxyallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397

Palladium(II) complexes with $C^2$-bonded heteroaromatic ligands *trans*-[$PdCl(R_N)(PPh_3)_2$] ($R_N$ = 2-pyridyl, 2-pyrazyl, 2-pyrimidyl), preparation and reactions of (R. Bertani, A. Berton, F. Di Bianca, B. Crociani), (303) 283

P–C bond cleavage in diphosphines by lithium; crystal structure of $[Li_4\{PhPCH_2CH_2PPh\}_2(OC_4H_8)_8]$ (P. Brooks, D.C. Craig, M.J. Gallagher, A.D. Rae, A. Sarroff), (323) C1

$PCl_{3-n}R_n$ ($n = 1$, 2) and a bis-imidazolidine reducing agent, P–P single or double bond formation from (H. Goldwhite, J. Kaminski, G. Millhauser, J. Ortiz, M. Vargas, L. Vertal, M.F. Lappert, S.J. Smith), (310) 21

$PdMo(\mu\text{-}Ph_2Ppy)_2(\mu\text{-}CO)(CO)_2 \cdot 0.5CH_2Cl$, synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang), (314) 357

$[Pd(OAc)_2(PPh_3)_2]$-trialkylammonium formate reagent, reaction of aryl iodides with hindered $\alpha,\beta,\gamma,\delta$-dienones in the presence of (A. Arcadi, F. Martinelli, S. Cacchi), (312) C27

Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphosphineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

Pentacarbonyl-Group VI metal(0) P-coordinated complexes of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuji, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63

Pentacarbonylmanganesetriphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167

Pentacarbonylmercaptophosphane- and tetracarbonylbis(mercaptophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327

Pentachlorophenylpalladium(I) derivatives, synthesis and reactivity of; molecular structure of $Pd_2(\mu\text{-dppm})_2(C_6Cl_5)_2$ (P. Espinet, J. Fornies, C. Fortuño, G. Hidalgo, F. Martinez, M. Tomas, A.J. Welch), (317) 105

Pentamethylcyclopentadienyl complexes: $[(\eta^5\text{-}C_5Me_5)Ru(PPh_3)(L)Cl]$ (L = Co, t-BuNC) and $[(\eta^5\text{-}C_5Me_5)Ru(L)_2Cl]$ (L = t-BuNC, norbornadiene), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322) 221

*cis*-$[(\eta^1$-4-Pentenyldiphenylphosphine)tetracarbonyltungsten(0)], rates of olefin coordination via chelate ring closure through flash photolysis in (P.H. Wermer, C.B. Dobson, G.R. Dobson), (311) C47

Perfluorophenoxyiridium(I) complex, *trans*-$(C_6F_5O)Ir(CO)(PPh_3)_2$, synthesis, characterisation, crystal structure and carbonylation of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), (308) 361

*O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

$[Ph_4As]_2[Re_7C(CO)_{21}Au(PPh_3)]$, crystal structure of; comparison of $H^+$ and $Au(PPh_3)^+$ coordination to $[Re_7C(CO)_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55

1-Phenylbora-2,5-cyclohexadiene-iron, -cobalt and -nickel complexes with borabenzene ligands, synthesis with (G.E. Herberich, E. Raabe), (309) 143

5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)bicyclo[3.3.$0^{1,5}$]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), (304) 107

*cis*-Phenyl[4-(trimethylsilyl)phenyl]bis(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), (303) 429

Phosphaalkenyl, disilylphosphido and diacylphosphido complexes of dicarbonylpentamethylcyclopentadienylosmium (L. Weber, D. Bungardt), (311) 269

1-Phosphaallene $\eta^1$-complexation with tetracarbonylnickel (R. Appel, F. Knochi, V. Winkhaus), (307) 93

$\mu_3$-$\eta^2$-Phosphaalkyne complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[M_3H(CO)_9(Bu^tCP)]^-$ (M = Fe, Ru), synthesis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307

Phosphaalkynes, preparation and additive behaviour towards diazomethane, methyl azide and benzonitrile oxide of (W. Rösch, U. Vogelbacher, T. Allspach, M. Regitz), (306) 39

Phosphaferrocenes, $\eta^5$-$C_5Me_5Fe$-$\eta^5$-$PC_4(R_4)$, preparation, electrochemical properties and structures of (E. Román, A.M. Leiva, M.A. Casasempere, C. Charrier, F. Mathey, M.T. Garland, J.-Y. Le Marouille), (309) 323

Phosphamanganacyclopropanes, formation by reduction of secondary phosphanemanganese complexes with $K[HB(s\text{-}C_4H_9)_3]$ of (E. Lindner, D. Goth), (319) 149

Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*-$[Pt(PPh_3)_2(I)(CH_2P(O)(OCH_3)_2)]$ (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225

Phosphido-bridged dinuclear manganese complexes, synthesis and ligand substitution chemistry of; X-ray crystal structures of $Mn_2(\mu\text{-}H)(\mu\text{-}Cy_2P)(CO)_7(Cy_2PH)$ and $Mn_2(\mu\text{-}H)(\mu\text{-}Cy_2P)(CO)_6(PMe_3)_2$ (Cy =

cyclohexyl) (A.M. Arif, R.A. Jones, S.T. Schwab), (307) 219

Phosphidoiron cluster, $[\{Fe_3(CO)_{10}\}P\{Fe(CO)_4\}]^-$, synthesis and X-ray analysis of (A. Gourdon, Y. Jeannin), (304) C1

Phosphine-centred resolution of ($\eta^4$-diene)$Fe(CO)_3$ complexes, ($\eta^4$-tropone)$Fe(CO)_2L$ and ($\eta^4$-isoprene)$Fe(CO)_2L$ (L = (+)-(neomenthyl)$PPh_2$) formed by (J.A.S. Howell, A.D. Squibb, G. Walton, P. McArdle, D. Cunningham), (319) C45

Phosphineiridium chiral complexes as catalysts in asymmetric transfer hydrogenation of ketones (H.W. Krause, A.K. Bhatnagar), (302) 265

Phosphineiridium(I) complexes, reactions with $S_4N_4$ of; synthesis and crystal structure of $[(dppen)_2Ir(S_2N_2)](BPh_4) \cdot 0.5CH_3COCH_3$ and $\{(dppen)_2Ir(S_2N_2)[W(CO)_5]\}(BPh_4 \cdot 0.5CH_2Cl_2)$ (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383

Phosphine ligand effects on homogeneous hydrogenation of carbon monoxide catalysed by iridium carbonyls (T. Takano, T. Deguchi, M. Ishino, S. Nakamura), (309) 209

Phosphine-rhodium(I) and -iridium(I) complexes, asymmetric transfer hydrogenation of ketones catalysed by (R. Spogliarich, J. Kašpar, M. Graziani, F. Morandini), (306) 407

Phosphine rhodium complexes as catalysts in enantioselective hydration of crotonic acid derivatives (H. Brunner, A. Knott, M. Kunz, E. Thalhammer), (308) 55

Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29

Phosphinidine complexes, reasons for extremely paramagnetic shifts in $^{31}P$ NMR spectra of (G. Huttner), (308) C11

*o*-Phosphinophenole, preparation by rearrangement of 1,3-carbanionic *o*-metallated aroxyphosphine (J. Heinicke, E. Nietzschmann, A. Tzschach), (310) C17

Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[C_5H_5Fe(CO)_2(R_3EX)]^+$ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181

Phosphorus–carbon bonds, cleavage with sodium/naphthalene of; facile preparation of umsymmetrical diphosphines (T.-S. Chou, C.-H. Tsao, S.C. Hung), (312) 53

Platina-allenyl ligand coordination to a triosmium cluster, X-ray structure of the acetylide complex $Os_3Pt(\mu\text{-}H)(\mu_4\text{-}\eta^2\text{-}C{\equiv}C\text{-}Ph)(CO)_{10}(PCy_3)$ (Cy = cyclohexyl) (P. Ewing, L.J. Farrugia), (320) C47

Platinum(II) and palladium(II) complexes with hybrid phosphine-phosphine oxide ligands $Ph_2P(CH_2)_nP(=O)Ph_2$ ($n$ = 1–4) (S.J. Higgins, R. Taylor, B.L. Shaw), (325) 285

Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by; a solid-state $^{31}P$ NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylishen), (322) 393

$[(PMe_3)Pd(\mu\text{-}Se_2CPMe_3)]_2$, dinuclear complex with $\eta^1,\eta^2$-bonded $Se_2CPMe_3$ bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63

Polyhydridorhenium anionic complex, mechanistic studies on oxidation of; generation and reactivity of the transient radical $[ReH_6(PMePh_2)_2]$ (J.W. Bruno, K.G. Caulton), (315) C13

Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41

$(PPh_4)_3Ag[WF_5(C_2I_2)]_2$, synthesis, IR spectrum and crystal structure of (A. El-Kholi, K. Stahl, U. Müller, K. Dehnicke), (317) C9

*trans*-$[Pt(H_2)\{P(C_6H_{11})_3\}_2]$, reactions with heterocumulenes of; crystal and molecular structure of *trans*-$[Pt\{P(C_6H_{11})_3\}_2(H)\{OCH{=}C(C_6H_5)_2\}]$ (A. Musco, W. Porzio, S. Destri, G. Gatti, A. Grassi, P. Longo), (301) 237

$[Pt_3(PPh_3)_2(CNC_6H_3Me_2)_6]_2$, a linear trinuclear cluster, synthesis, characterisation and crystal structure of (C.E. Briant, D.I. Gilmour, D.M.P. Mingos), (308) 381

$[Re_3(\mu\text{-}H)_4(CO)_{10}]^-$, reactions with anions of; synthesis of $[Re_3(\mu\text{-}H)_2(CO)_{10}(PR_3)_2]^-$, crystal structure of $[NH_4][Re_3(\mu\text{-}H)_2(CO)_{10}(PPh_3)_2]$ (T. Beringhelli, G. Ciani, G. D'Alfonso, M. Freni), (311) C51

Rhenium(I) enolate complex, synthesis, structure and photochemistry of (L.U. Gron, K.J. Haller, A.B. Ellis), (323) 207

Rhenium(I) tetrahydroborate complex, *cis*-$[Re(\eta^2\text{-}BH_4)(Ph_2PCH_2CH_2PPh_2)_2]$, preparation of (A.J.L. Pombeiro, R.L. Richards), (306) C33

$[RhH_2(C_6H_5NCHCHNC_6H_5)(PPh_3)_2]PF_6$, molecular structure and reactions of (M. Iglesias, C. del Pino, S. García-Blanco, S. Martínez Carrera), (317) 363

Rhodium and iridium phosphonate complexes from $[M(P(OMe)_3)_5]Cl$ (M = Rh, Ir), formation of; reactions of $H_2$ with $[MP(O)(OMe)_2(P(OMe)_3)_4]$ complexes (S.I. Klein, J.F. Nixon), (304) 371

Rhodium complex-catalysed hydrogenation of CO to ethylene glycol, specific rate enhancement by alkylphosphines in (H. Tanaka, Y.E. Watanabe, K. Wada, T. Onoda), (312) C71

Rhodium-phosphine "in-situ" catalysis, hydroformylation of nitrogen-containing cyclic olefins via (K. Prólai-Tátrai, S. Tőrös, B. Heil), (315) 231

*cis*-$Rh(oq)Br(P(o\text{-}C_6F_4)Ph_2L$ (oq = oxyquinonato) compounds, synthesis of; molecular structure of *cis*-$Rh(oq)Br(P(o\text{-}C_6F_4)Ph_2)(PPh_3)$ (F. Barceló, P. Lahuerta, M.A. Ubeda, A. Cantarero, F. Sanz), (309) 199

*trans*-$[RhX(CO)(PR_3)_2]$ (X = Cl, Br; R = aryl) and *trans*-$[Rh(\mu\text{-}X)(CO)(PPh_3)]_2$ (X = Cl, I), oxidative addition of 1-haloalkanes to (F.R. Hartley, S.G. Murray, D.M. Potter, J.R. Chipperfield), (306) 133

$Ru(C{\equiv}CPh)(dppe)(\eta\text{-}C_5H_5)$ and $[Ru(L)(PPh_3)_2(\eta\text{-}C_5H_5)]X$ (L = C(OMe)Et, X = $PF_6$; L = C=CMePh, X = I), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekink), (314) 213

$RuCl_2[P(CH_2CH_2CH_2PMe_2)_3]$, C–H bond cleavage upon reduction in cyclopentene and THF of (M. Antberg, L. Dahlenburg), (312) C67

$RuCl_2(PPh_3)_3HCOOH/Et_3N$, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63

$[Ru(CO)H(NCMe)_2(PPh_3)_2]ClO_4$, reaction with 1-hydroxymethyl-3,5-dimethylpyrazole; formation of an amidine complex; crystal structure of $[Ru(CO)H\{NH{=}CMe(Me_2pz)\}(PPh_3)_2]ClO_4$ (A. Romero, A. Vegas, A. Santos), (310) C8

$Ru(CO)_3(PMe_3)MeI$ and its acetyl derivatives, preparation of (G. Cardaci), (323) C10

$[Ru_8(\mu_8\text{-}P)(\mu_2\text{-}\eta^1,\eta^6\text{-}CH_2C_6H_5)(\mu_2\text{-}CO)_2(CO)_{17}]$, synthesis and characterisation of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, D.N. Smit, G.M. Sheldrick), (310) C47

Ruthenium(II) monocarbonyl and phosphine complexes with [Ru(SNNS)] fragments containing tetradentate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310) 83

Silica-supported carbonylcobalt cluster, synthesis and catalysis of (Y.-P. Wang, S.-M. Zhang, A.-M. Zhang, N. Wu, Y.-Z. Luo, H.-X. Fu), (307) 65

Siloxyalkylphosphinerhodium(I) complexes, synthesis, characteristics and catalytic activity of (W. Duczmal, W. Urbaniak, B. Marciniec), (317) 85

$\alpha$-Silylated and $\alpha,\alpha$-disilylated phosphonates, $(RO)_2P(O)CR^1R^2SiR^3R^4R^5$ and $(RO)_2P(O)CR^1[Si(CH_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135

Sulphur monoxide-iron cationic complex, $[CpFe(dppe)(SO)]PF_6$, and sulphur dioxide-iron cationic complex, $[CpFe(dppe)(SO_2)]PF_6$, preparation of (W.A. Schenk, S. Müssig), (320) C23

Tetraalkyl esters of methylene bis-phononic acid, relative reactivities of (D.W. Hutchinson, G. Semple), (309) C7

Tetracarbonyl(carbenephosphine) and tetracarbonyl(imidatephosphine) complexes of chromium(0) (H.G. Raubenheimer, G.J. Kruger, H.W. Viljoen, S. Lotz), (314) 281

Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Tetracobalt octahedral clusters with $\mu_4$-PR and $\mu_4$-S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365

Tetrakis(triisopropyl-phosphite)rhodium, electrogeneration and characterisation of (G. Pilloni, G. Zotti, S. Zecchin), (317) 357

Tetrakis(triphenylphosphine)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), (304) 257

Tetramethyl-diphosphine, -diarsine, -distibine and -dibismutine, exchange reactions of (A.J. Ashe, III, E.G. Ludwig, Jr.), (303) 197

Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289

Tetranuclear gold-silver cluster with phenylacetylide groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), (302) C10

Thioketene-cobalt complexes, $[Co(R_2C{=}C{=}S)(PMe_3)(C_5H_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Thiolatoamine-iron(II) and -molybdenum(II) complexes with [M(SNNS)] units and CO, $PMe_3$, NO and $N_2H_4$ as coligands (SNNS = $(SC_6H_4N(R)C_2H_4N(R)C_6H_4S)^{2-}$; R = H, $CH_3$) (D. Sellmann, U. Reineke), (314) 91

Tolyldiphenyl- and dimethylphenyl-phosphine-methylgold, $CH_3/Cl$ exchange reactions with

chlorosilanes of (U. Schubert, J. Meyer), (303) C5

Tolylmethylidyne(carborane)tungsten anionic complexes, protonation and reaction with trimethylphosphine of (A.P. James, F.G.A. Stone), (310) 47

Transition metal butadiene complexes, formation via vinyllithium of (R. Beckhaus, K.-H. Thiele), (317) 23

Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320) 325

Tricarbonyl-$\eta^4$-dienetrimethylphosphite-tungsten complexes, synthesis and dynamic behaviour of (S. Özkar, C.G. Kreiter), (303) 367

*mer*-Tricarbonylmanganese(I) compounds containing N-donor chelate ligands (F.J. Garcia Alonso, V, Riera, M. Vivanco), (321) C30

Tricarbonyltungsten coordination complexes with $CS_2$ functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), (303) C25

Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, P. Wimmer), (309) C4

Trichlorostannate derivatives of chloro-bridged palladium(II) dimers, $^{31}P$ and $^{119}Sn$ NMR of (C. Arz, I.R. Herbert, P.S. Pregosin), (308) 373

Triethylphosphineplatinum(II) complexes in aqeous solution, fast atom bombardment mass spectrometric investigation of (D.W. Bruce, D.J. Cole-Hamilton, F.H. Cottee, J.A. Page), (320) 249

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), (303) C29

Trimeric aluminium phosphamide $[(CH_3)_2AlP(CH_3)_2]_3$, molecular structure determined by gas electron diffraction (A. Haaland, J. Hougen, H.V. Volden, G. Hanika, H.H. Karsch), (322) C24

Trimethylphosphinecobalt(I) complexes, crystal and molecular structure of $[Co(CO)_2(PMe_3)_3]BPh_4$ (Y. Pérès, A. Kerkeni, M. Dartiguenave, Y. Dartiguenave, F. Bélanger-Gariépy, A.L. Beauchamp), (323) 397

2,2,6-Trimethyl-6-selenono-1,3-dioxa-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), (303) 83

Trinuclear osmium clusters containing aminophosphine and phosphinoamido ligands, synthesis and molecular structure of $Os_3(CO)_{11}(PPh_2NHPh)$ and $HOs_3(CO)_8(PPh_2NHPh)(PPh_2NPh)$ (G. Süss-Fink, M.A. Pellinghelli, A. Tiripicchio), (320) 101

Triorganotin phosphorodiamidates, preparation and characterisation of (K.C. Molloy, T.G. Purcell), (312) 167

Triorganylstannate anion and phosphonium cation containing zwitterion, preparation of (M. Veith, V. Huch), (308) 263

Triphosphane-rhodium complex, $Rh(4\text{-}MeC_6H_4)[t\text{-}BuP(CH_2CH_2CH_2PPh_2)_2]$, reactions with $CO_2$ of (L. Dahlenburg, C. Prengel), (308) 63

Tri-spirocyclic organoaluminiumphosphanenickel(0) complexes, preparation of (H.H. Karsch, A. Appelt), (314) C5

Tris(triaminophosphino)tricarbonylmolybdenum, $[(i\text{-}PrNH)_3P]_3Mo(CO)_3$, synthesis of (H.-J. Chen, A. Tarassoli, V.S. Allured, R.C. Haltiwanger, A.D. Norman), (306) C19

Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), (302) C17

Tris(triphenylphosphine)chlororhodium(I), reductive hydrosilylation of quinones catalysed by (M.N. Bakola-Christianopoulou), (308) C24

Vinylrhodium complexes, formation by protonation of $C_5H_5Rh(PhC_2H)P\text{-}i\text{-}Pr_3$ and $C_5H_5Rh(C_2Ph_2)P\text{-}i\text{-}Pr_3$ of; crystal and molecular structure of $C_5H_5Rh(E\text{-}CPh{=}CHPh)(P\text{-}i\text{-}Pr_3)OCOCF_3$ and $C_5H_5(P\text{-}i\text{-}Pr_3)RhC_6H_4\text{-}CH{=}CPh$ (H. Werner, J. Wolf, U. Schubert, K. Ackermann), (317) 327

$[W(PMe_3)_4(\eta^2\text{-}CH_2PMe_2)H]$, reactions with carbon dioxide and dihydrogen of; characterisation of $[\{W(PMe_3)_3(\eta^1\text{-}PMe_2CH_2)\}_2(C_3H_2O_6)]$ using two-dimensional NMR spectroscopy (M.L.H. Green, G. Parkin, D. O'Hare, L.-L. Wong, A.E. Derome), (317) 61

## Platinum

Alkynyl/chloride exchange between *trans*-platinum(II) and -palladium(II) chlorides and alkynylstannanes, crystal structure of *trans*-[di-1-propynylbis(triethylphosphine)platinum-(II)] (A. Sebald, C. Stader, B. Wrackmeyer, W. Bensch), (311) 233

Allylic arsenites, reactions with low valent transition metal complexes of (X. Lu, L. Lu), (307) 285

Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bressan, A. Morvillo), (304) 267

Aryl-palladium(II) and -platinum(II) rigid complexes, syntheses and structural aspects of; X-ray crystal structure of *o,o*-bis[(dimethylamino)methyl]phenyl-platinum(II) bromide (J. Terheijden, G. van Koten, F. Muller, D.M. Grove, K. Vrieze, E. Nielsen, C.H. Stam), (315) 401

{2,3,5,6-$\eta^4$-Bicyclo[2.2.1]hepta-2,5-diene}-(*E*)-bis(2-ethoxynaphth-1-yl)platinum(II), synthesis of (C. Weisemann, H.A. Brune), (312) 133

Binuclear and trinuclear complex clusters with Pd–Pd and Pd–Pt bonds stabilised by $Ph_2PCH_2PPh_2$ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefon, M. Ries), (304) 245

*cis*-Bis-acetylene-bis(pentafluorophenyl)-palladium(II) and -platinum(II) complexes, preparation of; crystal structure of *cis*-$[Pt(C_6F_5)_2(PhC{\equiv}CPh)_2]$ (R. Usón, J. Forniés, M. Tomás, B. Menjón, A.J. Welch), (304) C24

Bis-$\mu$-[bis(diphenylphosphino)methane]dihalodiplatinum(*Pt–Pt*) and its hydrido "A" frame derivatives, preparation and NMR spectra of (M.C. Grossel, J.R. Batson, R.P. Moulding, K.R. Seddon), (304) 391

Bis(dimethylarsino)sulphide (dmas) complexes of trimethylplatinum halides; synthesis and characterisation of *fac*-$[PtXMe_3)(dmas)_2]$ and $[(PtMe_3)_2(dmas)]$; crystal and molecular structure of $[(PtBrMe_3)_2(dmas)]$ (E.W. Abel, M.A. Beckett, P.A. Bates, M.B. Hursthouse), (325) 261

Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381

1,2-Bis(*p*-ethoxyphenyltelluromethyl)benzene and tetrakis(*p*-ethoxyphenyltelluromethyl)-methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323

*cis*-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weisemann), (316) 367

Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27

Bis(pyrazolyl)alkane-palladium(II) and -platinum(II) complexes, preparation and characterisation of; crystal and molecular structures of $[Pd\{CH_2(pz)_2\}_2][BF_4]_2$ and $[PdCl_2\{(CH_3)_2C(pz)_2\}]$ (pzH = pyrazole), example of Pd ··· H–C agostic interaction (G. Minghetti, M.A. Cinellu, A.L. Bandini, G. Banditelli, F. Demartin, M. Manassero), (315) 387

Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407

$CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)AuPPh_3$-(*Mn–Au*) and $[CH_3C_5H_4(CO)_2Mn\text{-}(\mu\text{-}H)]_2Pt$(3-picolin)$_2$-*Mn–Pt*, synthesis from $Na[CH_2C_5H_4(CO)_2MnSiR_3]$; formation of metal–metal bonds and simultaneous $SiR_3/H$ exchange (E. Kunz, J. Müller, U. Schubert), (320) C11

*trans*-Chloro(*N,N*-dimethyl-D-phenylglycine)(3-methyl-1-phenylpent-1-ene)platinum(II) complexes, HPLC separation and identification of the diastereomers (D. Schmidt, E. Gil-Av) (307) 377

Chloromethylplatinum(II), formation of cationic ylide-platinum(II) complex from; crystal structures of *cis*-$[Pt(CH_2PPh_3)_2X(PPh_3)_2]I$ (X = Cl, I) (C. Engelter, J.R. Moss, L.R. Nassimbeni, M.L. Niven, G. Reid, J.C. Spiers), (315) 255

1,5-Cyclooctadienedihalogenometal (M = Pd, Pt, X = Cl, Br) complexes, attack by cyclohexylamine on the diene ligands in (D.J. Evans, L.A.P. Kane-Maguire), (312) C24

Diene(polyfluorophenyl)platinum(II) complexes, preparations and ligand displacement reactions of (G.B. Deacon, K.T. Nelson-Reed), (322) 257

Diferrocenylglyoxime and transition metal complexes thereof, synthesis of (M. Ertas, A.R. Koray, V. Ahsen, Ö. Bekâroğlu), (317) 301

*trans*-Difulminatobis(triphenylphosphane)platinum(II), $(Ph_3P)_2Pt(CNO)_2$ preparation and structure of (W. Weigand, U. Nagel, W. Beck), (314) C55

Dimethylnorbornadieneplatinum, displacement of NBD by N-donors, dimethylsulphoxide and cyanide in; reactions of *cis*-$Pt(CH_3)_2L_2$ with iodomethane (T.G. Appleton, J.R. Hall, M.A. Williams), (303) 139

*cis*-Diphenylplatinum(II) nitro-substituted compounds, synthesis of (H.A. Brune, B. Stapp, G. Schmidtberg), (307) 129

Iminopyridine complexation by Zeise's salt, formation of estradiol-*cis*-dichloroplatinum; X-ray structure determination of *cis*-$PtCl_2$-$[C_5H_4NCH_2N{=}C(CH_3)C_6H_4OH]\cdot H_2O$ (P. Pointeau, H. Patin, A. Mousser, J.-Y. Le Marouille), (312) 263

Iron-containing $M_6$ and $M_5$ clusters, Mössbauer study of (R.P. Brint, M.P. Collins, T.R.

Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219

Nickel, palladium and platinum; Annual survey covering the year 1980 (P.A. Chaloner), (324) 283

Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3′-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383

$[Ni_9Pt_3(CO)_{21}H_{4-n}]^{n-}$ ($n = 4$, 3, 2) anionic clusters, synthesis, NMR and structural characterisation of (A. Ceriotti, F. Demartin, G. Longoni, M. Manassero, G. Piva, G. Piro, M. Sansoni, B.T. Heaton), (301) C5

Organoboration of *cis*-diethylplatinum(II) complexes with $R_2P(CH_2)PR_2$ ligands; platinacyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), (304) 271

Organoplatinum(II) formate complexes, preparation, characterisation and reactions of (M. Crespo, J. Sales), (322) 405

$^{31}P$ and $^{1(5}Pt$ investigations of substituted *cis*- and *trans*-diphenylbis(tri-n-butylphosphane)platinum(II) compounds (H.G. Alt, W.-D. Müller, J. Unsin, H.A. Brune), (307) 121

Palladium(II) and platinum(II) derivatives with chiral 2,2′-bipyridines; X-ray structure of $C_{18}H_{15}ClN_2Pd$; *C*- and *N*-coordination in a six-membered metallacycle (G. Minghetti, M.A. Cinellu, G. Chelucci, S. Gladiali, F. Demartin, M. Manassero), (307) 107

Pentafluorophenyl asymmetric binuclear palladium(II) derivatives, synthesis of (G. Lopez, G. Garcia, C. de Haro, G. Sanchez, J. Garcia), (317) C23

Pentafluorophenylpalladium(I)-platinum(I) derivatives, synthesis and reactivity of; molecular structure of $ClPt(\mu\text{-dppm})_2Pd(C_6F_5)$ (J. Fornies, F. Martinez, R. Navarro, A. Redondo, M. Tomas, A.J. Welch), (316) 351

Pentamethylcyclopentadienyl- and indenylplatinum complexes, chemistry and characterisation by double quantum filtered phase sensitive two-dimensional NMR spectroscopy of (D. O'Hare), (323) C13

*cis*-Phenyl[4-(trimethylsilyl)phenyl]bis(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), (303) 429

Phosphanate ylide-palladium(II) and -platinum(II), oxidative addition and reductive elimination; crystal and molecular structures of *cis*- and *trans*-$[Pt(PPh_3)_2(I)(CH_2P(O)(OCH_3)_2]$ (I.J.B. Lin, L.T.C. Kao, F.J. Wu, G.H. Lee, Y. Wang), (309) 225

Platina-allenyl ligand coordination to a triosmium cluster, X-ray structure of the acetylide complex $Os_3Pt(\mu\text{-H})(\mu_4\text{-}\eta^2\text{-C}{\equiv}\text{C-Ph})(CO)_{10}(PCy_3)$ (Cy = cyclohexyl) (P. Ewing, L.J. Farrugia), (320) C47

Platinum(II) and palladium(II) complexes with hybrid phosphine-phosphine oxide ligands $Ph_2P(CH_2)_nP(=O)Ph_2$ ($n = 1$–4) (S.J. Higgins, R. Taylor, B.L. Shaw), (325) 285

Platinum and palladium dinuclear cyclometallated halogen-bridged complexes, preparation of (H.-P. Abicht), (311) 57

Platinum(II) chloride mononuclear complexes with *N*-[(triorganylsilyl)alkyl]ethylenediamines (C. Hu, J.-G. He, D.H. O'Brien, K.J. Irgolic), (307) 115

Platinum–gold heterometallic clusters, MO calculations on (D.I. Gilmour, D.M.P. Mingos), (302) 127

Platinum(II) mixed ligand complexes, preparation and characterisation of (H.C. Clark, A.B. Goel, V.K. Jain, K.G. Tyers, C.S. Wong), (321) 123

Platinum phosphine hydride clusters, MO analysis of bonding in (D.G. Evans), (319) 265

Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by; a solid-state $^{31}P$ NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylishen), (322) 393

Platinum(II) trichlorostannate chemistry, importance of Pt–Sn linkage in hydroformulation chemistry, and formation of $PtC(OSnCl_2)R$-carbene (H.J. Ruegg, P.S. Pregosin, A. Scrivanti, L. Toniolo, C. Botteghi), (316) 233

*trans*-$[Pt(H_2)\{P(C_6H_{11})_3\}_2]$, reactions with heterocumulenes of; crystal and molecular structure of *trans*-$[Pt\{P(C_6H_{11})_3\}_2(H)\{OCH{=}C(C_6H_5)_2\}]$ (A. Musco, W. Porzio, S. Destri, G. Gatti, A. Grassi, P. Longo), (301) 237

$[Pt_3(PPh_3)_2(CNC_6H_3Me_2)_6](PF_6)_2$, a linear trinuclear cluster, synthesis, characterisation and crystal structure of (C.E. Briant, D.I. Gilmour, D.M.P. Mingos), (308) 381

$[Pt_2(\mu\text{-S})(CO)(PPh_3)_3]$, reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271

Pt–Sn complexes as catalysts for olefin hydroformylation, NMR, IR and reactivity studies on (A. Scrivanti, A. Berton, L. Toniolo, C. Botteghi), (314) 369

Silica-immobilised amine-platinum complexes as hydrosilylation catalysts (E.N. Ejike, R.V. Parish), (321) 135

Sulphur dioxide-platinum cluster compounds, facilitation of substitution reactions by amine *N*-oxides of (M.F. Hallam, D.M.P. Mingos), (315) C35

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Thioketene-cobalt complexes, $[Co(R_2C{=}C{=}S)(PMe_3)(C_5H_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Triethylphosphineplatinum(II) complexes in aqueous solution, fast atom bombardment mass spectrometric investigation of (D.W. Bruce, D.J. Cole-Hamilton, F.H. Cottee, J.A. Page), (320) 249

Trigonal-bipyramidal platinum-gold cluster compound, $[Pt_3Au_2(\mu\text{-}Cl)(\mu\text{-}SO_2)_2(PCy_3)_3(P\{p\text{-}C_6H_4F\}_3)_2][PF_6]$, synthesis and structural characterisation of (D.M.P. Mingos, P. Oster, D.J. Sherman), (320) 257

Trimethylplatinum(IV) complexes with tridentate Schiff base ligands containing N, O, and S donor atoms, preparation and $^1H$ NMR spectra of (D.H. Goldsworthy, K. Kite), (319) 257

## Potassium

Bis-$\eta^3$-allyl-iron complexes containing basic phosphines, synthesis and oxidation properties of (J.-M. Grosselin, P.H. Dixneuf), (314) C76

n-Butylpotassium, preparation, synthetic use and NMR properties in hexane and THF solutions of (R. Pi, W. Bauer, B. Brix, C. Schade, P.v.R. Schleyer), (306) C1

Cyclosilanemetal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1

2,5-Disubstituted thiophenes, synthesis from 1-propynylamines or allenic amines and thiocarbonyl compounds of (R.L.P. de Jong, L. Brandsma), (316) C21

Phenylated trigermanes, preparation of (M. Dräger, D. Simon), (306) 183

Potassium selective metallocene cryptand molecules (P.D. Beer, C.G. Crane, A.D. Keefe, A.R. Whyman), (314) C9

## Praseodymium

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and $^{139}La$ NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

1,1′-Trimethylenedicyclopentadienyl-early lanthanide $\sigma$-bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

## Rhenium

Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from $(\eta^5\text{-}C_5H_5)(CO)_3MH$ (M = Mo, W) and $(CO)_5ReCH_3$ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322) 351

Bis-$\mu$-oxo rhenium(VI) dimer $Re_2O_2(\mu\text{-}O)_2(CH_2CMe_2Ph)_4$, synthesis and structure of (J.M. Huggins, D.R. Whitt, L. Lebioda), (312) C15

$\mu$-Carbyne-triosmium complex, formation in the reaction of $O{=}COs_3H(CO)_9\{\mu_3\text{-}\eta^2\text{-}C{=}C(Ph)C{=}C(Ph)Re(CO)_4\}$ with dimethylphenylphosphine; X-ray structure of $HOs_3(CO)_{10}\{\mu\text{-}CC(Ph){=}C{=}C(Ph)Re(CO)_4\text{-}PMe_2Ph\}$ (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), (302) 413

*cis*-$(\eta^5\text{-}C_5H_5)(CO)_2Re(SiPh_3)H$, ring- versus metal-hydride deprotonation in with formation of *cis*- and *trans*-$(\eta^5\text{-}C_5H_4(SiPh_3))(CO)_2ReH_2$ (P. Pasman, J.J.M. Snel), (301) 329

$(C_5Me_5)Ir(CO)_2/[Re(CO)_4Br]_2$, cleavage of dichloromethane by; structure of $[(\eta^5\text{-}C_5Me_5)Ir(CO)_2(CH_2Cl)]^+$ $[(\mu\text{-}Cl)_x(\mu\text{-}Br)_{3-x}Re_2(CO)_6]^-$ ($x = \sim 1.5$) (F.W.B. Einstein, P.G. Glavina, R.K. Pomeroy, P. Rushman, A.C. Willis), (317) 255

$(\eta^5\text{-}C_5Me_5)M(CO)_2S_2$ (M = Mn, Re), investigations of oxidation of the disulphur ligand in (M. Herberhold, B. Schmidkonz), (308) 35

Decacarbonylmanganeserhenium, reaction with isocyanides of (D.J. Robinson, E.A. Darling, N.J. Coville), (310) 203

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1

Halogenorhenium(V) mono- and di-nuclear complexes, syntheses and structures of (W.A. Herrmann, U. Küsthardt, M. Flöel, J. Kulpe, E. Herdtweck, E. Voss), (314) 151

Hydride-rich uranium-rhenium dimer, $[(p\text{-}FC_6H_4)_3P]_2ReH_6U(\eta\text{-}C_5H_5)_3$, synthesis of (D. Baudry, M. Ephritikhine), (311) 189

Manganese, technetium and rhenium; annual survey 1984 (P.M. Treichel), (318) 83
Manganese, technetium and rhenium; annual survey 1985 (P.M. Treichel), (318) 121
Organometallic clusters containing heavy metals, radial distribution function method applied to structural studies in powder samples of (V.I. Korsunsky), (311) 357
Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77
Oxorhenium-half-sandwich complexes, cycloaddition of heterocumulenes to; synthesis of metallacycles (U. Küsthardt, W.A. Herrmann, M.L. Ziegler, T. Zahn, B. Nuber), (311) 163
2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371
Pentacarbonylrhenate/carbodiimide/electrophile system, reactions of (W.P. Fehlhammer, P. Hirschmann, A. Völkl), (302) 379
*O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329
$[Ph_4As]_2[Re_7C(CO)_{21}Au(PPh_3)]$, crystal structure of; comparison of $H^+$ and $Au(PPh_3)^+$ coordination to $[Re_7C(CO)_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310) 55
Polyhydridorhenium anionic complex, mechanistic studies on oxidation of; generation and reactivity of the transient radical $[ReH_6(PMePh_2)_2]$ (J.W. Bruno, K.G. Caulton), (315) C13
$Re_7$ carbido-carbonyl complexes, synthesis of; X-ray crystal structure of the anion $[Re_7C(CO)_{22}]^-$ (T. Beringhelli, G. D'Alfonso, M. De Angelis, G. Ciani, A. Sironi), (322) C21
[1–5-$\eta$-6-*exo*-$Re(CO)_5C_7H_8$]$Mn(CO)_3$, synthesis by metal carbonyl anion addition to a coordinated cyclic $\pi$-hydrocarbon (R.C. Bush, R.A. Jacobson, R.J. Angelici), (323) C25
$[Re_3(\mu\text{-}H)_4(CO)_{10}]^-$, reactions with anions of; synthesis of $[Re_3(\mu\text{-}H)_2(CO)_{10}(PR_3)_2]^-$, crystal structure of $[NH_4][Re_3(\mu\text{-}H)_2(CO)_{10}(PPh_3)_2]$ (T. Beringhelli, G. Ciani, G. D'Alfonso, M. Freni), (311) C51
$[Re_3(\mu\text{-}H)_4(CO)_{10}]^-$, reaction product with $Me_3NO$ of; synthesis and characterisation of $[Re_3(\mu\text{-}H)_3(CO)_9(\mu_3\text{-}O \ldots H \ldots NMe_3)]^-$ and crystal and molecular structure of its tetraethylammonium salt (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, H. Molinari), (311) 177
Rhenium complexes, analysis by desorption chemical ionisation mass spectrometry of (W.A. Korfmacher, J.P. Freeman, R.K. Mitchum, N.T. Allison, W. Yongskulrote, R. Ferede), (304) 323
Rhenium(I) enolate complex, synthesis, structure and photochemistry of (L.U. Gron, K.J. Haller, A.B. Ellis), (323) 207
Rhenium(I) tetrahydroborate complex, *cis*-[Re($\eta^2$-$BH_4$)$(Ph_2PCH_2CH_2PPh_2)_2$], preparation of (A.J.L. Pombeiro, R.L. Richards), (306) C33
Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119
Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu, Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199
Trioxo($\eta^5$-pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to organozirconium(III) compounds by (W.A. Herrmann, T. Cuenca, U. Küsthardt), (309) C15

## Rhodium

Alkene C–H bonds on dirhodium centres, sunlight assisted making and breaking of; crystal and molecular structures of $(\eta\text{-}C_5H_5)_2Rh_2(CH{=}CHCN)\{C(CF_3){=}CF_3)H\}\cdot H_2O$ and $(\eta\text{-}C_5H_5)_2Rh_2(CH{=}CF_2)\{C(CF_3){=}C(CF_3)H\}$ (R.S. Dickson, G.D. Fallon, S.M. Jenkins, B.W. Skelton, A.H. White), (314) 333
Amidocarbonylation catalysation of substituted allylic alcohols (S.-S. Yuan, A.M. Ajami), (302) 255
Aminophosphinephosphinite chiral ligands, synthesis and applications as catalysts of (A. Karim, A. Mortreux, F. Petit, G. Buono, G. Peiffer, C. Siv), (317) 93
Asymmetric hydrogenation of dehydroamino acids catalysed by aminophosphinerhodium complexes (A. Karim, A. Mortreux, F. Petit), (312) 375
Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197

Bis(dicarbonylchlororhodium), $[Rh(CO)_2Cl]_2$, reactivity patterns in reactions with chelating ketones of (J.W. Suggs, M.J. Wovkulich, P.G. Williard, K.S. Lee), (307) 71

2,3-Bis(dimenthylphosphino)maleic anhydride and 2,3-bis(dimenthylphosphine)-*N*-phenylmaleimide, asymmetric hydrogenation catalysed by rhodium complexes of (A. Kinting, H.-W. Krause), (302) 259

*trans*-Bis(diphenylphosphine)cyclopropane, ligand selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.K. Brown, A.R. Lucy), (314) 241

Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium-rhodium complexes, formation in reactions of $RuRhH_2Cl(C_8H_{12})(Ph_2PCH_2PPh_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51

Bis-olefin-rhodium(I) complexes of tripod ligand with an *O,O,O*-donor set (M. Scotti, M. Valderrama, S. Rojas, W. Kläui), (301) 369

($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

($\eta^5$-Borole)rhodium complexes and nucleophilic degradation of $\mu$-($\eta^5$-1-phenylborole)bis[$\eta^5$-1-phenylborol)rhodium] (G.E. Herberich, U. Büschges, B. Hessner, H. Lüthe), (312) 13

($\eta^5$-Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311

Carbonyl-rhodium(I) and -rhodium(II) complexes containing *N*-thionitrosodimethylamine (G. Tresoldi, S. Sergi, S.L. Schiavo, P. Piraino), (322) 369

($\eta^5$-$C_5H_5$)Rh(CO)[$\bar{C}$(NMe)$CH_2CH_2$($\bar{N}$Me)], formation and molecular structure of (D.W. Macomber, R.D. Rogers), (308) 353

Carbonylruthenium mixed with halides as catalysts for ethylene glycol formation from synthesis gas (Y. Kiso, K. Saeki), (303) C17

Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111

Cobalt and rhodium complexes as catalysts in hydrocarbonylation of lactones (G. Bitsi, H. Kheradmand, G. Jenner), (310) 115

Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörlein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257

Cobalt, rhodium and iridium; Annual Survey 1984 (J.T. Mague), (305) 1

Cobalt, rhodium and iridium; Annual survey 1985 (J.T. Mague), (324) 57

$[Co_8(CO)_{18}C]^{2-}$, electrochemical behaviour compared with those of $[M_6(CO)_{15}C]^{2-}$ (M = Co, Rh) and $[Fe_6(CO)_{16}C]^{2-}$ carbido clusters (J. Rimmelin, P. Lemoine, M. Gross, R. Mathieu, D. de Montauzon), (309) 355

$\pi$-Cyclohexadienonerhodium(I) acetylacetonate derivatives; crystal and molecular structure of rhodium ($\eta^4$-4-methyl-4-*exo*-trichloromethyl-2,5-cyclohexadiene-1-one)(pentane-*O*,*O'*-2,4-dionate) (V.A. Nikanorov, V.I. Rozenberg, A.I. Yanovsky, Yu.T. Struchkov, O.A. Reutov, B.I. Ginzburg, V.V. Kaverin, V.P. Yur'ev), (307) 363

Cyclopentadienylcarbonylethylrhodium, C–H and Si–H activation reactions in low-temperature matrices and in solution of (D.M. Haddleton), (311) C21

($\eta^5$-Cyclopentadienyl)(ethene)(dinitrogen)rhodium, photochemical generation in liquid xenon of (D.M. Haddleton, R.N. Perutz, S.A. Jackson, R.K. Upmacis, M. Polyakoff), (311) C15

$\eta^5$-Cyclopentadienyl-$\eta^5$-1-phenylpentadienylrhodium hexafluorophosphate, crystal and molecular structure of (P. Powell, M. Stephens, A. Muller, M.G.B. Drew), (310) 255

2,6-Diallylpyridine (DAP) complexes of rhodium(I), synthesis and structures of; crystal structures of [Rh(COD)(DAP)][$RhCl_2$-(COD)] and [Rh(COD)(DAP)][$CuCl_2$] (G. Vasapollo, A. Sacco, C.F. Nobile, M.A. Pellinghelli, M. Lanfranchi), (312) 249

Diethyl(diphenylphosphinomethyl)aminerhodium(I) derivative, ligand for synthesis of homo- and hetero-dinuclear complexes (R. Turpin, P. Dagnac, R. Poilblanc), (319) 247

Difulvene-iridium(I) and -rhodium(I) complexes, intramolecular rearrangements in (E.J. Probitts, R.J. Mawby), (310) 121

Dihydridobis(trialkyltin)(pentamethylcyclopentadienyl)-rhodium(V) and -iridium(V) complexes, synthesis, characterisation and reactions of (J. Ruiz, C.M. Spencer, B.E. Mann, B.F. Taylor, P.M. Maitlis), (325) 253

Di-$\mu$-hydroxo-and dimethoxo-pentamethylcyclopentadienyl derivatives of rhodium and iridium with pyridine type ligands; crystal structure of [{($C_5Me_5$)Rh(Py)}$_2$($\mu$-OH)$_2$]-[$ClO_4$]$_2$ (F.J. Lahoz, D. Carmona, L.A. Oro, M.P. Lamata, M.P. Puebla, C. Foces-Foces, F.H. Cano), (316) 221

Dinuclear rhodium complexes, reaction with sulphur dioxide of (T.E. Bitterwolf), (320) 121

Di-$\mu$-pyrazolate($\mu$-carbonyl)dirhodium triply-

bridged complexes with pentamethylcyclopentadienyl and diphosphine ligands, preparation and properties of (L.A. Oro, D. Carmona, J. Reyes), (302) 417

Dodecacarbonyl-tetrarhodium, -dicobaltdirhodium, -tricobaltrhodium and -tetracobalt clusters, thermal decomposition of (R. Pince, R. Queau, D. Labroue), (306) 251

Ethylene glycol direct synthesis from CO and $H_2$, catalyst for (M. Tamura, M. Ishino, T. Deguchi, S. Nakamura), (312) C75

Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227

Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1

Heterodinuclear Fe/Co, Fe/Rh, Fe/Ir complexes with M=M′ bonds, synthesis, reactions and cyclopropanation of (R. Hörlein, W.A. Herrmann), (303) C38

Hexacarbonylbis(tricyclopentylphosphine)dirhodium and hexacarbonylbis(triisopropylphosphine)dirhodium from a catalytic system for syngas conversion to ethylene glycol (Y. Tomotake, T. Matsuzaki, K. Murayama, E. Watanabe, K. Wada, T. Onoda), (320) 239

Homogeneous rhodium catalyst for ethylene glycol formation from synthesis gas (Y. Kiso, M. Tanaka, T. Hayashi, K. Saeki), (322) C32

$H_2Ru_2Rh_2(CO)_{11}(PPh_3)$, structural, spectroscopic and conformational studies of (J. Pursiainen, T.A. Pakkanen), (315) 353

Hydridozirconium-rhodium complex, $Cp_2Zr(CH_2PPh_2)_2RhH(PPh_3)$, catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60

Iridium-sulphur dioxide square planar complexes, coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27

Iron-containing $M_6$ and $M_5$ clusters, Mössbauer study of (R.P. Brint, M.P. Collins, T.R. Spalding, F.T. Deeney, G. Longoni, R.D. Pergola), (319) 219

Iron–rhodium heterobimetallic complexes, use of bidentate phosphine ligands in synthesis of (R.H. Dawson, A.K. Smith), (309) C56

$Li[(C_5(CH_3)_4)_2CH_2]$ and ring-bridged rhodium dinuclear complexes with $(C_5(CH_3)_4)_2CH_2^{2-}$ as bridging ligand (H.J. Scholz, H. Werner), (303) C8

$Li[RhI_2(CO)_2]$, iodide and acetate salt promotion of carbonylation of methanol to acetic acid catalysed by (M.A. Murphy, B.L. Smith, G.P. Torrence, A. Aguiló), (303) 257

Methoxymethylidyneironruthenium cluster complex, $Fe_2Rh(\mu\text{-}H)(\mu_3\text{-}COCH_3)(CO)_7(\eta\text{-}C_5H_5)$, molecular structure and fluxional behaviour of (L.J. Farrugia), (310) 67

(1-Methylene-4,4-dialkyl-2,5-cyclohexadienes), mixed ($\eta^2 : \eta^4$) coordination with two transition metal centres in bi- and tri-nuclear rhodium(I) complexes (V.A. Nikanorov, V.I. Rozenberg, V.I. Bakhmutov, O.A. Reutov, B.I. Ginzburg, V.V. Kaverin, V.P. Yur'ev), (307) 351

Methyllithium addition Rh(COMe)(CO)(triphos), formation of an acetone enolate complex via (G.G. Johnston, M.C. Baird), (314) C51

Mono- and di-azadienerhodium(I) complexes, synthesis, spectra, oxidative addition reactions of and homogeneous catalysis for hydrosilylation with (M. Brockmann, H. tom Dieck, J. Klaus), (301) 209

$[M(P(O)(OMe)_2)(P(OMe)_3)_4]$ (M = Co, Ir, Rh), synthesis and variable $^{31}P$ NMR spectra of (S.I. Klein, F. Nixon), (302) 87

Nonacarbonyldiiron in reactions with $C_5H_5Rh(PhC{\equiv}CH)PPr^i_3$, competitive formation of heterometallic dinuclear complexes with $\mu$-C=CHPh and $\mu$-$\eta^1,\eta^3$-CHCPhCO bridging ligands (H. Otto, F.J. Garcia Alonso, H. Werner), (306) C13

Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with $H_2$ and CO of (H.W. Bosch, B.B. Wayland), (317) C5

Organorhodium complexes, two-dimensional indirect $^1H$, $^{103}Rh$ NMR spectroscopic investigations of (R. Benn, H. Brenneke, A. Rufińska), (320) 115

Palladium- and rhodium-catalysed synthesis of esters by reactions in mixtures of butadiene, carbon dioxide and oxiranes (A. Behr, U. Kanne), (309) 215

Palladium(II) and rhodium(I) cationic complexes, reaction with t-butylperoxy anion and formation of t-butylperoxo-palladium(II) and -rhodium(II) complexes (N. Oshima, Y. Hamatani, H. Fukui, H. Suzuki, Y. Moro-Oka), (303) C21

Palladium and rhodium complexes with $[R_2PCH_2CO_2]^-$ ligands (R = Ph, cyclo-$C_6H_{11}$); crystal and molecular structure of $[(o\text{-}\overline{C_6H_5CH_2NMe_2})\overline{Pd\{Ph_2PCH_2C(O)O\}}]$ (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), (301) 401

*O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

Phosphine-rhodium(I) and -iridium(I) complexes, asymmetric transfer hydrogenation of ketones catalysed by (R. Spogliarich, J.

Kašpar, M. Graziani, F. Morandini), (306) 407

Phosphine rhodium complexes as catalysts in enantioselective hydration of crotonic acid derivatives (H. Brunner, A. Knott, M. Kunz, E. Thalhammer), (308) 55

Phosphine-rhodium "in-situ" catalysis, hydroformylation of nitrogen-containing cyclic olefins via (K. Prólai-Tátrai, S. Tőrös, B. Heil), (315) 231

2-(2′-Pyridyl)pyridine-rhodium(I) chiral complexes, enantioface-discriminating transfer hydrogenation of acetophenone catalysed by (C. Botteghi, G. Chelucci, G. Chessa, G. Delogu, S. Gladiali, F. Soccolini), (304) 217

$[RhH_2(C_6H_5NCHCHNC_6H_5)(PPh_3)_2]PF_6$, molecular structure and reactions of (M. Iglesias, C. del Pino, S. García-Blanco, S. Martínez Carrera), (317) 363

Rhodium(acetylacetonate)bis(vinyl chloride), photolysis in frozen gas matrices at 12 K of (A. Oskam, G. Schoemaker, A.J. Rest), (304) C13

Rhodium and iridium phosphonate complexes from $[M(P(OMe)_3)_5]Cl$ (M = Rh, Ir), formation of; reactions of $H_2$ with $[MP(O)(OMe)_2(P(OMe)_3)_4]$ complexes (S.I. Klein, J.F. Nixon), (304) 371

Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345

Rhodium(I) anionic and neutral complexes containing trichlorostannato ligands, isolation and reactions of (V. Garcia, M.A. Garralda, E. Zugasti), (322) 249

Rhodium-catalysed C–C bond formation by ring-opening of alkylidenecyclopropanes and insertion of 3-butenoic acid (G.P. Chiusoli, M. Costa, P. Schianchi, G. Salerno), (315) C45

Rhodium-catalysed C–C coupling of allenes with 3-butenoic acid (G. Salerno, C. Gallo, G.P. Chiusoli, M. Costa), (317) 373

Rhodium-catalysed C–C coupling of 1,3-dienes with 3-alkenoic acids (G. Salerno, F. Gigliotti, G.P. Chiusoli), (314) 231

Rhodium-catalysed hydrosilylation of 1-aza- and 1,4-diaza-1,3-dienes, formation of silylated enamines by (M. Brockmann, H. tom Dieck), (314) 75

Rhodium complex-catalysed hydrogenation of CO to ethylene glycol, specific rate enhancement by alkylphosphines in (H. Tanaka, Y. Hara, E. Watanabe, K. Wada, T. Onoda), (312) C71

Rhodium(I) complexes containing alipathic diamine ligands, preparations of (M.A. Garralda, L. Ibarlucea), (311) 225

$[Rh(oq)Br(P(o\text{-}C_6F_4)Ph_2)(H_2O)]_2$ (oq = 8-oxyquinolinate), molecular structure of (F. Barceló, P. Lahuerta, M.A. Ubeda, C. Foces-Foces, F.H. Cano, M. Martinez-Ripoll), (301) 375

*trans*-$[RhX(CO)(PR_3)_2]$ (X = Cl, Br; R = aryl) and *trans*-$[Rh(\mu\text{-}X)(CO)(PPh_3)]_2$ (X = Cl, I) oxidative addition of 1-haloalkanes to (F.R. Hartley, S.G. Murray, D.M. Potter, J.R. Chipperfield), (306) 133

Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of $[(p\text{-cymene})ClRu(\mu\text{-}Cl)(\mu\text{-pz})Pd(C_8H_{11})]$ (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322) 111

Ruthenium-rhodium dinuclear complexes mobility of dppm ligand in; formation of trinuclear $RuRh_2$ and Ru–Rh–Cu derivatives; X-ray structure of heterobimetallic hydrido-bridged complex (B. Delavaux, B. Chaudret, F. Dahan, R. Poilblanc), (317) 69

Ruthenium-rhodium homogeneous catalysts for methanol homologation, synergistic effect of (J. Pursiainen, K. Karjalainen, T.A. Pakkanen), (314) 227

Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Siloxyalkylphosphinerhodium(I) complexes, synthesis, characteristics and catalytic activity of (W. Duczmal, W. Urbaniak, B. Marciniec), (317) 85

Tetrakis(triisopropyl-phosphite)rhodium, electrogeneration and characterisation of (G. Pilloni, G. Zotti, S. Zecchin), (317) 357

Toluene-solvated rhodium atoms; evidence for a hydridorhodium complex (G. Vitulli, G. Uccello-Barretta, P. Pannocchia, A. Rafaelli), (302) C21

Tricyclic heterocycles with bifunctional silicon centres (J.Y. Corey, C.S. John, M.C. Ohmsted, L.S. Chang), (304) 93

Triphosphane-rhodium complex, $Rh(4\text{-}MeC_6H_4)[t\text{-}BuP(CH_2CH_2CH_2PPh_2)_2]$, reactions with $CO_2$ of (L. Dahlenburg, C. Prengel), (308) 63

Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), (302) C17

Tris(triphenylphosphine)chlororhodium(I), reductive hydrosilylation of quinones catalysed

by (M.N. Bakola-Christianopoulou), (308) C24

Vinylrhodium complexes, formation by protonation of $C_5H_5Rh(PhC_2H)P\text{-}i\text{-}Pr_3$ and $C_5H_5Rh(C_2Ph_2)P\text{-}i\text{-}Pr_3$ of; crystal and molecular structure of $C_5H_5Rh(E\text{-}CPh{=}CHPh)(P\text{-}i\text{-}Pr_3)OCOCF_3$ and $C_5H_5(P\text{-}i\text{-}Pr_3)RhC_6H_4\text{-}CH{=}CPh$ (H. Werner, J. Wolf, U. Schubert, K. Ackermann), (317) 327

$\eta^1$-Ylidic enaminerhodium(III) complex, formation using triethylamine for a base-promoted reaction of (S.N. Gamage, R.H. Morris, S.J. Rettig, B.R. James), (309) C59

## Ruthenium

Allyldialkylruthenium(IV) complexes, preparation and reductive C–C bond formation followed by C–H bond activation of (H. Nagashima, K.-I. Ara, K. Yamaguchi, K. Itoh), (319) C11

Arene(carbene)ruthenium complexes, formation via vinylideneruthenium intermediates of (K. Ouzzine, H. Le Bozec, P.H. Dixneuf) (317) C25

Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91

Arylnitrenes formed by cleavage of azoarenes, trapping with $Fe_3(CO)_{12}$ or $Ru_3(CO)_{12}$ of; X-ray structure of $Ru_3(\mu_3\text{-}NPh)_2(\mu\text{-}dppm)(CO)_7$ (M.I. Bruce, M.G. Humphrey, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink), (315) C51

2,2′-Bipyridine-dodecacarbonyltriruthenium complex, catalysis of the water gas shift reaction by (T. Venäläinen, T.A. Pakkanen, T.T. Pakkanen, E. Iiskola) (314) C49

Bis[bis(trimethylsilyl)methyl]tin, reactions with $M_3(CO)_{12}$ (M = Fe, Ru, Os) or its derivatives of; crystal and molecular structures of $M_3(\mu\text{-}SnR_2)_2(CO)_{10}$ (R = $CH(SiMe_3)_2$, M = Ru, Os) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203

Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197

Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $Os_3(CO)_9(\mu\text{-}dppm)(\eta^1\text{-}dppm)$ (dppm = $Ph_2PCH_2PPh_2$) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), (302) 403

Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium-rhodium complexes, formation in reactions of $RuRhH_2Cl\text{-}(C_8H_{12})(Ph_2PCH_2PPh_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51

Bis($\eta^6$-hexamethylbenzene)($\eta^6$,$\eta^6$-triple layered [2.2]paracyclophane)diruthenium(II,II) tetrakis(tetrafluoroborate) and related mixed-valence ion, synthesis and characterisation of (H.C. Kang, K.-D. Plitzko, V. Boekelheide, H. Higuchi, S. Misumi), (321) 79

($\eta^5$-Borole)cobalt complexes, preparation and structure of (G.E. Herberich, B. Hessner, R. Saive), (319) 9

($\eta^5$-Borole)-ruthenium, -osmium and -rhodium complexes, preparation and structures of (G.E. Herberich, W. Boveleth, B. Hessner, M. Hostalek, D.P.J. Köffer, M. Negele), (319) 311

Carbonylchloro($\eta$-cyclopentadienyl)(triphenylphosphine)ruthenium(II), synthesis, reactivity and crystal structure of (T. Wilczewski, Z. Dauter), (312) 349

Carbonylmetals, reduction with a model for nicotinamide nucleotide of (A. Basu, S. Bhaduri, K.R. Sharma), (319) 407

Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of $Ru_3(\mu\text{-}H)_2(\mu_3\text{-}PPh)(CO)_8(PMePh_2)$, $Ru_4(\mu\text{-}H)_4(\mu\text{-}dppm)(CO)_{10}$, $Ru_4(\mu\text{-}H)_3(\mu_3\text{-}PPhCH_2PPh_2)(CO)_{10}$ and $Os_3(\mu\text{-}H)_2(\mu\text{-}dppm)(CO)_8$ (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink, M.L. Williams), (316) 187

Carbonylruthenium complexes of *cis*-1,2-bis(diphenylphosphino)ethene, preparation of; X-ray structure of $Ru_2\{\mu\text{-}C_2H_2(PPh_2)_2\}(CO)_6$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (306) 115

Carbonylruthenium clusters containing aryldiazo ligands; X-ray structure of $Ru_3(\mu_3\text{-}PPhCH_2PPh_2)(\mu\text{-}\eta^1\text{-}N{=}NC_6H_3Cl_2\text{-}2,4)(CO)_9$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A. White), (309) 157

Carbonylruthenium homogeneous catalyst, effect of imidazole compounds in hydrogenation of carbon monoxide on (Y. Kiso, K. Saeki), (309) C26

Carboxylate ruthenium bridged complexes; crystal structures of $[Ru(PhCOO)(CO)_2\text{-}(PhCOOH)]_2$, $[Ru(4\text{-}FC_6H_4COO)_2\text{-}(CO)_5(H_2O)]_2 \cdot 0.5C_6H_6$ and $[Ru_2(s\text{-}BuCO_2)(CO)_4(s\text{-}BuCO_2H)]_2$ (M. Rotem, I. Goldberg, U. Shmueli, Y. Shvo), (314) 185

Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111

Chloro(cyclopentadienyl)bis(triphenylphosphine)ruthenium, preparation from [RuHCl($PPh_3$)$_3$] and penta-1,4-diene of, C–C bond formation by dehydrogenation (B.E. Mann, P.W. Manning, C.M. Spencer), (312) C64

($\eta^5$-$C_5H_5$)$NiRu_3(\mu$-H)$_3$(CO)$_9$, homogeneous catalytic hydrogenation and isomerisation of linear and cyclic monoenes and dienes in the presence of (M. Castiglioni, R. Giordano, E. Sappa), (319) 167

($\eta^5$-$C_5H_5$)($Ph_2PCH_2CH_2PPh_2$)$Ru{=}CH_2^+$ $AsF_6^-$, spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310) C39

[($\eta$-$C_5H_5$)Ru{(*S*,*S*)-$Ph_2PCH(CH_3)CH(CH_3)$-$PPh_2$}(olefin)]$^+$ $PF_6$ optically active complexes, enantioface selection in (G. Consiglio, F. Morandini, P. Pregosin), (308) 345

[($\eta$-$C_5H_5$)Ru{(*R*)-$Ph_2PCH(CH_3)CH_2PPh_2$}-(olefin)]$PF_6$ optically active complexes, influence of the stereogenic metal atom on enantioface selection in (G. Consiglio, F. Morandini), (310) C66

*arachno*-[($\eta^6$-$C_6Me_6$)$RuB_8H_{14}$], nine-vertex structural analogue of n-$B_9H_{15}$ rather than of iso-$B_9H_{15}$ (M. Brown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett), (315) C1

[$C_6Me_6RuH(NH_2Pr^iIPMe_3]PF_6$, formation and structure of, example of reductive amination of acetone by a hydridometal complex (H. Werner, H. Kletzin, R. Zolk, H. Otto), (310) C11

Cobalt and ruthenium catalysts for hydrocarbonylation of butanols (P. Andrianary, G. Jenner), (322) 89

Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands $Ph_2As(CH_2)_n$-$PPh_2$ ($n = 1, 2$), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McMarthy, I.D. Salter), (306) C27

Cycloheptatriene and cyclohepta-1,3-diene insertion into Ru–H bond of $RuHCl(PPh_3)_3$, formation of Ru($\eta^5$-$C_7H_9$)$Cl(PPh_3)_2$ and Ru($\eta^3$-$C_7H_{11}$)$Cl(PPh_3)_2$ (M. Grassi, B.E. Mann, P. Manning, C.M. Spencer), (307) C55

Cyclometallated ruthenium complex, Ru{P($OC_6$-$H_3Me$)($OC_6H_4$Me-4)$_2$}$_2$(CO)$_2$, crystal and molecular structure of (M.I. Bruce, M.R. Snow, E.R.T. Tiekink), (311) 217

1,5-Cyclooctadiene-1,4-diaza-1,3-diene hydridoruthenium complexes, (COD)(diaminodiene)Ru(H)Cl, synthesis, structure and catalytic properties of (H. tom Dieck, I. Kleinwächter, E.T.K. Haupt), (321) 237

$\eta^5$-Cyclopentadienyl-$\eta^6$-areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), (302) 389

Cyclopentadienylruthenium alkoxycarbene, stereochemical aspects of conversion to acetylide complexes of; crystal structure of [($\eta$-$C_5H_5$)Ru($Ph_2PCHMeCHMePPh_2$)(C=CPh)] (G. Consiglio, F. Morandini, A. Sironi), (306) C45

Cyclopentadienylruthenium complexes containing (S,S) donor ligands (L.B. Reventos, A.G. Alonse), (309) 179

Cyclopentadienylruthenium mononuclear complex containing aromatic amine ligands, synthesis of (M.O. Albers, D.J. Robinson, E. Singleton), (311) 207

Dihydrido($\eta$-cyclopentadienyl)bis(triphenylphosphine)osmium(IV) cation, formation, properties, and reactions with halogen compounds of (T. Wilczewski), (317) 307

Diphosphazane- and diphosphine-bridged iron and ruthenium derivatives; dependence of the nature of the hydride ligand on the metal and the bridging diphosporus ligand (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer, K.G. Moodley), (322) C7

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of [$Ru_2Cl_2(CO)_4$\{$\mu$-$(MeO)_2PN(Et)P$-$(OMe)_2$\}$_2$] (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310) C42

Diphosphazane-bridge nonacarbonyl-iron and -ruthenium derivatives, halogenation and stepwise decarbonylation of; crystal structures of [$Fe_2I(CO)_5$\{$\mu$-$(MeO)_2PN(Et)P$-$(OMe)_2$\}$_2$][$PF_6$] and [$Ru_2(\mu$-I)$I(CO)_3$\{$\mu$-(i-$PrO)_2PN(Et)$\{(i-PrO)$_2$\}$_2$] (J.S. Field, R.J. Haines, E. Minshall, C.N. Sampson, J. Sundermeyer, C.C. Allen, J.C.A. Boeyens), (309) C21

Diruthenium bridged cations containing cyclopentadienyl and bidentate amine ligands, synthesis of; crystal and molecular structure of [{($\eta^5$-$C_5H_5$)Ru(1,10-phenanthroline)}$_2$($\mu$-bis(diphenylphosphine)methane)]$(PF_6)_2 \cdot CH_2Cl_2$ (M.O. Albers, D.C. Liles, D.J. Robinson, E. Singleton), (323) C39

Dodecacarbonyldiironruthenium and tridecadihydridodiirondiruthenium, synthetic route to; crystal structure of $H_2Fe_2Ru_2(CO)_{13}$ (T. Venäläinen, T.A. Pakkanen), (316) 183

Dodecacarbonyl-triruthenium and -triosmium and triphenylphosphine, redox chemistry of;

mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320) 363

Dodecacarbonyltriruthenium catalysed carbonylation of amines and hydroamidation of olefins (Y. Tsuji, T. Ohsumi, T. Kondo, Y. Watanabe), (309) 333

Dodecacarbonyltriruthenium, reactions with heterocycles of; X-ray crystal structures of $Ru_3(\mu\text{-}CO)_2(CO)_8(bipy)$ and $Ru_3(\mu\text{-}H)\{\mu\text{-}N_2C_3H(CF_3)_2\text{-}3,5\}(CO)_{10}$ (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekink, R.C. Wallis), (314) 311

Ethylene(hydrido)metal complexes (M = Ru, Os, Ir, Co), stepwise preparation of (H. Werner, H. Kletzin, A. Höhn, W. Paul, W. Knaup, M.L. Ziegler, O. Serhadli), (306) 227

Fluxional cryptands containing metallocene units (P.J. Hammond, P.D. Beer, C. Dudman, I.P. Danks, C.D. Hall, J. Knychala, M.C. Grossel), (306) 367

Halovinylidene-containing ruthenium and osmium complexes, synthesis and properties of; X-ray structure of $[Ru(C{\equiv}CIPh)(PPh_3)_2(\eta\text{-}C_5H_5)][I_3]$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell, B. K. Nicholson), (320) 217

Hetero-bi- and -tri-metallic complexes containing electron-releasing and electron-accepting redox centres (P.D. Beer, C.J. Jones, J.A. McCleverty, R.P. Sidebotham), (325) C19

Heterobimetallic (Ru–Co) complexes with chelating and bridging $Ph_2PCH_2PPh_2$ ligands (S. Guesmi, P.H. Dixneuf, N.J. Taylor, A.J. Carty), (303) C47

Hexamethylbenzene-ruthenaborane and -osmaborane, synthesis and chemical use of (M. Bown, N.N. Greenwood, J.D. Kennedy), (309) C67

Hexaruthenium frameworks, behaviour of phenylphosphinidene ligands to (J.S. Field, R.J. Haines, D.N. Smit), (304) C17

$H_2Ru_4C(CO)_{12}$, structural isomers of; X-ray crystal structure of $Ru_4C(CO)_{13}$ (A.G. Cowie, B.F.G. Johnson, J. Lewis, P.R. Raithby), (306) C63

$H_3Ru_3Co(CO)_{10}(dppe)$ and $HRuCo_3(CO)_{10}(dppe)$, synthesis and characterisation of (J. Pursiainen, T.A. Pakkanen), (309) 187

$H_2Ru_2Rh_2(CO)_{11}(PPh_3)$, structural, spectroscopic and conformational studies of (J. Pursiainen, T.A. Pakkanen), (315) 353

$(\mu\text{-}H)_3Ru_3(\mu_3\text{-}CR)(CO)_9$, protonation of; evidence for formation of an agostic metal–hydrogen bond (D.K. Bower, J.B. Keister), (312) C33

Hydridocarbonylchlorotris(triphenylphosphine)-ruthenium(II), insertion reactions of; X-ray structure of carbonylchloro(*cis*-1,2-diphenylethynyl)bis(triphenylphosphine)ruthenium(II) (M.R. Torres, A. Vegas, A. Santos, J. Ros), (309) 169

Hydrido(carbonyl)-ruthenium(II) and -osmium(II) five- and six-coordinate complexes containing triisopropylphosphine as ligand (M.A. Esteruelas, H. Werner), (303) 221

Hydridoruthenium cationic complexes containing *N*- and *P*-donor ligands; crystal structure of carbonylhydrido(1,4-dicyclohexyldiaza-1,3-butadiene)bis(methyldiphenylphosphine)-ruthenium(II) perchlorate (A. Romero, A. Vegas, A. Santos, M. Martinez-Ripoll), (319) 103

Hydrogenation of carbon monoxide in the presence of homogeneous ruthenium catalysts; effect of onium halides as promoters (Y. Kiso, M. Tanaka, H. Nakamura, T. Yamasaki, K. Saeki), (312) 357

Nonamethylruthenocenylcarbenium hexafluorophosphate, synthesis and crystal structure of (A.Z. Kreindlin, P.V. Petrovskii, M.I. Rybinskaya, A.I. Yanovskii, Yu.T. Struchkov), (319) 229

Octaethylporphyrinrhodium containing heterobimetallic compounds, preparation and reactions with $H_2$ and CO of (H.W. Bosch, B.B. Wayland), (317) C5

Organo-ruthenaborane and -osmaborane clusters, preparation and NMR studies of $[6\text{-}(\eta^6\text{-}C_6Me_6)\text{-}nido\text{-}6\text{-}MB_9H_{13}]$ (M = Ru, Os) and the rearrangement cluster $[5\text{-}(\eta^6\text{-}C_6Me_6)\text{-}nido\text{-}5\text{-}RuB_9H_{11}\text{-}7\text{-}(PMe_2Ph)]$ (M. Bown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy), (325) 233

Osmium and ruthenium complexes, mechanism of homogeneous hydrogenation of carbon monoxide catalysed by (D.S. Barratt, D.J. Cole-Hamilton), (306) C41

Palladium-catalysed 2-acetoxyallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397

Pentamethylcyclopentadienyl complexes: $[(\eta^5\text{-}C_5Me_5)Ru(PPh_3)(L)Cl]$ (L = Co, t-BuNC) and $[(\eta^5\text{-}C_5Me_5)Ru(L)_2Cl]$ (L = t-BuNC, norbornadiene), preparation and reactivity of (F.M. Conroy-Lewis, S.J. Simpson), (322) 221

*O*-Perrhenato-transition metal complexes, preparation and spectra of (J. Heidrich, D. Loderer, W. Beck), (312) 329

$\mu_3\text{-}\eta^2$-Phosphaalkyne complexes of trinuclear iron and ruthenium hydridononacarbonyl anions $[M_3H(CO)_9(Bu^tCP)]^-$ (M = Fe, Ru), synthe-

sis of (M.F. Meidine, J.F. Nixon, R. Mathieu), (314) 307

Pyrazolate-bridged ruthenium(I) complexes, synthesis of; X-ray structure of bis-$\mu$-(3,5-dimethylpyrazolate)bis(tricarbonylruthenium(I))(*Ru-Ru*) (J.A. Cabeza, C. Landazuri, L.A. Oro, A. Tiripicchio, M. Tiripicchio-Camellini), (322) C16

(Pyridine-2-carbaldehyde-iminehexacarbonyldiiron and -diruthenium) complexes with $\sigma$-N,$\mu_2$-N′,$\eta^2$-C=N′ bonded 6-$R^1$-py-2-C($R^2$)-=NR ligand; X-ray structure of [$Ru_2$-$(CO)_5${1,2-bis($\mu$-isopropylamido)-1,2-bis(2-pyridyl)ethane}] containing two C–C linked pyridine-2-carbaldehyde-imine ligands (L.H. Polm, G. van Koten, C.J. Elsevier, K. Vrieze, B.F.K. van Santen, C.H. Stam), (304) 353

Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345

*cis*-Rh(oq)Br(P(*o*-$C_6F_4$)$Ph_2$)L (oq = oxyquinonato) compounds, synthesis of; molecular structure of *cis*-Rh(oq)Br(P(*o*-$C_6F_4$)$Ph_2$)($PPh_3$) (F. Barceló, P. Lahuerta, M.A. Ubeda, A. Cantarero, F. Sanz), (309) 199

$RuCl_2[P(CH_2CH_2CH_2PMe_2)_3]$, C–H bond cleavage upon reduction in cyclopentene and THF of (M. Antberg, L. Dahlenburg), (312) C67

$RuCl_2(PPh_3)_3$/NCOOH/$Et_3N$, hydrogen source for selective reduction of aromatic nitro compounds catalysed by Pd on carbon (B.T. Khai, A. Arcelli), (309) C63

Ru(C≡CPh)(dppe)($\eta$-$C_5H_5$) and [Ru(L)($PPh_3$)$_2$-($\eta$-$C_5H_5$)]X (L = C(OMe)Et, X = $PF_6$; L = C=CMePh, X = I), X-ray structures of (M.I. Bruce, M.G. Humphrey, M.R. Snow, E.R.T. Tiekink), (314) 213

[$Ru_3(CO)_{11}$($CNBu^t$)] and [$Os_3(CO)_{11}$($CNBu^t$)], X-ray structures of (M.I. Bruce, G.N. Pain, C. Hughes, J.M. Patrick, B.W. Skelton, A.H. White), (307) 343

[Ru(CO)H($NCMe)_2$($PPh_3)_2$]$ClO_4$, reaction with 1-hydroxymethyl-3,5-dimethylpyrazole; formation of an amidine complex; crystal structure of [Ru(CO)H{NH=CMe($Me_2$pz)}-($PPh_3)_2$]$ClO_4$ (A. Romero, A. Vegas, A. Santos), (310) C8

Ru$(CO)_3$($PMe_3$)MeI and its acetyl derivatives, preparation of (G. Cardaci), (323) C10

Ru($C_2R$)$(L)_2$($\eta$-$C_5H_5$) (R = $CH_3$, Ph; $L_2$ = (CO, $PPh_3$), ($PPh_3)_2$, (dppe)), addition reactions of substituted styrenes with; X-ray crystal structure of Ru{C[=C$(CN)_2$]CPh=C-H($C_6H_4NO_2$-4)}(dppe)($\eta$-$C_5H_5$)·0.5$CH_2Cl_2$ (M.I. Bruce, P.A. Humphrey, M.R. Snow, E.R.T. Tiekink), (303) 417

[$Ru_8(\mu_8$-P)($\mu_2$-$\eta^1$,$\eta^6$-$CH_2C_6H_5$)($\mu_2$-CO)$_2$-$(CO)_{17}$], synthesis and characterisation of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, D.N. Smit, G.M. Sheldrick), (310) C47

*closo*-[$Ru_4(\mu_4$-$PPh_3)_2(\mu_2$-CO)$(CO)_{10}$], insertion of acetylene into Ru–P bonds of; crystal structure of [$Ru_4(\mu_4$-PPh){$\mu_4$-$\eta^3$-P(Ph)CH-CH}($\mu_2$-CO)$(CO)_{10}$] (J.S. Field, R.J. Haines, E. Minshall, D.N. Smith), (310) C69

Ruthenium and osmium; annual survey 1983 (J.B. Keister), (318) 297

Ruthenium and osmium; annual survey 1984 (P.A. Shapley), (318) 409

Ruthenium clusters, carbonylation of nitrobenzene with (A. Basu, S. Bhaduri, H. Khwaja), (319) C28

Ruthenium-cobalt homogeneous systems, catalysis of reductive carbonylation of carboxylic esters by; homologation of the alkoxy moiety (G. Jenner, P. Andrianary), (307) 263

Ruthenium complexes, photochemical hydroformylation catalysis using (E.M. Gordon, R. Eisenberg), (306) C53

Ruthenium(II) monocarbonyl and phosphine complexes with [Ru(SNNS)] fragments containing tetradentate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310) 83

Ruthenium-palladium and ruthenium-rhodium complexes linked by pyrazolate groups and chlorine atoms, synthesis of; crystal structure of [(*p*-cymene)ClRu($\mu$-Cl)($\mu$-pz)Pd($C_8H_{11}$)] (M.P. Garcia, A. Portilla, L.A. Oro, C. Foces-Foces, F.H. Cano), (322) 111

Ruthenium-rhodium dinuclear complexes, mobility of dppm ligand in; formation of trinuclear $RuRh_2$ and Ru–Rh–Cu derivatives; X-ray structure of heterobimetallic hydrido-bridged complex (B. Delavaux, B. Chaudret, F. Dahan, R. Poilblanc), (317) 69

Ruthenium-rhodium homogeneous catalysts for methanol homologation, synergistic effect of (J. Pursiainen, K. Karjalainen, T.A. Pakkanen), (314) 227

Ruthenocene-carboxylic and- boronic acids, separation and identification of; detection of alkali metal cations (T. Wilczewski), (306) 125

Ruthenocene fluxional bis-crown ethers, synthesis of (P.D. Beer, A.D. Keefe), (306) C10

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Tetranuclear ruthenium cluster, $[Ru_4(CO)_{10}(\mu_2\text{-}Cl)_2(\mu_3\text{-}OEt)_2]$, preparation and structure of (B.F.G. Johnson, J. Lewis, J.M. Mace, P.R. Raithby, M.D. Vargas), (321) 409

Thionitrosodimethylamine ($Me_2N\text{–}N{=}S$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105

$\eta$-Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35

Tricarbonyl-*tetrahapto*-cyclopentadienoneruthenium(0) complexes, catalysis with; a water-gas type reaction (Y. Shvo, D. Czarkie), (315) C25

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29

Trihalogeno(pentamethylcyclopentadienyl)ruthenium(IV), preparation and reactions of (N. Oshima, H. Suzuki, Y. Moro-Oka, H. Nagashima, K. Itoh), (314) C46

Trihydroruthenium(IV) complexes, preparation and photo-induced H/D exchange reaction (H. Suzuki, D.H. Lee, N. Oshima, Y. Moro-Oka), (317) C45

Tris(2,2′-bipyridine) ruthenium(II), cyclometallated analogue of (E.D. Constable, J.M. Holmes), (301) 203

1,2,3-Triselena[3]ruthenocenophane, crystal and molecular structure of (A.J. Blake, R.O. Gould, A.G. Osborne), (308) 297

## Selenium

Bis(dimethylphosphinecyclopentadienylcobalt), $[C_5H_5Co(\mu\text{-}PMe_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik) (323) 161

Carbyne complexes, *trans*-$X(CO)_4M{\equiv}CR$, influence of the central metal, the *trans*-X ligand and the carbyne substituent on M–CO dissociation in (H. Fischer, B. Bühlmeyer), (317) 187

Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machinek, B. Knieriem, W. Lüttke), (314) 53

Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391

Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303

13,13-Dimethyl-8,13-dihydro-5*H*-dibenzo[*d*,*g*]-[1.2.6]diselenagermonine and 13,14-diphenyl-8,13-dihydro-5*H*-dibenzo[*d*,*g*][1.2.6]-diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven′, B.I. Stepanov, M.Yu. Aismont), (301) 273

Dimethyl-selenium and -tellurium and trimethylselenium and -tellurium iodides, synthesis of (N. Kuhn, P. Faupel, E. Zauder), (302) C4

Octafluoroselenanthrene, $(C_6F_4)_2Se_2$, structure of a triclinic form of (D.S. Brown, T.K. Mistry, A.G. Massey), (308) 207

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341

Organometallic iron–selenium complexes, insertion and metathesis reactions of (W.A. Herrmann, J. Rohrmann, E. Herdtweck, C. Hecht, M.L. Ziegler, O. Serhadli), (314) 295

Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[C_5H_5Fe(CO)_2(R_3EX)]^+$ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181

$[(PMe_3)Pd(\mu\text{-}Se_2CPMe_3)]_2$, dinuclear complex with $\eta^1,\eta^2$-bonded $Se_2CPMe_3$ bridging ligands, crystal and molecular structure of (H. Otto, M. Ebner, H. Werner), (311) 63

Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289

2,2,6-Trimethyl-6-selenono-1,3-dioxa-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), (303) 83

1,2,3-Triselena[3]ruthenocenophane, crystal and molecular structure of (A.J. Blake, R.O. Gould, A.G. Osborne), (308) 297

Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalogen unit into a M–H bond (M. Fahim, G. Tainturier), (301) C45

## Silicon

Acetyldimethylphenylsilane, fluoride induced fragmentation of (H. Zilch, R. Tacke), (316) 243

Alkene coordination at divalent germanium in $(\eta^2\text{-}Me_4C_5H)Me_2Si(\eta^2\text{-}Me_4C_5)Ge^+$ $GeCl_3^-$ (F.X. Kohl, R. Dickbreder, P. Jutzi, G. Müller, B. Huber), (309) C43

Alkoxysilanes, multinuclear NMR spectroscopy of (E. Liepiņš, I. Zicmane, E. Lukevics), (306) 167

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes; crystal structure of $[W_2Cl_8(PhC{\equiv}C\text{–}C{\equiv}CSiMe_3)(pyridine)_2]$ (M. Kersting, K. Dehnicke, D. Fenske), (309) 125

Amphoteric ligands: $(Me_3SiCH_2)_2GaPPh_2$, $(Me_3SiCH_2)_2InPPh_2$ and $(Me_3CCH_2)_2InPPh_2$, synthesis, characterisation and crystal and molecular structure of (O.T. Beachley, Jr., J.P. Kopasz, H. Zhang, W.E. Hunter, J.L. Atwood), (325) 69

Arylhalogenoboranes, preparation of (W. Haubold, J. Herdtle, W. Gollinger, W. Einholz), (315) 1

Aryltrimethyl-silicon, -germanium and -tin compounds, synthesis and spectroscopic characterisation of (S.M. Moerlein), (319) 29

Bis{[bis(trimethylsilylmethyl)arsino]diphenylgallane}, synthesis and crystal structure of (R.L. Wellis, A.P. Purdy, A.T. McPhail, C.G. Pitt), (308) 281

Bis(1,3,2-diazasilacycloalkyl)dimethylsilanes, preparation and properties of (R.H. Cragg, C.K. Ma), (304) 87

Bis(lithioamino)- and tris(lithioamino)-silane dimers containing electron-deficient $Li_4N_4$ and $Li_6N_6$ clusters, syntheses and crystal structures of (D.J. Brauer, H. Bürger, G.R. Liewald), (308) 119

2,6-Bis(lithiumtrimethylsilylmethyl)pyridine · 2TMEDA, monomeric dilithio compound exhibiting electrostatic charge communication (R. Hacker, P.v.R. Schleyer, G. Reber, G. Müller, L. Brandsma), (316) C4

Bis-metallates, $Na_2\{Me_2Si[(C_5H_4)(CO)_3M]_2\}$ (M = Mo, W), preparation and rearrangement to neutral complexes with σ-bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), (303) C33

Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnering), (312) 297

Bis(*N*-pentafluorophenyl)tetraphenylcyclodisilazane-tetrabenzene, $(Ph_2SiNC_6F_6)_2 \cdot 4C_6H_6$, crystal structure of (P. Clare, D.B. Sowerby, I. Haiduc), (310) 161

Bis-phenyl-platinum(II) compounds, photochemistry of (H.A. Brune, R. Hohenadel, G. Schmidtberg), (311) 27

Bis(η-styrene)molybdenum, synthesis and polymerisation of; crystal structures of $Mo(\eta\text{-}C_6H_5CH_2CH{=}CH_2)_2$ and $[Mo(\eta\text{-}C_6H_5SiMe_2\text{-}H)_2BF_4$ (M.L.H. Green, I. Treurnicht, J.A. Bandy, A. Gourdon, K. Prout), (306) 145

[$\eta^4$-2,5-Bis(trimethylsilyl)cyclopentadienone($\eta^5$-cyclopentadienyl)cobalt, structure of (J.H. Bieri, A.S. Dreiding, T.C.C. Gartenmann, E.R.F. Gesing, R.W. Kunz, R. Prewo), (306) 241

*cis*- and *trans*-1,2-Bis(trimethylsilyl)cyclopropane, reactions of (M. Grignon-Dubois, J. Dunoguès), (309) 35

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310) 151

*o*-Bromoaryl esters and *o*-chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tzschach), (317) 11

(α-Bromo-α-methoxymethyl)silanes, thermolysis of (U. Schubert, C. Steib, K. Weiss), (311) C1

Butadiynetungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehnicke), (316) 85

(*Si*-n-Butylamino)methylsilanes (silazates), preparation, IR and $^1H$ and $^7Li$ NMR spectra of mono- and poly-lithiated derivatives of (B.J. Aylett, C.-F. Liaw), (325) 91

Carbonylcobalt reaction of oxetanes with a hydrosilane and carbon monoxide (T. Murai, K. Furuta, S. Kato, S. Murai, N. Sonoda), (302) 249

Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machinek, B. Knieriem, W. Lüttke), (314) 53

$CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)AuPPh_3$-(*Mn–Au*) and $[CH_3C_5H_4(CO)_2Mn(\mu\text{-}H)]_2Pt(3\text{-picolin})_2$-(*Mn–Pt*), synthesis from $Na[CH_2C_5H_4(CO)_2MnSiR_3]$; formation of metal–

metal bonds and simultaneous $SiR_3/H$ exchange (E. Kunz, J. Müller, U. Schubert), (320) C11

*cis*-($\eta^5$-$C_5H_5$)$(CO)_2Re(SiPh_3)H$, ring- versus metal-hydride deprotonation with formation of *cis*- and *trans*-($\eta^5$-$C_5H_4$)$(SiPh_3)$-$(CO)_2ReH_2$ (P. Pasman, J.J.M. Snel), (301) 329

$\eta^4$-*exo*- and $\eta^4$-*endo*-1-Chloro-2,5-diphenylsilacyclopentadiene)tricarbonyliron complexes, stereochemical behaviour of (R.J.P. Corriu, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C1

Chlorofluorovinylsilanes and derivatives thereof, synthesis of (S. Martin, R. Sauvêtre, J.-F. Normant), (303) 317

1-Chloro-1,3,5-trimethyl-3,5-bis(trimethylsiloxy)-cyclotrisiloxanes, acetolysis of stereoisomers of (U. Scheim, K. Rühlmann, H. Grosse-Ruyken, A. Porzel), (314) 39

$C_5Me_5(CO)(L)Mn(H)SiR_3$ complexes, structural chemistry and $^{29}Si$ NMR spectroscopy of (U. Schubert, G. Scholz, J. Müller, K. Ackermann, B. Wörle, R.F.D. Stansfield), (306) 303

$\pi$-$\sigma$ Constant for substituents attached to silicon, determination of (M.S. Samples, C.H. Yoder), (312) 149

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320) 339

Cyclopentadienylcarbonylethylrhodium, C–H and Si–H activation reactions in low-temperature matrices and in solution of (D.M. Haddleton), (311) C21

Cyclosilanemetal derivatives, bicyclic silanes from (F.K. Mitter, G.I. Pollhammer, E. Hengge), (314) 1

Diazaboracyclopropane, synthesis and crystal structure analysis of (R. Boese, U. Klingebiel), (306) 295

Diborylamines, influence of steric effects on conformation and parameters of (D. Männig, H. Nöth, H. Prigge, A.-E. Rotsch, S. Gopinathan, J.W. Wilson), (310) 1

Dibromoacetylenetungsten(IV) complexes, crystal structure of $PPh_4[WBr_5(BrC{\equiv}CBr)] \cdot 0.5CCl_4$ (K. Stahl, A. El-Kholi, U. Müller, K. Dehnicke), (316) 95

Dicarbonylcyclopentadienyliron-substituted phosphaalkene with Fe–P bonds, synthesis and structure of (L. Weber, K. Reizig, M. Frebel, R. Boese, M. Polk), (306) 105

Dicyclohexylsilanediol and bis(hydroxydimethylsilyl)bis(trimethylsilyl)methane, crystal structures of (N.H. Buttrus, C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A.D. Taylor), (309) 25

$\mu$-[(Di-$\eta^5$-cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), (302) 363

Difluorosilylene, reactions with cyclic alkenes, cyclopentadiene and cycloheptatriene of (W.L. Lee, C.F. Shieh, C.S. Liu), (302) 23

1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1

Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291

1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), (303) 73

2,6-Diisopropylphenyliminothexylborane(III), synthesis and reactions of (M. Armbrecht, A. Meller), (311) 1

Diligand-acetylenenickel(0) complexes, aceteylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103

Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), (301) 15

2,7-Dimethyl-2,3:7,8-diepoxy-5-silaspiro[4.4]nonane and cyclosiloxanes, synthesis by flash vacuum pyrolysis of (C.D. Juengst, W.P. Weber, G. Manuel), (308) 187

13,13-Dimethyl-8,13-dihydro-5*H*-dibenzo[*d*,*g*]-[1.2.6]diselenagermonine and 13,14-diphenyl-8,13-dihydro-5*H*-dibenzo[*d*,*g*][1.2.6]diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven′, B.I. Stepanov, M.Yu. Aismont), (301) 273

Dimethylsilylenes containing C=C or C≡C bonds, reactions of (H. Appler, W.P. Neumann), (314) 261

Dimethyltris(trimethylsilyl)methylsilylsilanatolithium tetrahydrofuranate, preparation and crystal structure of (P.B. Hitchcock, N.H. Buttrus, A.C. Sullivan), (303) 321

Di-i-propylsilanediol, hydrogen bonding in and crystal structure of (N.H. Buttrus, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (302) 159

*o*-(Disilanylene)phenylene polymer, preparation via ring-opening polymerisation at Si–Si bonds of (K. Shiina), (310) C57

Disilenyl radical anions, 2,3:5,6-dibenzo-7,8-di-

silabicyclo[2.2.2]octa-2,5-dienes and a cyclotetrasilane, preparation and reactions of (M. Weidenburch, K.-L. Thom), (308) 177

*O*-Ethyl-*C*,*O*-bis(trimethylsilyl)ketene acetal, treatment of $\alpha,\beta$-unsaturated ketones; synthesis of $\alpha$-ylidene-$\delta$-lactones (I. Matsuda), (321) 307

Fluoropyridinyl-containing chlorosilanes, synthesis and hydrolysis of (M. Zeldin, J.-M. Xu), (320) 267

Group IV derivatives of $Os_3(\mu\text{-}H)_2(CO)_{10}$, structures of $HOs_3(\mu\text{-}H)_2(CO)_{10}$ and $Os_3(\mu\text{-}H)_3(CO)_{10}(SnMe_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257

*N*-Halogensilyl-phosphinimine, chlorine–fluorine exchange in (U. Kliebisch, U. Klingebiel), (314) 33

Heterodinuclear complexes with $CH_3C_5H_4(CO)_2(MePh_2Si)Mn$ fragments, reactivity of (U. Schubert, E. Kunz), (303) C1

Hexa-t-butylcyclotrisilane, formation of six-membered rings by photolysis in the presence of nitriles of (M. Weidenbruch, A. Schäfer, M. Peters, H.G. von Schnering), (314) 25

Hexafluorodisilane pyrolysis as a source for highly reactive difluorosilylene (S. Konieczny, P.P. Gaspar, J. Wormhoudt), (307) 151

Hexamethyl-1,4-disilabenzene, generation and thermal chemistry of (K.M. Welsh, J.D. Rich, R. West, J. Michl), (325) 105

Hydrogenosilanes, pentacoordination and pseudorotation in (J. Boyer, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo), (301) 131

Iron-tris(dimethylphosphinomethyl)methylsilane complexes, chemistry: crystal structure of $[\{Fe((Me_2PCH_2)_3SiMe)\}_2(\mu\text{-}H)_2(\mu\text{-}C{=}CH_2)]$ with a vinylidene group derived from ethylene (J.M. Boncella, M.L.H. Green), (325) 217

$Li_4(\mu_2\text{-}PR_2)_2(\mu_3\text{-}PR_3)(THF)_2$ and $Li(PR_2)$-(pentamethyldiethylenetriamine), isolation and NMR spectra of; X-ray structures of the former and $[Li(\mu\text{-}PR_2)(THF)_2]_2$ (R = $SiMe_3$) (E. Hey, P.B. Hitchcock, M.F. Lappert, A.K. Rai), (325) 1

Lithium-arsenic homoleptic compound, $[Li\text{-}\mu\text{-}As(CH(SiMe_3)_2)_2]_3$, synthesis, structure and reactions of (P.B. Hitchcock, M.F. Lappert, S.J. Smith), (320) C27

Lithium salts of imino- and amino-silanes, crystal structures of (R. Boese, U. Klingebiel), (315) C17

$[M(CO)_3]_2\text{-}\mu\text{-}[(\eta^5\text{-}Cp)_2SiMe_2]$, reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system (M = Mo, W) (J. Heck), (311) C5

$[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]_2Hg$, $[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]_2Cd$ and $[(Me_3Si)_2(CH_2{=}CHMe_2Si)C]HgBr$, preparation and reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Buttrus, C. Eaborn, P. B. Hitchcock, J.D. Smith), (320) 137

Metallocenes in biochemistry, microbiology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281

1,6-Methano[10]annulene-Group IVB derivatives, synthesis, substituent effects and reactivity of (W. Kitching, H.A. Olszowy, I. Schott, W. Adcock, D.P. Cox), (310) 269

Methyl- and trimethylsilyl-tris(triphenylphosphine)cobalt, interference by phosphine decomposition in oxidative additions of aryl halides to (M. Michman, S. Chocron, S. Nussbaum, H. Schumann, R. Mohtachemi, G. Kannert), (315) 113

Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1

Mono- and di-azadienerhodium(I) complexes, synthesis, spectra, oxidative addition reactions of and homogeneous catalysis for hydrosilylation with (M. Brockmann, H. tom Dieck, J. Klaus), (301) 209

Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ (M = W, Mo, Cr; $SiR_3 = SiPh_3$, $SiMePh_2$; R' = Me, Et, n-Bu, $C_6H_{11}$, Ph), $HSiR_3$ elimination from (W. Hepp, U. Schubert), (321) 317

Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of t-butylphosphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35

$[Nb(\eta^5\text{-}C_5H_4R)_2\{AuP(C_6H_5)_3\}_2]^+$ (R = H, $Si(CH_3)_3$) mixed metal cation, synthesis and structural characterisation of (M. Fajardo, M.P. Goméz-Sal, P. Royo, S.M. Carrera, S. García-Blanco), (312) C44

Octaphenylpropane analogues, $Ph_3SnSiPh_2SnPh_3$ and $Ph_3SnGePh_2SnPh_3$, correlation between geminal NMR couplings and nonbonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11

Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61

Organosilicon cations, 1,3-migration of chloride and azide substituents within, and anchimeric assistance by the azido group (C. Eaborn, P.D. Lickiss, S.T. Najim, M.N. Romanelli), (315) C5

Organosilicon compounds, recent developments in structural chemistry of (*Review*) (V.E. Shklover, Yu.T. Struchkov), (322) 269

Organotin crowded fluorides, $(PhMe_2Si)_3CSnMe_2F$, $(Me_3Si)_3CSnMe_2F$, and $(Me_3Si)_3CSnPh_2F$, preparation and crystal structures of (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, J.D. Smith), (325) 117

Oxygen-bridged bis(tricarbasilatrane), $O[Si(CH_2CH_2CH_2)_3N]_2$, synthesis and crystal and molecular structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. van Meerssche), (317) 145

Pentacarbonylmanganesetriphenylphosphine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167

Pentacoordinated structures, enhancement of Si–H bond reactivity in (J. Boyer, C. Brelière, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo), (311) C39

Phenyl- and benzyl-trimethylsilanes, electrosynthesis of (P. Pons, C. Biran, M. Bordeau, J. Dunoguès, S. Sibille, J. Périchon), (321) C27

*cis*-Phenyl[4-trimethylsilyl)phenyl]bis(triphenylphosphine)platinum(II) compounds with substituents in the phenyl ring, synthesis of (H.A. Brune, R. Hess, G. Schmidtberg), (303) 429

$Ph_3GeSiMe_3$ and $Ph_3GeSiMe_2Fe(CO)_2(\eta^5\text{-}C_5H_5)$, synthesis and crystal structures of (L. Párkányi, C. Hernandez, K.H. Pannell), (301) 145

Phosphaalkenyl, disilylphophido and diacylphosphido complexes of dicarbonylpentamethylcyclopentadienylosmium (L. Weber, D. Bungardt), (311) 269

Phosphaalkynes, preparation and additive behaviour towards diazomethane, methyl azide and benzonitrile oxide of (W. Rösch, U. Vogelbacher, T. Allspach, M. Regitz), (306) 39

*o*-Phosphinophenole, preparation by rearrangement of 1,3-carbanionic *o*-metallated aroxyphosphine (J. Heinicke, E. Nietzschmann, A. Tzschach), (310) C17

Platinum(II) chloride mononuclear complexes with *N*-[(triorganylsilyl)alkyl]ethylenediamines (C. Hu, J.-G. He, D.H. O'Brien, K.J. Irgolic), (307) 115

Polydimethylsilane, analysis of the gases formed on rearrangement to polycarbosilanes of (M. Birot, E. Bacqué, J.-P. Pillot, J. Dunoguès), (319) C41

Propargyltrimethylsilanes, protodesilylation leading to terminal allenes of (J. Pornet, D. Damour, L. Miginiac), (319) 333

Rhodium(I) and ruthenium(II) complexes containing unsaturated N-ligands, regio- and stereo-selective hydrosilylation of isoprene with (M. Brockmann, H. tom Dieck, I. Kleinwächter), (309) 345

Rhodium-catalysed hydrosilylation of 1-aza- and 1,4-diaza-1,3-dienes, formation of silylated enamines by (M. Brockmann, H. tom Dieck), (314) 75

Rigid pentacoordinate silicon structure generalisation of pseudorotation (R.J.P. Corriu, M. Mazhar, M. Poirier, G. Royo), (306) C5

Silaethene, $Me_2Si{=}C(SiMe_3)_2$, stabilisation by formation of adducts of; reactivity of $Me_2Si{=}C(SiMe_3)_2 \cdot NMe_3$ (N. Wiberg, H. Köpf), (315) 9

Silafluorenes, precursors to (J.Y. Corey, L.S. Chang), (307) 7

Silafunctional compounds: synthesis and reactivity; Annual survey for the year 1984 (J.Y. Corey) (313) 1

7-Silanorbornadiene, reactions with halogens and thermolysis in the presence or organometallic or organic halides of (H. Appler, W.P. Neumann), (314) 247

Sila-retinol, the first sila-substituted vitamine (R. Münstedt, U. Wannagat), (322) 11

Silica-immobilised amine-platinum complexes as hydrosilylation catalysts (E.N. Ejike, R.V. Parish), (321) 135

Silica-supported carbonylcobalt cluster, synthesis and catalysis of (Y.-P. Wang, S.-M. Zhang, A.-M. Zhang, N. Wu, Y.-Z. Luo, H.-X. Fu), (307) 65

Silica-supported cyclopentadienyl-rhodium(I), -cobalt(II), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Silicon-containing aziridines, formation from reactions of vinylsilanes with ethoxycarbonylnitrene under phase-transfer conditions (E. Lukevics, V.V. Dirnens, Yu.Sh. Goldberg, E.E. Liepinsh), (316) 249

Silicon-disubstituted ($\eta^4$-silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7

Silicon — the silicon–carbon bond; Annual Survey covering the year 1984 (G.L. Larson) (313) 141

Siloxanes, synthesis of; rearrangement of silyl groups at the $Si_3CSiO$ skeleton (S. Pillmann, U. Klingebiel), (323) 1

Siloxaphenanthrene coordination with tricarbonylchromium; crystal and molecular structure of [1–4*a*(10*a*)-$\eta$-10,10-dimethyl-0-sila-9-oxa-9,10-dihydrophenanthrene]chromium and tricarbonyl[5–8*a*(4*b*)-$\eta$-10,10-dimethyl-10-sila-9-oxa-9,10-dihydrophenanthrene]chromium (N.I. Kirillova, A.I. Gusev, V.A. Sharapov, O.B. Afanasova, Yu.E. Zubarev, N.V. Alekseev, E.A. Chernychev, Yu.T. Struchkov), (306) 55

Siloxy groups at silicon atom, inductive substituent constants $\sigma^*$ and $\sigma_I$ determined by $^{29}Si$ NMR spectroscopy for (U. Scheim, H. Grosse-Ruyken, K. Rühlmann, A. Porzel), (312) 27

Siloxyalkylphosphinerhodium(I) complexes, synthesis, characteristics and catalytic activity of (W. Duczmal, W. Urbaniak, B. Marciniec), (317) 85

Siloxycarbenemanganese complexes, preparation of (M.J. McGeary, J.L. Templeton), (323) 199

Silyl ether complexation with triethylaluminium, $^{29}Si$ NMR study of (P. Sormunen, E. Iiskola, E. Vähäsarja, T.T. Pakkanen, T.A. Pakkanen), (319) 327

α-Silylated and α,α-disilylated phosphonates, $(RO)_2P(O)CR^1R^2SiR^3R^4R^5$ and $(RO)_2P(O)$-$CR^1[Si(CH_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135

Silylated cyclobutenes, synthesis of (L. Birkofer, D. Eichstädt), (307) 279

Silylcupration of acetylenes (H.-M. Chen, J.P. Oliver), (316) 255

Silyltin(II) bulky derivative, formation and structure of (A.M. Arif, A.H. Cowley, T.M. Elkins), (325) C11

Si–O–C–C–N group containing compounds, through-bond interaction in (M.G. Voronkov, E.I. Brodskaya, V.V. Belyaeva, D.D. Toryashinova, A.F. Ermikov, V.P. Baryshok), (311) 9

$(SiO)_4$, $(SiOSiN)_2$ and $(SiN)_4$ isoelectronic rings, unusual conformations of (E. Egert, M. Haase, U. Klingebiel, C. Lensch, D. Schmidt, G.M. Sheldrick), (315) 19

Six-membered cyclosilazoxanes containing two silazane bonds, kinetics of acid-catalysed solvolysis of (Z. Lasocki, M. Witekowa), (311) 17

Sterically-crowded silanes, preparation and order of steric bulkiness of (Y. Nakadaira, K. Oharu, H. Sakurai), (309) 247

Tetrachlorotitanium and trichlorocyclopentadienyltitanium, reactions with tridentate triaminosilyl ligands; crystal and molecular structure of a titanabicycloheptane with Si–N–Li–Cl–Ti chain (D.J. Brauer, H. Bürger, G.R. Liewald), (307) 177

Tetramethyl-*N*,*N'*-bis(*o*-methoxyphenyl)cyclodisilazane, conformation of (L. Párkányi, L. Bihátsi, P. Hencsei, A. Szöllösy), (321) 7

Tetramethylgermane, hexamethyldigermane and related organogermanes, molecular and electronic structures derived from (C. Glidewell), (303) 337

2,2,6,6-Tetramethyl-4-metallaspiro[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51

Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320) C31

Tin(II) amides, cyclometallation reactions with (C. Stader, B. Wrackmeyer), (321) C1

Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167

Tolyldiphenyl- and dimethylphenyl-phosphinemethylgold, $CH_3/Cl$ exchange reaction with chlorosilanes of (U. Schubert, J. Meyer), (303) C5

Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

2,4,6-Tri-t-butylphenyllithium, reaction with bromotrichlorosilane under generation of $LiSiCl_3$ of (H. Oehme, H. Weiss), (319) C16

2,4,6-Tri-t-butylphenyl-substituted disilane, synthesis and conformation of (M. Weidenbruch, K. Kramer, S. Pohl, W. Saak), (316) C13

Trichloromethyl-substituted alcohols, one-pot synthesis of (H. Brunner, W. Wimmer), (309) C4

Trichlorosilanes, reactions with enamines of (D.C. Snyder), (301) 137

α-Trichlorosilyl-substituted organic amines, removal by hydrochlorides and base of the $SiCl_3$ group from (D.C. Snyder), (320) 163

Tricyclic heterocycles with bifunctional silicon centres (J.Y. Corey, C.S. John, M.C. Ohmsted, L.S. Chang), (304) 93

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, A. Stasunik, W. Angerer, W. Malisch), (303) C29

(Trifluoromethyl)trichlorosilane, synthesis and properties of (H. Beckers, H. Bürger, P. Bursch, I. Ruppert), (316) 41

2,2,6-Trimethyl-6-selenono-1,3-dioxa-2-sila-6-phosphacyclooctane, crystal and molecular structure of (V.E. Shklover, Yu.T. Struchkov, N.M. Kudyakov, M.G. Voronkov), (303) 83

α-Trimethylsilyl ketones, regiodefined synthesis of α-bromo, α-phenylthio, and α-phenylseleno ketones from (I. Matsuda, S. Sato), (314) 47

Trimethylsilyllithium, X-ray crystal structure of (B. Tecle', A.F.M.M. Rahman, J.P. Oliver), (317) 267

α-Triorganostannylvinyllithiums with Group IVB

organometallic halides, reactions of; formation of α-trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151

Triorganylstannate anion and phosphonium cation containing zwitterion, preparation of (M. Veith, V. Huch) (308) 263

Tris(arsino)gallane dimer containing nonplanar $(Ga–As)_2$ ring, synthesis and characterisation of; crystal structure of $\{[(Me_3SiCH_2)_2As]_3Ga\}_2$ (R.L. Wells, A.P. Purdy, K.T. Higa, A.T. McPhail, C.G. Pitt), (325) C7

Tris(trimethylsilyl)methanol, preparation of (P.D. Lickiss), (308) 261

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of $V^{IV}$, $CH_3Nb^V$ and $Hf^{IV}$ (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317

Zinc carbenoid reagents, reactions with enol ethers: cyclopropanation and subsequent isomerisation to allylic ethers (I. Ryu, T. Aya, S. Otani, S. Murai, N. Sonoda), (321) 279

## Silver

Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), (304) 381

*trans*-Bis(diphenylphosphino)cyclopropane, ligand selective for binuclear complexation with ca. 4.5 Å intermetallic separation (J.K. Brown, A.R. Lucy), (314) 241

Copper- and silver-ruthenium clusters containing asymmetric bidentate ligands $Ph_2As(CH_2)_n$-$PPh_2$ ($n = 1, 2$), synthesis and dynamic behaviour of (S.S.D. Brown, P.J. McCarthy, I.D. Salter), (306) C27

$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(CNMe)\{CN(Me)H\}]^+$, anion control of the reaction products with $Ag^I$ salts of (B. Callan, A.R. Manning), (306) C61

Metal atom-free radical reactions, generality of; synthesis of trifluoromethylalkyls of gold(III) and silver (M.A. Guerra, T.R. Bierschenk, R.J. Lagow), (307) C58

$Os(\equiv CR)Cl(CO)(PPh_3)_2$ and $Os(=C[AgCl]R)Cl(CO)(PPh_3)_2$, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211

Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320) C56

$(PPh_4)_3Ag[WF_5(C_2I_2)]_2$, synthesis, IR spectrum and crystal structure of (A. El-Kholi, K. Stahl, U. Müller, K. Dehnicke), (317) C9

$[Pt_2(\mu\text{-}S)(CO)(PPh_3)_3]$, reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271

Silver(I) electrophiles, reactions with $[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2(L)\{CN(Me)H\}]^+$ and $[Fe_2(\eta\text{-}C_5H_5)_2(CO)_2\{CN(Me)H\}_2]^{2+}$ salts (L = CO or CNMe) of (B. Callan, A.E. Manning), (316) 325

Tetranuclear gold-silver cluster with phenylacetylide groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), (302) C10

## Sodium

Alkyl- and alkenyl-sodium compounds, solubility in hexane on complexation with magnesium alkoxides of (C.G. Screttas, M. Micha-Screttas), (316) 1

*o*-Bromoaryl esters and *o*-chloroaryl esters of phosphoric acid, reactions with magnesium and sodium of (J. Heinicke, I. Böhle, A. Tzschach), (317) 11

n-Butylpotassium, preparation, synthetic use and NMR properties in hexane and THF solutions of (R. Pi, W. Bauer, B. Brix, C. Schade, P.v.R. Schleyer), (306) C1

Organonickel hydrides with ionic contacts to sodium and lithium, structural and bonding characteristics of (R. Goddard, C. Krüger, K.R. Pörschke, G. Wilke), (308) 85

Pentamethylcyclopentadienyl(chloro)dialkyllanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29

## Strontium

Bis(pentamethylcyclopentadienyl)-alkaline earth compounds, $(Me_5C_5)_2MLn$ (M = Mg, Ca, Sr, Ba), and $Me_5C_5BeCl$, organometallic coordination complexes of (C.J. Burns, R.A. Andersen), (325) 31

## Sulphur

Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liétge, N. Collignon), (304) 283

Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bressan, A. Morvillo), (304) 267

Bis($\mu$-cyclohexen-2-ylthio)-$\mu_4$-thiododecacarbonyltetrairon, synthesis and structure of (B.I. Kolobkov, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev, G.G. Aleksandrov, M.T. Tashev, H.B. Dustov), (301) 349

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP\text{-}t\text{-}Bu_2[ML_n]\}_2$ ($ML_n$ = $Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates $S(NP\text{-}t\text{-}Bu_2)_2M(CO)_4$ (M = Cr, Mo, W); crystal and molecular structure of $S(NP\text{-}t\text{-}Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Bis(dimethylphosphinecyclopentadienylcobalt), $[C_5H_5Co(\mu\text{-}PMe_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

Bis(1-methyldibenzosilole)sulphide, synthesis, crystal structure and reaction with hexacarbonylchromium of (B. Becker, R.J.P. Corriu, B.J.L. Henner, W. Wojnowski, K. Peters, H.G. von Schnering), (312) 297

Bis(pentamethylcyclopentadienyl)titanium(IV) cationic complexes, $[(C_5Me_5)_2(DMF)Cl]CF_3SO_3$ and $[(C_5Me_5)_2(DMF)_2](CF_3SO_3)_2$ (DMF = dimethylformamide), preparation and structure of (B. Honold, U. Thewalt), (316) 291

$\mu$-(Boranedithiolato)bis(tricarbonyliron) compounds, $XBS_2[Fe(CO)_3]_2$, preparation, structure and reactions of (H. Nöth, W. Rattay), (308) 131

2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martin, M.-P. Heitz), (315) 59

Carbonyldi-$\eta$-cyclopentadienylhydridoniobium, insertion reactions with heteroallenes of (G.E. Herberich, H. Mayer), (322) C29

Carbonyl-iron dinuclear complexes with $\sigma$-metal–carbon bonds, synthesis, structure and properties of (H. Patin, B. Misterkiewicz, J.-Y. Le Marouille, A. Mousser), (314) 173

Carbonyl-rhodium(I) and -rhodium(III) complexes containing *N*-thionitrosodimethylamine (G. Tresoldi, S. Sergi, S.L. Schiavo, P. Piraino), (322) 369

$(CH_3C(CH_2PPh_2)_3)CoL$ complexes (L = $O_2CO$, $S_2CO$, $O_2SO$), synthesis through metal-assisted $CO_2$, $CS_2$, $SO_2$ oxidation of; crystal structure of $(CH_3C(CH_2PPh_2)_3)Co(O_2SO)$ (F. Cecconi, C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (323) C5

Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machinek, B. Knieriem, W. Lüttke), (314) 53

$(C_5H_5)_2Ni_2(\mu\text{-}SR)_2$ (R = Ph, $PhCH_2$, 1-decyl, 2-naphthyl), reduction of the C–S bond in (N.F. Ho, T.C.W. Mak, T.-Y. Luh), (317) C28

$(\eta^5\text{-}C_5H_5)_2Zr[CH(SC_6H_5)C_6H_5]_2$, thermally induced elimination of stilbene from (E.A. Mintz, A.S. Ward), (307) C52

$(\eta^5\text{-}C_5Me_5)M(CO)_2S_2$ (M = Mn, Re), investigations of oxidation of the disulphur ligand in (M. Herberhold, B. Schmidkonz), (308) 35

$(C_5Me_5)_2Mo_2(\mu\text{-}SCH_3)_2(\mu\text{-}S)_2$ isomers, preparation, separation and characterisation of (H. Brunner, W. Meier, J. Wachter, P. Weber, M.L. Ziegler, J.H. Enemark, C.G. Young), (309) 313

Cobalt(II) complexes with phosphorus–sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165

$Cp^*Fe(CO)_2[\eta^1\text{-}SP(S)(OR)_2]$($Cp^*$ = $\eta\text{-}C_5H_5$ or $\eta\text{-}C_5Me_5$), electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320) 317

Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of $[Me_2SnSP(S)CH_2CH_2]\cdot HMPT$ (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 273

Cyclopalladated benzyl methyl sulphide, one-pot synthesis of heterocyclic compounds through insertion of alkynes into Pd–C bonds of (J. Dupont, M. Pferrer), (321) C13

Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145

Cyclopentadienylruthenium complexes containing (S,S) donor ligands (L.B. Reventos, A.G. Alonso), (309) 179

2,2-Dialkyl-1,3,2-oxathiastannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (325) 129

[$\mu$-2,3,8,9-Dibenzo-1,4,7,10-tetrathiadecanylbis-(tricarbonylmolybdenum) disolvate, formation of (G. Binker, R. Boese, D. Sellmann), (311) C11

Di- and tri-organotin derivatives of piperazine bis(dithiocarbamic) acid, synthesis and characterisation of (K.C. Molloy, T.G. Purcell), (303) 179

$\mu$-Di-t-butylthioketenebis(dicarbonylcyclopentadienyl-manganese), synthesis and structure of (D. Wormsbächer, F. Edelmann, U. Behrens), (312) C53

Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditel-

lurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39

Dicyclopentadienylbis(toluolsulphonato)zirconium, preparation and structure of (W. Lasser, U. Thewalt), (302) 201

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of $CO_2$ and $CS_2$ of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienylnitrile-molybdenum and -tungsen complexes, preparation and reactivity of; structure of di-$\eta^5$-cyclopentadienyliodoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5\text{-}C_5H_5)_2I(NCCH_3)][PF_6]$ (M.J. Calhorda, M.A.A.F. De Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63

Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $Cp_2Ti(P_2S_4O_2(OEt)_2)$, isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209

Dimethylnorbornadieneplatinum, displacement of NBD by N-donors, dimethylsulphoxide and cyanide in; reactions of *cis*-$Pt(CH_3)_2L_2$ with iodomethane (T.G. Appleton, J.R. Hall, M.A. Williams), (303) 139

Dimethyltin sulphide, interaction with 1,2-dibromoethane; crystal structure of dimethyltin dibromide/ 1,4-dithiane complex (V.I. Shcherbakov, I.K. Grigor'eva, G.A. Razuvaev, L.N. Akharov, R.I. Bochkova, Yu.T. Struchkov), (319) 41

2,5-Disubstituted thiophenes, synthesis from 1-propynylamines or allenic amines and thiocarbonyl compounds of (R.L.P. de Jong, L. Brandsma), (316) C21

Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane)iron, [Fe(dttd)(THF)$_2$], reactions with tetracarbonylnorbornadienemolybdenum, [Mo(CO)$_4$(nor)], by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-dttd}\{Mo(CO)_3\}_2]\cdot 2H_2O$ and $[\mu\text{-dttd}\{Mo(CO)_4\}_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323

Dithiaboretanes and trithiaboranes, kinetically and thermodynamically controlled formation of (H. Nöth, W. Rattay), (312) 139

Dithioester pentacarbonyldiiron complexes, structures and properties of (A. Lagadec, B. Misterkiewicz, H. Patin, A. Mousser, J.-Y. Le Marouille), (315) 201

Dithioferrocenophane with a *vic*-dioxime moiety in the bridging chain, preparation of (M. Ertas, A.R. Koray, C. Ahsen, Ö. Bekaroğlu), (319) 197

1,2-Ethanedithiolato complex $[(CO)_3Fe]_2SC_2H_4S(O)$, synthesis and structure of; insertion reactions of ethene and carbon monoxide into S–S bonds of nido-clusters $[(CO)_3FeS]_2$ (J. Messelhäuser, K.U. Gutensohn, I.-P. Lorenz, W. Hiller), (321) 377

*cis*-$[Fe(CO)_2(t\text{-}Bu_2C_6H_2S_2)_2]^{2-}$, formation, regiospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21

$Fe_4S_4$ cluster, formation of $Fe_2S_2$- and $Fe_3S$-carbonyls from; crystal structure of $[Fe_3S(CO)_9]^{2-}$ (F.T. Al-Ani, D.L. Hughes, C.J. Pickett), (307) C31

Germanium(II) pseudohalides, $Ge(CN)_2$, $Ge(NCO)_2$ and $Ge(NCS)_2$, synthesis and reactivity of (M. Onyszchuk, A. Castel, P. Riviere, J. Satgé), (317) C35

Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amine disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269

Hexacarbonylmolybdenum, reductive coupling with thioketals of (C.S. Wong, W.S. Leung, L.L. Yeung, T.-Y. Luh), (307) C49

Iridium-sulphur dioxide square planar complexes coordinative and oxidative addition to (W.A. Schenk, J. Leissner), (311) C27

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2–) ligands (J.R. Dilworth, S. Morton), (314) C25

Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121

Metal complex of unsubstituted sulphine (M. Herberhold, A.F. Hill), (309) C29

Methylsulphonato(2,3,7,8,12,13,17,18-octaethylprophyrinato)gallium(III), crystal structure of (A. Boukhris, C. Lecomte, A. Coutsolelos, R. Guilard), (303) 151

Molybdenum and tungsten cyclopentadienylpentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of $[MoTl(SC_6F_5)_2Cp]$ (L = $SC_6F_5$, CO) (W.A.W.A. Bakar, J.L. Davidson, W.E. Lindsell, K.J. McCullough, K.W. Muir), (322) C1

Mono-$\eta^5$-cyclopentadienyl-titanium(IV) and -zirconium(IV) complexes with one or two toluene-3,4-dithiolate ligands, synthesis of (H. Köpf, T. Klapötke), (307) 319

Nickel catalysed substitution of acetates and allylic sulphones (T. Cuvigny, M. Julia), (317) 383

*p*-Nitrophenyl- and *p*-tolyl-oxadithia- and

-thrithia-stibocanes, synthesis and correlation between transannular distances and vibrational data of (H.M. Hoffman, M. Dräger), (320) 273

Nitrosylthiocarbonylosmium complexes, synthesis of (M. Herberhold, A.F. Hill, N. McAuley, W.R. Roper), (310) 95

Octahedral carbonylmanganese(I) complexes with SCN or CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)$_3$(dppm)] (G.A. Carriedo, M.C. Crespo, V. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), (302) 47

Organogermanium *O,O'*-dimethyl- and -diethyldithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271

Organometallic complexes with RSSR ligands, synthesis of (P.M. Treichel, M.S. Schmidt, P.C. Nakagaki, E.K. Rublein), (311) 193

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77

Pentacarbonyliron, reaction with *N,N*-diethyl-*S*-ehtylcarbamate of; crystal structure of [{Fe$_2$(CO)$_6$}$_3$($\mu_4$-S)$_2$($\mu$-CNEt$_2$)$_2$]3(*Fe–Fe*) (H.G. Raubenheimer, G.J. Kruger, A. van A. Lombard), (323) 385

Pentacarbonylmercaptophosphane- and tetracarbonyl-bis(mercaptophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grove, D. Le Van, W. Meyring), (307) 327

Phenylantimony bis(monothioacetate), preparation, structure and stability of (M. Hall, D.B. Sowerby, C.P. Falshaw), (315) 321

Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59

Phenylmercury dithiolates, preparation and characterisation of; crystal and molecular structure of (C$_6$H$_5$)Hg(S$_2$COR) (R = Me; $^i$Pr) and (C$_6$H$_5$)Hg(S$_2$CNEt$_2$) (E.R.T. Tiekink), (322) 1

5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)bicyclo[3.3.0$^{1,5}$]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), (304) 107

Phenylpropylbis(dimethylglyoximato)pyridinecobalt(III) in aqueous sulphuric acid, kinetics, and mechanism of decomposition of (S. Derenne, A. Gaudemer, M.D. Johnson), (322) 239

Phosphineiridium(I) complexes, reactions with $S_4N_4$ of; synthesis and crystal structure of [(dppen)$_2$Ir(S$_2$N$_2$)]BPh$_4$ · 0.5CH$_3$COCH$_3$ and {(dppen)$_2$Ir(S$_2$N$_2$)[W(CO)$_5$]}(BPh$_4$ · 0.5CH$_2$Cl$_2$) (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383

Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29

Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations [C$_5$H$_5$Fe(CO)$_2$(R$_3$EX)]$^+$ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), (304) 181

Polymethylthiopheneiron complexes, $\sigma$ vs. $\pi$ bonding in (V. Guerchais, D. Astruc), (316) 335

[Pt$_2$($\mu$-S)(CO)(PPh$_3$)$_3$], reactions with Group IB metal ions of (M.F. Hallam, M.A. Luke, D.M.P. Mingos, I.D. Williams), (325) 271

Ruthenium(II) monocarbonyl and phosphine complexes with [Ru(SNNS)] fragments containing tetradentate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310) 83

Six- and seven-membered tetracarbonyl carbene and imidate thioether chelates, synthesis by CO of NR insertion into metal–carbene bonds and crystal structures of (H.G. Raubenheimer, G.J. Kruger, H.W. Villoen), (319) 361

$\alpha$-Sulphonylvinyllithium compounds, stereochemical stability of (H. Kleijn, P. Vermeer), (302) 1

Sulphur dioxide-platinum cluster compounds, facilitation of substitution reactions by amine *N*-oxides of (M.F. Hallam, D.M.P. Mingos), (315) C35

Sulphur monoxide-iron cationic complex, [CpFe(dppe)(SO)]PF$_6$, and sulphur dioxide-iron cationic complex, [CpFe(dppe)(SO$_2$)]-PF$_6$, preparation of (W.A. Schenk, S. Müssig), (320) C23

Sulphur ylide complexes of palladium, preparation by phase transfer catalysis of (I.J.B. Lin, H.Y.C. Lai, S.C. Wu, L. Hwan), (306) C24

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Tetracarbonyl(phosphinothioformamide) com-

plexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Tetracobalt octahedral clusters with $\mu_4$-PR and $\mu_4$-S ligands (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), (312) 365

Tetramethyldigermane, [2 + 2] cycloaddition to multiple bonds of; synthesis of $\Delta^{1,7}$-2,2,6,6,8,-8,9,9-octamethyl-4-thia-8,9-digermabicyclo-[5.2.0]nonene (O.M. Nefedov, M.P. Egorov, A.M. Gal'minas, S.P. Kolesnikov, A. Krebs, J. Berndt), (301) C21

Tetramethyldipnictogens, exchange reactions with dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289

Thienyltetraorganotin(IV) compounds, Mössbauer and NMR studies of intramolecular coordination in; X-ray crystal structure of {*C*,*N*-[3-[(2-pyridyl)-2-thienyl}tri(*p*-tolyl)-tin(IV) (V.G. Kumar Das, L.K. Mun, C. Wei, S.J. Blunden, T.C.W. Mak), (322) 163

Thioketene-cobalt complexes, $[Co(R_2C{=}C{=}S)(PMe_3)(C_5H_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320) C31

Thiolatoamine-iron(II) and -molybdenum(II) with [M(SNNS)] units and CO, $PMe_3$, NO and $N_2H_4$ as coligands (SNNS = $(SC_6H_4(R)C_2H_4N(R)C_6H_4S)^{2-}$; R = H, $CH_3$) (D. Sellmann, U. Reineke), (314) 91

Thiolato-bridged carbonylcyclopentadienylmolybdenum dimeric complexes, $^1H$ NMR and electrochemical studies of isomerisation of; synthesis and X-ray crystal structure of $\{(\eta^5\text{-}C_5H_5)Mo(CO)_2(\mu\text{-S-t-Bu})\}_2(BF_4)_2$ (J. Courtot-Coupez, M. Guéguen, J.E. Guerchais, F.Y. Pétillon, J. Talarmin, R. Mercier), (312) 81

$\eta$-Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35

Tin-alkylation of sterically-hindered stanna-heterocyclic compounds; synthesis of tri-t-butyltin-lithium chalcogenides (D. Hänssgen, P. Reuter, G. Döllen), (317) 159

Titanocenyl-$Ti^{IV}$ cationic complexes, preparation and structure of $[(\eta^5\text{-}C_5H_5)_2Ti(bipy)]^{2+}(CF_2SO_3^-)_2$ and $[(\eta^5\text{-}C_5H_5)_2Ti(phen)]^{2+}(CF_3SO_3^-)_2$ (U. Thewalt, K. Berhalter), (302) 193

1-Trialkylstannyl-2-*para*-toluenesulphonylacetylenes, synthesis and reactivity of (Z. Djeghaba, G. Jousseaume, M. Ratier, J.-G. Duboudin), (304) 115

Tricarbonylmolybdenum(0) complexes, interaction with thiourea and mercury chloride of (A. Lopez, M. Panizo, M. Cano), (311) 145

Tricarbonyltungsten coordination complexes with $CS_2$ functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), (303) C25

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29

Trimethylplatinum(IV) complexes with tridentate Schiff base ligands containing N, O, and S donor atoms, preparation and $^1H$ NMR spectra of (D.H. Goldsworthy, K. Kite), (319) 257

$\alpha$-Trimethylsilyl ketones, regiodefined synthesis of $\alpha$-bromo, $\alpha$-phenylthio, and $\alpha$-phenylseleno ketones from (I. Matsuda, S. Sato), (314) 47

Tris(2,4,6-trimethylphenyl)antimony dihydroxide, synthesis and reactions with sulphonic acids $RSO_3H$ (R = $C_6H_5$, $CF_3$) of; crystal structure of $[2,4,6\text{-}(CH_3)_3C_6H_2]_3SbO \cdot HO_3SC_6H_5$ (F. Huber, T. Westhoff, H. Preut), (323) 173

Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), (302) C17

Trithia macrocyclic complexes of palladium, structural and electrochemical studies on (A.J. Blake, A.J. Holder, T.I. Hyde, Y.V. Roberts, A.J. Lavery, M. Schröder), (323) 261

Trithiagermatranes substituted with functional groups, synthesis of (N. Kakimoto, K. Sato, M. Matsui, T. Takada, M. Akiba), (316) C17

Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalogen unit into a M–H bond (M. Fahim, G. Tainturier), (301) C45

## Tantalum

$(C_5Me_5)Ta(H)_2(\eta^2\text{-}CHPMe_2)(PMe_3)$, synthesis, molecular structure and reactivity of $(C_5Me_5)Ta(H)_2(\eta^2\text{-}CHPMe_2)(PMe_3)$ (T.P. Kee, V.C. Gibson, W. Clegg), (325) C14

Dicyclopentadienyltantalum hydrides containing a Ta–Sn $\sigma$-bond; crystal and molecular structure of $(\eta^5\text{-}C_5H_5)_2TaH_2Sn(CH_3)Cl_2$ (T.M.

Arkhireeva, B.M. Bulychev, A.N. Protsky, G.L. Soloveichik, V.K. Bel'sky), (317) 33
Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111
Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebsch), (308) 19
Phenoxotantalum(V) complexes, preparation and structure of (M. Gómez, P. Royo, J.M. Selas), (314) 131
Tantalum organometallic compounds, analysis and classification of crystallographic data (*Review*) (C.E. Holloway, M. Melník), (303) 39
Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of $V^{IV}$, $CH_3Nb^{V}$ and $Hf^{IV}$ (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317

## Technetium

Manganese, technetium and rhenium; annual survey 1984 (P.M. Treichel), (318) 83
Managense, technetium and rhenium; annual survey 1985 (P.M. Treichel), (318) 121

## Tellurium

Bis(*N*,*N*-dimethylaminoformyl) ditelluride, isolation and crystal structure of (R.A. Zingaro, C. Herrera, E.A. Meyers), (306) C36
Bis(dimethylphosphinecyclopentadienylcobalt), $[C_5H_5Co(\mu\text{-}PMe_2)]$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
1,2-Bis( *p*-ethoxyphenyltelluromethyl)benzene and tetrakis( *p*-ethoxyphenyltelluromethyl)-methane, synthesis and characterisation of (H.M.K.K. Pathirana, W.R. McWhinnie, F.J. Berry), (312) 323
Bis(2-(2-pyridyl)phenyl)tritelluride, synthesis and crystal structure of (T.A. Hamor, N. Al-Salim, A.A. West, W.R. McWhinnie), (310) C5
$C_3$-bonded acetylacetonates of tellurium(IV), preparative and spectral investigations of (B.L. Khandelwal, A.K. Singh, N.S. Bhandari), (320) 283
Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machinek, B. Knieriem, W. Lüttke), (314) 53
Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320) 391
*cis*-Diacetoxylation of alkenes with tellurium(IV) oxide and lithium bromide in acetic acid (S. Uemura, K. Ohe, S.-I. Fukuzawa, S.R. Patil, N. Sugita), (316) 67
Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39
Dimethyl-selenium and -tellurium and trimethyl-selenium and -tellurium iodides, synthesis of (N. Kuhn, P. Faupel, E. Zauder), (302) C4
Metallocene–chalcogen compounds, synthesis of $[(\eta\text{-}C_5H_4R)_2ZrTe]_2$ complexes with a planar square metallacyclic squelette (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21
Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), (304) 341
Phenylenemercurials, transmetallation reactions with group 15 and 16 elements of (R.E. Humphries, N.A.A. Al-Jabar, D. Bowen, A.G. Massey, G.B. Deacon), (319) 59
Tetramethyldipnictogens, exchange reactions wih dimethyldichalcogenides of (A.J. Ashe III, E.G. Ludwig, Jr.), (308) 289
Vinylic tellurides, synthesis of (M.J. Dabdoub, V.B. Dabdoub, J.V. Comassetto, N. Petragnani), (308) 211

## Thallium

Bis(cyclopentadienylthallium)methane, intermediate for synthesis of dinuclear cyclopentadienylmetal carbonyl complexes (T.E. Bitterwolf), (312) 197
Fulvalenedithallium, synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1
Molybdenum and tungsten cyclopentadienylpentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of $[MoTl(SC_6F_5)_2Cp]$ (L = $SC_6F_5$, CO) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322) C1
Pentamethylcyclopentadienyltantalum, crystal structure of (H. Werner, H. Otto, H.J. Kraus), (315) C57

## Thorium

($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305

Indenyl-*f*-metal cationic complexes with pentagonal bipyramidal geometry; crystal structures of $[C_9H_7UBr_2(CH_3CN)_4]^+{}_2[UBr_6]^{2-}$ and $[\{(C_9H_7UBr(CH_3CN)_4\}_2O]^{2+}[UBr_6]^{2-}$ (W. Beeckman, J. Goffart, J. Rebizant, M.R. Spirlet), (307) 23

Uranium(IV) and thorium(IV) amides containing cyclopentadienyl ligands (F. Ossola, G. Rossetto, P. Zanella, G. Paolucci, R.D. Fischer), (309) 55

## Thulium

Tricyclopentadienyl-erbium(III) and -thulium-(III), X-ray structure of (S.H. Eggers, W. Hinrichs, J. Kopf, W. Jahn, R.D. Fischer), (311) 313

## Tin

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine–metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310) 107

Allyltin compounds, evidence for $\sigma$–$\pi$ interaction by photoelectron spectroscopy and LCBO calculations of (C. Cauletti, C. Furlani, F. Grandinetti, D. Marton), (315) 287

Arsaalkene $F_3CAs{=}CF_2$, Diels–Alder reactions of (J. Grobe, D. Le Van), (311) 37

Aryltrimethyl-silicon, -germanium and -tin compounds, synthesis and spectroscopic characterisation of (S.M. Moerlein), (319) 29

1-Aza-5-methyltricyclo[3.3.3.$0^{1,5}$]undecane, crystal and molecular structure of; transannular donor–acceptor interaction in a tetraorganotin compound (K. Jurkschat, A. Tzschach, J. Meunier-Piret), (315) 45

Benzyltin compounds, $^1H$ CIDNP investigation of photolysis of (A. Standt, H. Dreeskamp), (322) 49

{2,3,5,6-$\eta^4$-Bicyclo[2.2.1]hepta-2,5-diene}-(*E*)-bis(2-ethoxynaphth-1-yl)platinum(II), synthesis of (C. Weisemann, H.A. Brune), (312) 133

Bis-alkoxy-tin(IV) ($R_3SnO$–A–$OSnR_3$) derivatives of ethyleneglycol and pyridine-2,6-methanol, structures of (C. Picard, P. Tisnes, L. Cazaux), (315) 277

Bis(alkynyl)boranes, borol synthesis by organoboration of (A. Sebald, B. Wrackmeyer), (307) 157

Bis[bis(trimethylsilyl)methyl]tin, reactions with $M_3(CO)_{12}$ (M = Fe, Ru, Os) or its derivatives of; crystal and molecular structures of $M_3(\mu\text{-}SnR_2)_2(CO)_{10}$ ($R = CH(SiMe_3)_2$, M = Ru, Os) (C.J. Cardin, D.J. Cardin, G.A. Lawless, J.M. Power, M.B. Power, M.B. Hursthouse), (325) 203

Bis(1,3-diphenylpropane-1,3-dionato)di-n-butyltin(IV), crystal and molecular structure of (G. Poli, C.J. Cheer, W.H. Nelson), (306) 347

*cis*-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weisemann), (316) 367

Bis- and tris-(pyrazolyl)borate complexes of methyltin chlorides, preparation of; X-ray structure of five-coordinate [bis(pyrazolyl) borate]chlorodimethyltin(IV) (S.K. Lee, B.K. Nicholson), (309) 257

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310) 151

Bis(trimethyltin)carbonate (E.R.T. Tiekink), (302) C1

(*E*/*Z*)-$Bu_3SnCH_2CH{=}CHCH_3$, stereochemical course of addition reactions with aldehydes in the presence of Lewis acids ($Bu_2SnCl_2$, $BF_3 \cdot Et_2O$ and $TiCl_4$) (A. Boaretto, D. Marton, G. Tagliavini, P. Ganis), (321) 199

{3-[t-Butyl(phenyl)phosphino]propyl}dimethyltin chloride, crystal and molecular structure of (H. Weichmann, J. Meunier-Piret, M. Van Meerssche), (309) 267

Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls, $[Fe(CO)_3(L)(L')]$ ($L = \overline{CN\text{-}(Me)(CH_2)_2\dot{N}Me}$, $L' = PEt_3$ or $L = M(O\text{-}Ar)_2$ (M = Ge, Sn), $Ar = C_6H_2Bu^t_2$-2,6-Me-4), L' = CO) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27

Chalcogen-substituted acetylenes, C–C and C–chalcogen spin–spin coupling constants in (K. Kamieńska-Trela, Z. Biedrzycka, R. Machinek, B. Knieriem, W. Lüttke), (314) 53

[$\eta^5$-$(C_5H_4CHO)Cr(CO)_3$] anions, dual reactivity towards electrophiles of; crystal and molecular structures of ($\eta^6$-fulvenylbenzoate)tricarbonylchromium and ($\eta^5$-$C_5H_4CHO$)Cr-$(CO)_3Au(PPh_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

Cyclic triorganotin dithiophosphinates, structural aspects of; crystal structure of $[Me_2\dot{S}nSP(S)CH_2CH_2] \cdot HMPT$ (H. Weich-

mann, J. Meunier-Piret, M. Van Meerssche), (309) 273

Cyclotetrastannanes, crystal structure of (H. Puff, C. Bach, W. Schuh, R. Zimmer), (312) 313

Di- and tri-organotin derivatives of piperazine bis(dithiocarbamic) acid, synthesis and characterisation of (K.C. Molloy, T.G. Purcell), (303) 179

2,2-Dialkyl-1,3,2-oxathiastannolanes, structure of (P.A. Bates, M.B. Hursthouse, A.G. Davies, S.D. Slater), (325) 129

2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbadodecaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139

Di-n-butyltin(IV) compounds, $^{13}C$ and $^{119}Sn$ NMR spectra of (J. Holeček, M. Nádvorník, K. Handlíř, A. Lyčka), (315) 299

Dichloro- and diacetoxy-allylic compounds, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, A.-M. Zigna, B. Balavoine), (306) 257

Dicyclohexyltin dichloride and dibromide, crystal and molecular structures of (P. Ganis, G. Valle, D. Furlani, G. Tagliavini), (302) 165

Dicyclopentadienyltantalum hydrides containing a Ta–Sn σ-bond; crystal and molecular structure of $(\eta^5\text{-}C_5H_5)_2TaH_2Sn(CH_3)Cl_2$ (T.M. Arkhireeva, B.M. Bulychev, A.N. Protsky, G.L. Soloveichik, V.K. Bel'sky), (317) 33

Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291

Dihydridobis(trialkyltin)(pentamethylcyclopentadienyl)-rhodium(V) and -iridium(V) complexes, synthesis, characterisation and reactions of (J. Ruiz, C.M. Spencer, B.E. Mann, B.F. Taylor, P.M. Maitlis), (325) 253

1,2-Dihydro-1,2,5-disilaborepines, synthesis by organoboration of alkynylsilanes of (A. Sebald, P. Seiberlich, B. Wrackmeyer), (303) 73

Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), (301) 15

Dimethylaminomethylferrocene and *N,N*-dimethylbenzylamine, structure and triorganostannyl derivatives of (J. Azizian, R.M.G. Roberts, J. Silver), (303) 397

2,3-Dimethyl-1-ethyl-1,2,3-aluminadicarbadodecaborane, a versatile carbollyl transfer reagent (P. Jutzi, P. Galow), (319) 139

Dimethyltin dichloride and 2,2′-bipyridine solution complex, proton relaxation and dynamic NMR studies of solute–solvent interactions in (F. Sakai, H. Fujiwara, Y. Sasaki), (310) 293

Dimethyltin sulphide, interaction with 1,2-dibromoethane; crystal structure of dimethyltin dibromide/ 1,4-dithiane complex (V.I. Shcherbakov, I.K. Grigor'eva, G.A. Razuvaev, L.N. Zakharov, R.I. Bochkova, Yu-T. Struchkov), (319) 41

Diorganotin(IV) complexes of *N*-protected dipeptides (G.K. Sandhu, R. Gupta, S.S. Sandhu, L.S. Moore, R.V. Parish), (311) 281

*o*-(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with $Sn^{II}$–$Sn^{IV}$ bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47

Diphosphine and diarsine oxides, coordination behaviour in organotin(IV) adducts of (S. Dondi, M. Nardelli, C. Pelizzi, G. Predieri), (308) 195

Estertin dichlorides, $Cl_3SnCH_2CH_2CO_2R$, -Lewis acidity towards acetonitrile of; crystal structure of $Cl_3SnCH_2CH_2CO_2Pr\text{-}i$ (R.A. Howie, E.S. Patterson, J.L. Wardell, J.W. Burley), (304) 301

Group IV derivatives of $Os_3(\mu\text{-}H)_2(CO)_{10}$, structures of $HOs_3(\mu\text{-}H)_2(CO)_{10}$ and $Os_3(\mu\text{-}H)_3(CO)_{10}(SnMe_3)_2$ (F.W.B. Einstein, R.K. Pomeroy, A.C. Willis), (311) 257

Iododestannylation of stannatranes, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 45

(*O*-Isopropyldithiocarbonate)triphenyltin(IV), X-ray structure of; example of *S*- and *O*-xanthate coordination (E.R.T. Tiekink, G. Winter), (314) 85

Lithiated 1,3-dithianes, reactions with trialkyltin and triphenyltin chlorides of (J. Klaverness, F. Rise, K. Undheim), (303) 189

Main Group IV organometallic halides, insertion of indium(I) halides into the M–X bond of (T.A. Annan, D.G. Tuck), (325) 83

Mercuridestannylation of phenylstannatranes and related derivatives, kinetics and mechanisms of (M.D. Ravenscroft, R.M.G. Roberts), (312) 33

$Me_3SnO_2PCl_2$ and $Me_3SnO_2PMe_2$, crystal structures of; vibrational spectra of $Me_3SnO_2PMe_2$ (F. Weller, A.-F. Shihada), (322) 185

1,6-Methano[10]annulene-Group IVB derivatives, synthesis, substituent effects and reactivity of (W. Kitching, H.A. Olszowy, I. Schott, W. Adcock, D.P. Cox), (310) 269

1-Methyl-1,2,4-diazaphosphole, selective 5-metallation of (S. Kerschl, B. Wrackmeyer, A. Willhalm, A. Schmidpeter), (319) 49

Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1

Methylphenyltin dichloride and dihydride, electroreduction with formation of bis(chloromethylphenyltin) of (M. Engel, M. Devaud), (307) 15

Methyltin triiodide, crystal, molecular and electronic structure of (J.S. Tse, M.J. Collins, F.L. Lee, E.J. Gabe), (310) 169

Monomeric phosphinomethanide complexes of divalent germanium, tin and lead, preparation and spectra of (H.H. Karsch, A. Appelt, G. Hanika), (312) C1

Monooctyltin(IV) compounds, synthesis from 1-, 2-, or 3-octenes of (V.G. Kumar Das, O.G. Chee), (321) 335

Nitroalkanes, *O*- and *C*-stannylation of (E. Guibé-Jampel, F. Huet), (320) 171

Octaphenylpropane analogues, $Ph_3SnSiPh_2SnPh_3$ and $Ph_3SnGePh_2SnPh_3$, correlation between geminal NMR couplings and nonbonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11

Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61

Organotin(IV) chloride complexes of bis-$\beta$-ketophosphonium ylides, synthesis and characterisation of (R. Sanehi, R.K. Bansal, R.C. Mehrotra), (303) 351

Organotin(IV) compounds, $^{13}C$ NMR studies of (T.A.K. Al-Allaf), (306) 337

Organotin crowded fluorides, $(PhMe_2Si)_3CSnMe_2F$, $(Me_3Si)_3CSnMe_2F$, and $(Me_3Si)_3CSnPh_2F$, preparation and crystal structures of (S.S. Al-Juaid, S.M. Dhaher, C. Eaborn, P.B. Hitchcock, J.D. Smith), (325) 117

Organotin iodides, Lewis acidity of (Y. Farhangi, D.P. Graddon), (317) 153

Palladium-catalysed aryldestannylation of $\alpha$-styrylstannanes by arenediazonium salts (K. Kikukawa, H. Umekawa, T. Matsuda), (311) C44

Pentacarbonylmanganesetriphenylphsophine-silicon, -germanium and -tin, chemical ionisation mass spectrometry of (D. Perugini, G. Innorta, S. Torroni, A. Foffani), (308) 167

Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tzschach), (308) 325

5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)bicyclo[3.3.$0^{1,5}$]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), (304) 107

Phenyltin(IV) and phenyllead(IV) halides hexamethylphosphoramide adducts, fast atom bombardment mass spectrometry of (J.M. Miller, H. Mondal, I. Wharf, M. Onyszchuk), (306) 193

Platinum(II)/tin(II) systems, catalytic olefin hydrogenation supported on phosphinated polystyrenes by; a solid-state $^{31}P$ NMR study (H.C. Clark, C.A. Fyfe, P.J. Hayes, I. McMahon, J.A. Davies, R.E. Wasylishen), (322) 393

Platinum(II) trichlorostannate chemistry, importance of Pt–Sn linkage in hydroformulation chemistry, and formation of $PtC(OSnCl_2)R$-carbene (H.J. Ruegg, P.S. Pregosin, A. Scrivanti, L. Toniolo, C. Botteghi), (316) 233

Pt–Sn complexes as catalysts for olefin hydroformylation, NMR, IR and reactivity studies on (A. Scrivanti, A. Berton, L. Toniolo, C. Botteghi), (314) 369

Quinoline-*N*-oxide adduct of tri-*p*-tolyltin(IV) bromide, X-ray structure of (V.G. Kumar Das, Y.C. Keong, N.S. Weng, C. Wei, T.C.W. Mak), (311) 289

Rhodium(I) anionic and neutral complexes containing trichlorostannato ligands, isolation and reactions of (V. Garcia, M.A. Garralda, E. Zugasti), (322) 249

Selective allylation in the presence of tin or zinc of carbonyl compounds in aqueous media (C. Einhorn, J.-L. Luche), (322) 177

7-Silanorbornadiene, reactions with halogens and thermolysis in the presence of organometallic or organic halides of (H. Appler, W.P. Neumann), (314) 247

Silyltin(II) bulky derivative, formation and structure of (A.M. Arif, A.H. Cowley, T.M. Elkins), (325) C11

Stannacyclopentadienes, preparation via organoboration of diethynyldimethylstannane with *B*-alkyl-9-borabicyclo[3.3.1]nonanes (C. Bihlmayer, S.T. Abu-Orabi, B. Wrackmeyer), (322) 25

1,1,1,4-Tetrachlorobut-2-ene, reduction with tributyltin hydride in the presence or absence of a palladium catalyst of (F. Guibé, Y.T. Xian, G. Balavoine), (306) 267

Tetrakis(triphenylphosphine)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), (304) 257

Tetramethyl-1,2-bis(phenylthio)distannane, photochemical reaction with ketones of (H. Fobbe, W.P. Neumann), (303) 87

2,2,6,6-Tetramethyl-4-metallaspiro[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51

Thienyltetraorganotin(IV) compounds, Möss-

bauer and NMR studies of intramolecular coordination in; X-ray crystal structure of {*C*,*N*-[3-(2-pyridyl)-2-thienyl}tri(*p*-tolyl)tin-(IV) (V.G. Kumar Das, L.K. Mun, C. Wei, S.J. Blunden, T.C.W. Mak), (322) 163

Tin-alkylation of sterically-hindered stanna heterocyclic compounds; synthesis of tri-t-butyltin-lithium chalcogenides (D. Hänssgen, P. Reuter, G. Döllen), (317) 159

Tin(II) amides, cyclometallation reactions with (C. Stader, B. Wrackmeyer), (321) C1

Tin(IV) complexes with crown ethers, synthesis and chemico-physical characterisation of (A. Fontana, E. Rivarola, F. Saiano, U. Russo), (317) 285

Tin compounds used in carbohydrate and nucleoside chemistry (*Review*) (S.J. Blunden, P.A. Cusack, P.J. Smith), (325) 141

Transition metal catalysis in organotin chemistry (*Review*) (T.N. Mitchell), (304) 1

1-Trialkylstannyl-2-*para*-toluenesulphonylacetylenes, synthesis and reactivity of (Z. Djeghaba, G. Jousseaume, M. Ratier, J.-G. Duboudin), (304) 115

Tricarbonyl(fulvene)chromium complexes, reactions with $HgCl_2$ and $SnCl_4$ of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (309) 109

Trichlorostannate derivatives of chloro-bridged palladium(II) dimers, $^{31}P$ and $^{119}Sn$ NMR of (C. Arz, I.R. Herbert, P.S. Pregosin), (308) 373

Trimethylstannyllithium mediated synthesis of 2-, 3- and 4-trimethylstannylcyclohexanols (A. Ricci, M. Taddei, G. Secconi), (306) 23

Trimethyltin halides and dimethyltin dihalides, IR and Mössbauer studies of diamine complexes with (G. Eng, P.K. McKinney-Forbes, K.L. Richie, V.V. Nguyen, L. May), (310) 285

α-Triorganostannylvinyllithiums with Group IVB organometallic halides, reactions of; formation of α-trimethylplumbylvinyllithiums (T.N. Mitchell, W. Reimann), (322) 151

Triorganotin and triorganolead methyloxalates, preparation and structure of (A. Glowacki, F. Huber, H. Preut), (306) 9

Triorganotin(IV) benzoates and aminobenzoates, preparation and characterisation of (G.K. Sandhu, S.P. Verma, L.S. Moore, R.V. Parish), (321) 15

Triorganotin derivatives of 1,2-bis(2′-carboxyphenylamino)ethane and -propane and ethylenediaminotetraacetic acid (G.K. Sandhu, S.P. Verma, L.S. Moore, R.V. Parish), (315) 309

Triorganotin phosphorodiamidates, preparation and characterisation of (K.C. Molloy, T.G. Purcell), (312) 167

Triorganylstannate anion and phosphonium cation containing zwitterion, preparation of (M. Veith, V. Huch), (308) 263

($\eta^6$-1-Triphenylstannylbenzene)($\eta^5$-cyclopentadienyl)iron(II) hexafluorophosphate, preparation, structure and reactivity of (C.S. Frampton, K.G. Ofori-Okai, R.M.G. Roberts, J. Silver), (307) 231

Triphenyltin derivatives of methionine, penicillamine and cystein and L-histidinatotin(II) (O.A. Bamgboye, T.T. Bamgboye, P.G. Harrison), (306) 17

Triphenyltin(IV) 8-quinolyloxyacetate hydrate, $[Ph_3SnO_2CCH_2(8\text{-}C_9H_6NO)\cdot H_2O]_n$, organotin ester derivative built of hydrogen-bonded helical chains (V.G. Kumar Das, C. Wei, S. Wing, T.C.W. Mak), (322) 23

Vinyllithiums containing triorganostannyl groups on the α-carbon atom, preparation and stability of (T.N. Mitchell, W. Reimann), (322) 141

## Titanium

Acyl C–O bond cleavage in $(C_5Me_5)_2TiCOR$ compounds, formation of benzene derivatives by ring expansion involving incorporation of the acyl–carbon atom (E.J.M. de Boer, J. de With), (320) 289

Bis- and mono-(substituted cyclopentadienyl)titanium derivatives, high-performance liquid chromatographic behaviour of (B. He, Y. Qian, S. Chen), (320) 27

Bis-indenyl-titanacyclopentane and bis-indenyl-($\eta^2$-ethylene)titanium, preparation of (H. Lehmkuhl, R. Schwickardi), (303) C43

Bis(pentamethylcyclopentadienyl)titanium(IV) cationic complexes, $[(C_5Me_5)_2(DMF)Cl]CF_3SO_3$ and $[(C_5Me_5)_2(DMF)_2](CF_3SO_3)_2$ (DMF = dimethylformamide), preparation and structure of (B. Honold, U. Thewalt), (316) 291

Bis(phenylethynyl)dicyclopentadienyltitanium-(III) anion electrogeneration of (L. Koch, A. Fakhr, Y. Mugnier, L. Roullier, C. Moise, E. Laviron), (314) C17

Bis(trimethylstannyl)aminotitanium complex, $[TiCl_2(OC_6H_3Ph_2\text{-}2,6)_2]$ and $[TiCl\{N(SnMe_3)_2\}(OC_6H_3Ph_2\text{-}2,6)_2]$, synthesis and structures of (J.R. Dilworth, J. Hanich, M. Krestel, J. Beck, J. Strähle), (315) C9

(Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7

($\eta^1:\eta^5$-$C_5H_4$)-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of {Cp($\mu$-[$\eta^1:\eta^5$-$C_5H_4$])Ti-

$[PMe_3]\}_2$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310) 27

Cyclopentadienyltitanium(IV) complexes, behaviour in aqueous media of; titanocene complexes as cancerostatica (K. Döppert), (319) 351

Cyclopentadienyltitanium dinuclear complexes with oxygen bridges; structure of $[(C_5H_5)_2Ti]_2(\mu\text{-}O)$ (B. Honold, U. Thewalt, M. Herberhold, H.G. Alt, L.B. Kool, M.D. Rausch), (314) 105

Dibenzoato(di-$\pi$-cyclopentadienyl)titanium(IV), preparation in aqueous solution and structure of (K. Döppert, H.-P. Klein, U. Thewalt), (303) 205

Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39

Dichloro-$\eta^5$-cyclopentadienyltrimethylhydrazido-(1 − )titanium, molecular structure of (R. Hemmer, U. Thewalt, D.L. Hughes, G.J. Leigh, D.G. Walker), (323) C29

Dicyclopentadienyl-bis-isonitrile-titanium and -zirconium complexes, synthesis and characterisation of (L.B. Kool, M.D. Rausch, H.G. Alt, H.E. Engelhardt, M. Herberhold), (317) C38

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of $CO_2$ and $CS_2$ of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37

Di-$\eta^5$-cyclopentadienyl(cinnamylato-$C^3,O$)-titanium/phenylpropiolic acid (1/1), synthesis and molecular structure of; synthesis of dicyclopentadienylbis(phenylpropiolato)titanium (E. Samuel, J.L. Atwood, W.E. Hunter), (311) 325

Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183

Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69

Dicyclopentadienyl-diligand-molybdenum and -titanium complexes, estimation of stepwise M–L bond dissociation enthalpies in (M.J. Calhorda, A.R. Dias, A.M. Galvão, J.A. Martinho Simões), (307) 167

Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $Cp_2Ti(P_2S_4O_2(OEt)_2)$, isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209

Dicyclopentadienyltitanium(IV) dichloride and allyldicyclopentadienyltitanium(III), electron impact and negative ion chemical ionization mass spectra of derivatives of (G. Fu, Y. Qian, Y. Xu, S. Chen), (314) 113

Dicyclopentadienyltitanium(IV) pyridine-2,6-dicarboxylate complexes, synthesis and characterisation as pentacoordinate titanocene derivatives of (R. Leik, L. Zsolnai, G. Huttner, E. Neuse, H.H. Brintzinger), (312) 177

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303

1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310) C25

Dynamic stereochemistry of $TiBr + SPh^- \rightarrow TiSPh$ conversion with isocyanato complexes of titanocene (J. Besançon, J. Tirouflet, B. Trimaille, Y. Dusausoy), (314) C12

*O*-Ethyl-*C*,*O*-bis(trimethylsilyl)ketene acetal, treatment of $\alpha,\beta$-unsaturated ketones; synthesis of $\alpha$-ylidene-$\delta$-lactones (I. Matsuda), (321) 307

Fulvalenedithallium synthesis and reactions of (W.C. Spink, M.D. Rausch), (308) C1

Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19

Halo(alkoxo)- and monocyclopentadienyl-(halo)alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329

Lithium nitride reduction of chlorocyclopentadienyltitanium complexes, reaction products of (M. Kilner, G. Parkin), (302) 181

Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1

Mono-$\eta^5$-cyclopentadienyl-titanium(IV) and -zirconium(IV) complexes with one or two toluene-3,4-dithiolate ligands, synthesis of (H. Köpf, T. Klapötke), (307) 319

Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Tetrachlorotitanium and trichlorocyclopentadienyltitanium, reactions with tridentate triaminosilyl ligands; crystal and molecular structure of a titanabicycloheptane with Si–N–Li–Cl–Ti chain (D.J. Brauer, H. Bürger, G.R. Liewald), (307) 177

Tetrakis[$\mu$-oxo-(2,4,6-trimethylphenoxo)cyclopentadienyltitanium(IV)], preparation and structure of (U. Thewalt, K. Döppert), (320) 177

Titanium and aluminium bimetallic hydride complexes; octonuclear $\{[(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_5Me_4CH_2)Ti(\mu_2\text{-}H)_2Al]_2\text{-}\mu_3\text{-}O\}_2 \cdot 2C_6H_6$, crystal and molecular structure of (E.B. Lobkovskii, A.I. Sizov, B.M. Bulychev, I.V. Sokolova, G.L. Soloveichik), (319) 69

Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307

*ansa*-Titanocene chiral derivative with trimethylene-bridged tetrahydroindenyl ligands, synthesis of (W. Röll, L. Zsolnai, G. Huttner, H.H. Brintzinger), (322) 65

Titanocene chloride, activation of N=N bond in benzo[*c*]cinnoline by (S. Renaud, Y. Mugnier, L. Roullier, E. Laviron), (309) C11

Titanocene dichloride, hydrolysis of; preparation, structure and properties of trinuclear, oxygen-bridged, basic carboxylate complexes: $[Ti_3(\mu_3\text{-}O)(\mu_2\text{-}OH)_3(\mu_2\text{-}HCOO)_3(\eta^5\text{-}C_5H_5)_3]^+ \ HCOO^- \cdot 2HCOOH$ (K. Döppert, U. Thewalt), (301) 41

Titanocene dihalide derivatives, electron-impact mass spectra of (J. Müller, F. Lüdemann, H. Köpf), (303) 167

Titanocenyl-$Ti^{IV}$ cationic complexes, preparation and structure of $[(\eta^5\text{-}C_5H_5)_2Ti(bipy)]^{2+}(CF_3SO_3^-)_2$ and $[(\eta^5\text{-}C_5H_5)_2Ti(phen)]^{2+}(CF_3SO_3^-)_2$ (U. Thewalt, K. Berhalter), (302) 193

Transition metal butadiene complexes, formation via vinyllithium of (R. Beckhaus, K.-H. Thiele), (317) 23

## Transition metals — General

Metallocenes in biochemistry, microbiology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), (302) 281

Organic reactions of selected $\pi$-complexes; annual surveys 1984 (B.W. Rockett, G. Marr), (305) 199

Transition metal catalysis in organotin chemistry (*Review*) (T.N. Mitchell), (304) 1

Transition metals in organic synthesis: hydroformylation, reduction and oxidation; annual survey 1984 (L. Markó), (305) 333

## Tungsten

Alkenylphosphanes $RPX_2$ and $R_2PX$ (X = $NEt_2$, Cl), function as monodentate ligands and potential hemilable chelating agents in metal(0) complexes of (K. Diemert, B. Kottwitz, W. Kuchen), (307) 291

Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*-$[(N_2)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (M = Mo, W) and with $[Mo(Ph_2PCH_2PPh_2)_3]$; X-ray structure of *trans*-$[Mo(C{\equiv}CPh)_2(Ph_2PCH_2CH_2PPh_2)_2]$ (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pombeiro), (323) C47

Alkynyl- and dialkynyl-tungsten(IV) and -molybdenum(IV) asymmetrical-substituted complexes; crystal structure of $[W_2Cl_8(PhC{\equiv}C\text{–}C{\equiv}CSiMe_3)(pyridine)_2]$ (M. Kersting, K. Dehnicke, D. Fenske), (309) 125

Benzaldehyde and acetophenone cationic complexes, formation by hydride or methyl abstraction from $(\eta^5\text{-}C_5H_5)(CO)_3MH$ (M = Mo, W) and $(CO)_5ReCH_3$ with benzylium hexafluoroantimonate (M. Appel, W. Sacher, W. Beck), (322) 351

Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7.8]bicyclo[4.2.1]nona-2,4,7-triene promoted by $L_3M(CO)_3$ complexes (M = Cr, Mo, W) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), (301) 161

Benzylidene(pentacarbonyl)tungsten complexes, reactions with trimethylphosphite, triphenylarsane and triphenylstibane of (H. Fischer, J. Schmid), (306) 203

Bisacetonitriledihalogenotricarbonyl-molybdenum(II) and -tungsten(II) seven-coordinate complexes, synthesis and spectral properties of (P.K. Baker, S.G. Fraser, E.M. Keys), (309) 319

Bis[amino(ethoxy)carbene] complexes, rearrangements with Lewis acids of; structure of $\{(CO)_4WBr_3\}[HC(N\text{-}i\text{-}Pr_2)OEt]$ (E.O. Fischer, R. Reitmeier, G. Müller, J. Riede), (311) 91

Bis(cyclobuta-$\eta^6$-benzene)chromium$^{0,+1}$ and bis([1,2 : 4,5]-dicyclobuta-$\eta^6$-benzene)chromium$^{0,+1}$, synthesis and magnetic resonance properties of (C. Elschenbroich, J. Koch, J. Schneider, B. Spangenberg, P. Schiess), (317) 41

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP\text{-}t\text{-}Bu_2[ML_n]\}_2$ ($ML_n$ = $Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates $S(NP\text{-}t\text{-}Bu_2)_2M(CO)_4$ (M = Cr, Mo, W); crystal and molecular structure of $S(NP\text{-}t\text{-}Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Bis(diphenylphosphino)acetylene complexes of $C_5H_5(CO)_2Mn$ and $(CO)_5M$ (M = Cr, W), preparation and characterisation of (O. Orama), (314) 273

Bis-metallates, $Na_2\{Me_2Si[(C_5H_4)(CO)_3M]_2\}$ (M = Mo, W), preparation and rearangement to neutral complexes with σ-bonded dimethylarsenido or methyl groups of (R. Baumann, W. Malisch), (303) C33

Bis(tertiary phosphine)cycloheptatrienyltungsten complexes, synthesis and spectra of (R. Breeze, S. bt. Endud, M.W. Whiteley), (302) 371

Butadiynetungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehnicke), (316) 85

t-Butyldicarbonyl-$\eta^5$-cyclopentadienyliron, insertion reactions of (K.H. Pannell, T. Giasolli, R.N. Kapoor), (316) 315

Carbene-alkene-tungsten bidentate complex, internal NMR probe for coordination of Lewis acids in (A. Parlier, H. Rudler, M. Fontanille, A. Soum), (312) C11

Carbon–tungsten triple bonds, hydroboration of; crystal structures of $[W_2\{\mu\text{-}MeCB(H)Et\}(CO)_4(\eta\text{-}C_5H_5)_2]$ and $[W\{\eta^3\text{-}CH(BC_8H_{14})C_6H_4Me\text{-}4\}(CO)_2(\eta\text{-}C_5H_5)_2]$ and related complexes (D. Barratt, S.J. Davies, G.P. Elliott, J.A.K. Howard, D.B. Lewis, F.G.A. Stone), (325) 185

Carbyne complexes, *trans*-$X(CO)_4M{\equiv}CR$, influence of the central metal, the *trans*-X ligand and the carbyne substituent on M–CO dissociation in (H. Fischer, B. Bühlmeyer), (317) 187

$(CH_3)_5C_5(Cl)Ge \rightarrow W(CO)_5$, molecular rearrangement of (P. Jutzi, B. Hampel), (301) 283

$[\eta^5\text{-}(C_5H_4CHO)Cr(CO)_3]$ anions, dual reactivity towards electrophiles of; crystal and molecular structures of ($\eta^6$-fulvenylbenzoate)tricarbonylchromium and $(\eta^5\text{-}C_5H_4CHO)Cr(CO)_3Au(PPh_3)$ (F. Edelmann, S. Töfke, U. Behrens), (309) 87

$C_5Me_5(CO)(CF_3COO)_2\overline{W[\eta^2\text{-}C(O)CH_2CH_2CO}Me]$, preparation, characterisation and molecular structure of (H.I. Hayen, H.G. Alt, R.D. Rogers), (323) 339

$(CO)_5W{=}C[N(CH_3)_2]C_6H_4\text{-}p\text{-}CH_3$, regioselective anion generation and alkylation of (C.P. Casey, N.L. Hornung, N.W. Vollendorf), (303) 375

$Cp'(CO)(L)\overline{W[(PMe_3)HCCHCOMe]}$ ($Cp' = \eta^5\text{-}C_5H_5$, $\eta^5\text{-}C_5Me_5$; L = CO, $PMe_3$), rearrangements with $CF_3COOH$ of; reactions of $[C_5Me_5(CO)_2(CF_3COO)_2][PMe_3CH_2CH_2CO\text{-}Me]$ with CO, $PMe_3$, $NOBF_4$ and $Et_3OBF_4$ (H.G. Alt, H.I. Hayen), (316) 301

Cyclopentadienyl-molybdenum- and -tungsten-undecacarbonyltricobalt and -iridium clusters, synthesis of; crystal structure of $C_5H_5MoIr_3(CO)_{11}$ (M.R. Churchill, Y.-J. Li, J.R. Shapley, D.S. Foose, W.S. Uchiyama), (312) 121

Dibromoacetylenetungsten(IV) complexes, crystal structure of $PPh_4[WBr_5(BrC{\equiv}CBr)]\cdot 0.5CCl_4$ (K. Stahl, A. El-Kholi, U. Müller, M. Dehnicke), (316) 95

Dicarbonylcyclopentadienylalkylidynetungsten complex, $[W(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$, reactions with $PHPh_2$ of; synthesis and X-ray structures of $[\overline{W(CHRPPh_2)}(CO)_2(\eta\text{-}C_5H_5)]$ and $[\overline{W(CHRCOOPPh_2)}(PHPh_2)(CO)(\eta\text{-}C_5H_5)]$ (R = $C_6H_4Me$-4) (G.A. Carriedo, V. Riera, M.L. Rodriguez, J.C. Jeffery), (314) 139

Dicarbonyl-carbonyl-(trimethylphosphine)(cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320) 83

μ-[(Di-$\eta^5$-cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), (302) 363

Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di-$\eta^5$-cyclopentadienyliodoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5\text{-}C_5H_5)_2I(NCCH_3)][PF_6]$ (M.J. Calhorda, M.A.A.F. de Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320) 63

($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305

*mer*-Dihalogenotricarbonyldialkylaminocarbynetungsten anionic complexes, formation and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (310) 357

(α-Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), (302) 211

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303

*o*-(Diphenylphosphine)phenylbromomagnesium, reaction with tin(II) chloride of; formation of a species with $Sn^{II}$–$Sn^{IV}$ bond (K. Jurkschat, H.-P. Abicht, A. Tzschach, B. Mahieu), (309) C47

1,3-Dipolar germylene ligands, interaction with chromium and tungsten complexes of (A. Castel, P. Rivière, J. Satgé, M. Ahbala, J. Jaud), (307) 205

Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), (304) 309

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), (304) 157

$[FeW(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_5(\eta\text{-}C_5Me_5)]$, addition of methylene groups to (E. Delgado, J. Hein, J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), (307) C23

Fulvenetricarbonylchromium complexes and $\alpha$-ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310) 333

Furfurylphosphanes, chemical behaviour and influence on the selectivity and homologation of ethanol synthesis from methanol of (E. Lindner, C. Scheytt, P. Wegner), (308) 311

Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and indepent ligand (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

$[HCN(C_6H_5)CH_2CH_2N(C_6H_5)]^+[Br_2(CO)_3W\text{-}CN(cyclo\text{-}C_6H_{11})_2]^-$, preparation by rearrangement of a neutral carbyne complex with an electron-rich olefin and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (303) C13

Heterobimetallic $\mu$-phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Heteronuclear (W–Fe) and homonuclear (Fe–Fe) $\mu$-alkylidenemetal complexes from mononuclear terminal carbene complexes; crystal structures of $CH_3C_2H_2(CO)_8WFeOC_2H_5$ and $(CO)_6WFeC_3H(CH_3)(OC_2H_5)_2$ (C. Alvarez-Toledano), A. Parlier, F. Rose-Munch, H. Rudler, J.C. Daran, C. Knobler, Y. Jeannin) (323) 371

Hexacarbonyl-Group VI metal derivatives of fluorine-substituted ditertiary phosphines (P.N. Kapoor, D.D. Pathak, G. Gaur, P.C. Mercykutty), (311) 103

Homodinuclear and *cis*-mononuclear complexes of $Ph_2PNSNPPh_2$, preparation and $^{31}P$ DNMR studies of; crystal structure of *cis*-$Cr(CO)_4(Ph_2PNSNPPh_2)\cdot 0.5C_6H_6$ (T. Chivers, C. Lensink, J.F. Richards), (325) 169

Homonuclear $\mu$-alkylidenetungsten complexes, synthesis and X-ray structures of (A. Parlier, M. Rudler, H. Rudler, J.C. Daran), (323) 353

Iron-molybdenum and iron-tungsten sulphido clusters containing hydrazido(2–) ligands (J.R. Dilworth, S. Morton), (314) C25

Ketene-phosphino and -arsino complexes, formation of tungsten-containing pentacyclic compounds by addition of trimethylphosphine to (F.R. Kreissl, M. Wolfgruber, U. Thewalt), (317) 175

$[M(CO)_3]_2$-$\mu$-$[(\eta^5\text{-}Cp)_2SiMe_2]$, reactivity towards tetramethyldiphosphane, formation of a PMP-heteroallyl system (M = Mo, W) (J. Heck), (311) C5

Metallacyclic alkenyl ketone complexes, $Cp'(CO)_2W[HC{=}CHC(O)Me]$ ($Cp' = \eta^5\text{-}C_5H_5$, $\eta^5\text{-}C_5Me_5$) with NO, ClNO and $CF_3COOH$, fragmentation, nitrosylation and hydration reactions of (H.G. Alt, H.I. Hayen), (316) 105

Molybdenum and tungsten cyclopentadienylpentafluorophenylthiolate complexes as polydentate ligands of thallium(I); dynamic NMR and crystal structures of $[MoTl(SC_6F_5)_2Cp]$ (L = $SC_6F_5$, CO) (W.A.W.A. Bakar, J.L. Davidson, K.J. McCullough, K.W. Muir), (322) C1

Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ (M = W, Mo, Cr; $SiR_3$ = $SiPh_3$, $SiMePh_2$; R' = Me, Et, n-Bu, $C_6H_{11}$, Ph), $HSiR_3$ elimination from (W. Hepp, U. Schubert), (321) 317

Neutral diphenylarsano-transition metal complex *trans*-$Ph_2As(CO)_2(2,2'\text{-bipy})WCNEt_2$ (2,2'-bipy = 2,2'-bipyridyl), (A.C. Filippou, E.O. Fischer, K. Öfele, H.G. Alt), (308) 11

Olefin metathesis with organosilanes, initiation of (M. Berglund, C. Andersson, R. Larsson), (314) 61

Organometallic derivatives with anions of fluorosulphonic acid, and perfluoro sulphonic and carboxylic acids (M. Appel, K. Schloter, J. Heidrich, W. Beck), (322) 77

Organotungsten(VI) complex containing W=N–N=W core, $[(\eta^5\text{-}C_5Me_5)W(CH_3)_3]_2(\mu\text{-}N_2)$, crystal structure of (M.R. Churchill, Y.-J. Li), (301) 49

Pentacarbonyl-chromium, -molybdenum and -tungsten complexes of 5-diphenylphos-

phineuracil (J. Ellermann, A.A.M. Demuth), (309) 307

Pentacarbonyl(diphenylcarbene)tungsten, reaction with diethylamino(dimethyl)acetonitrile of (H. Fischer, S. Zeuner), (321) C6

Pentacarbonyl-Group VI metal(0) P-coordinated complexes, of multiple-bond organophosphorus compounds in low coordination state (M. Yoshifuje, K. Shibayama, T. Hashisa, K. Toyota, T. Niitsu, I. Matsuda, T. Sato, N. Inamoto), (311) C63

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-trazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I,P. Beletskaya, O.A. Reutov), (321) 371

Pentacarbonylmercaptophosphane- and tetracarbonyl-bis(mercaptophosphane)-chromium, -molybdenum and -tungsten complexes, synthesis and spectroscopic investigations of (J. Grobe, D. Le Van, W. Meyring), (307) 327

Pentacarbonylmetal(0) intramolecularly base-stabilised tin(II) compounds, synthesis and structure of (A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tzschach), (308) 325

Pentacarbonyl-[methoxy- and -[acetoxy-(phenyl)-carbene]-chromium and -tungsten complexes, reactions with tetramethylcyanoguanidine of (H. Fischer, F. Seitz, G. Müller), (320) 185

*cis*-[($\eta^1$-4-Pentenyldiphenylphosphine)tetracarbonyltungsten(0)], rates of olefin coordination via chelate ring closure through flash photolysis in (P.H. Wermer, C.B. Dobson, G.R. Dobson), (311) C47

Phosphineiridium(I) complexes, reactions with $S_4N_4$ of; synthesis and crystal structure of $[(dppen)_2Ir(S_2N_2)]BPh_4) \cdot 0.5CH_3COCH_3$ and $\{(dppen)_2Ir(S_2N_2)[W(CO)_5](BPh_4 \cdot 0.5CH_2Cl_2)\}$ (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (312) 383

Phosphinidene and diphosphene complexes, preparation of three-membered PPP, PPN and PPS cyclic ligands from (J. Borm, G. Huttner, O. Orama), (306) 29

Phosphinidene complexes, reasons for extremely paramagnetic shifts in $^{31}P$ NMR spectra of (G. Huttner), (308) C11

Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), (302) C30

Polynuclear metal complexes incorporating hydrido-phosphido ligands (E.A.V. Ebsworth, A.P. McIntosh, M. Schröder), (312) C41

$(PPh_4)_3Ag[WF_5(C_2I_2)]_2$, synthesis, IR spectrum and crystal structure of (A. El-Kholi, K. Stahl, U. Müller, K. Dehnicke), (317) C9

Silicon-disubstituted ($\eta^4$-silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320) C7

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Tetra- and penta-carbonyl-binuclear-tungsten complexes, solvatochromism of metal-to-ligand charge transfer transitions in (W. Kaim, S. Kohlmann, S. Ernst, B. Olbrich-Deussner, C. Bessenbacher, A. Schulz), (321) 215

Tetracarbonyl(phosphinothioformamide) complexes, $(CO)_4M(PS)$ (M = Cr, Mo, W), reversible substitution with triorgano-phosphines, -arsines and -stibines of (U. Kunze, H. Jawad, E. Boziaris), (312) 67

Tolylmethylidyne(carborane)tungsten anionic complexes, protonation and reaction with trimethylphosphine of (A.P. James, F.G.A. Stone), (310) 47

Transition metal carbonylates in nucleophilic aromatic substitution, influence of ionic association on reaction rates with perfluoroaromatic substrates (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (311) 199

Transition metal substituted stannylenes, preparation and spectra of (H.H. Karsch, A. Appelt), (312) C6

Tricarbonyl-$\eta$-cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.H. Yassin), (301) 313

Tricarbonyl-$\eta^4$-dienetrimethylphosphite-tungsten complexes, synthesis and dynamic behaviour of (S. Özkar, C.G. Kreiter), (303) 367

Tricarbonyltungsten coordination complexes with $CS_2$ functional groups, 1,3-cycloaddition to (W.A. Schenk, D. Kümmerle), (303) C25

Trifluoromethanesulphonato-molybdenum, -tungsten, -iron and -ruthenium complexes, synthesis and reactions of (K.-H. Griessmann, S. Stasunik, W. Angerer, W. Malisch), (303) C29

Tungsten hydride complex, insertion reactions of (P. Kundel, H. Berke), (314) C31

$[W(PMe_3)_4(\eta^2\text{-}CH_2PMe_2)H]$, reactions with carbon dioxide and dihydrogen of; characterisation of $[\{W(PMe_3)_3(\eta^1\text{-}PMe_2\text{-}CH_2)\}_2(C_3H_2O_6)]$ using two-dimensional NMR spectroscopy (M.L.H. Green, G.

Parkin, D. O'Hare, L.-L. Wong, A.E. Derome), (317) 61

## Uranium

Dicyclopentadienyl alkoxides and aryl oxides of uranium(IV), influence of steric hindrance of an alkyl group on their stability (A. Berton, M. Porchia, G. Rossetto, P. Zanella), (302) 351

Hydride-rich uranium-rhenium dimer, $[(p\text{-}FC_6H_4)_3P]_2ReH_6U(\eta\text{-}C_5H_5)_3$, synthesis of (D. Baudry, M. Ephritikhine), (311) 189

Hydroalumination of olefins by $LiAlH_4/UCl_4$ system (J.-F. Le Marechal, M. Ephritikhine, G. Folcher), (309) C1

Indenyl-*f*-metal cationic complexes with pentagonal bipyramidal geometry; crystal structures of $[C_9H_7UBr_2(CH_3CN)_4]^+{}_2[UBr_6]^{2-}$ and $[\{(C_9H_7UBr(CH_3CN)_4\}_2O]^{2+}[UBr_6]^{2-}$ (W. Beeckman, J. Goffart, J. Rebizant, M.R. Spirlet), (307) 23

Tricyclopentadienyl(cyclooctane-1,5-diyl)uranium dihydroborate, synthesis and crystal structure of (P. Zanella, F. Ossola, M. Porchia, G. Rossetto, A. Chiesi Villa, C. Guastini), (323) 295

Tricyclopentadienyluranium(IV) cationic complexes with isonitrile ligands of the type $[Cp'_3U(CNR)L]^+$ (H. Aslan, R.D. Fischer), (315) C64

Tricyclopentadienyluranium $\eta^2$-iminoalkyl(cycloalkyl) derivatives, mass spectrometric behaviour of (G. Paolucci, S. Daolio, P. Traldi), (309) 283

Tricyclopentadienyluranium tetrahydroaluminate, synthesis and characterisation of (F. Ossola, N. Brianese, M. Porchia, G. Rossetto, P. Zanella), (310) C1

Uranium(IV) and thorium(IV) amides containing cyclopentadienyl ligands (F. Ossola, G. Rossetto, P. Zanella, G. Paolucci, R.D. Fischer), (309) 55

## Vanadium

Dicyclopentadienyl[$\eta^2$-(*C*,*N*)-ketene imine]-vanadium complexes, synthesis and structure of (T. Sielisch, U. Behrens), (310) 179

Dithiophosphate and dithiophosphinate dicyclopentadienylvanadium(IV) complexes, preparation and spectral studies of (M. Morám, I. Cuadrado), (311) 333

Group VB metals, metal carbonyl complexes of (F. Calderazzo, G. Pampaloni), (303) 111

Hydridocarbonyl-vanadium, -niobium and -tantalum complexes, preparation and characterisation of (D. Rehder, P. Oltmanns, M. Hoch, C. Weidemann, W. Priebsch), (308) 19

Organovanadium oxides $(\eta^5\text{-}C_5H_5)VOCl_2$, synthesis of derivatives of (W.A. Herrmann, G. Weichselbaumer, H.-J. Kneuper), (319) C21

Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320) C31

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and moleculear structures of spirocyclic tetraamides of $V^{IV}$, $CH_3Nb^V$ and $Hf^{IV}$ (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310) 317

Vanadium organometallic compounds, analysis and classification of crystallographic data (*Review*), (C.E. Holloway, M. Melník), (304) 41

## Ytterbium

Bis(pentamethylcyclopentadienyl)-calcium and -ytterbium in the gas phase, molecular structures of (R.A. Andersen, J.M. Boncella, C.J. Burns, R. Blom, A. Haaland, H.V. Volden), (312) C49

Pentamethylcyclopentadienyl(chloro)dialkyllanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310) C29

## Yttrium

Alkylpermethylyttrocene complexes, synthesis of (K.H. den Haan, Y. Wielstra, J.J.W. Eshuis, J.H. Teuben), (323) 181

Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1′-(3-oxapentamethylene)-dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285

Permethylyttrocene chloride, synthesis and coordination chemistry of (K.H. den Haan, J.H. Teuben), (322) 321

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and $^{139}La$ NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

1,1′-Trimethylenedicyclopentadienyl-early lanthanide $\sigma$-bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), (302) 171

## Zinc


Alkyl- and hydrido-zinc compounds, factors affecting the degree of association of (N.A. Bell, P.T. Moseley), (325) 47

1-Aza-4-oxo-3-substituted-1,3-butadienes (α-amino esters and amides), coordination to aluminium chloride, zinc chloride and dimethylzinc of; selective reduction in $ZnEt_2$/$R^1N{=}CHC(NEt_2){=}O$ system; crystal structure of $[EtZn(t\text{-}Bu)NCH_2C(NEt_2){=}O]_2$ (M.R.P. van Vliet, G. van Koten, J.F. Modder, J.A.M. van Beek, W.J. Klaver, K. Goubitz, C.H. Stam), (319) 285

Bis-μ-oxo rhenium(VI) dimer $Re_2O_2(\mu\text{-}O)_2(CH_2CMe_2Ph)_4$, synthesis and structure of (J.M. Huggins, D.R. Whitt, L. Lebioda), (312) C15

1,4-Dienes prepared from terminal alkynes in the presence of zinc, regiospecificity and utility in synthesis of (P. Knochel, J.F. Normant), (309) 1

Diethylzinc, reaction products with trihydric phenols of (P. Górecki, W. Kuran), (312) 1

Di-halo- and di-pseudohalo-bipyridine nickel(0) complexes, organic group coupling by electrochemical reduction catalysed by (Y. Rollin, M. Troupel, D.G. Tuck, J. Perichon), (303) 131

Ethyl α-(bromomethyl)acrylate, reformatsky reaction with acyl chlorides and nitriles of (N. El Alami, C. Belaud, J. Villieras), (319) 303

Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetonate)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), (301) C17

Palladium-catalysed cross-coupling reactions, stereoselectively fluorinated conjugated dienes prepared via (F. Tellier, R. Sauvêtre, J.-F. Normant), (303) 309

Selective allylation in the presence of tin or zinc of carbonyl compounds in aqueous media (C. Einhorn, J.-L. Luche), (322) 177

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Triethylaluminium etherate, ultrasonic irradiation in one-pot synthesis and conversion into other organometallic compounds of (Y.-T. Lin), (317) 277

Zinc carbenoid reagents, reactions with enol ethers: cyclopropanation and subsequent isomerisation to allylic ethers (I. Ryu, T. Aya, S. Otani, S. Murai, N. Sonoda), (321) 279

Zinc enolates, C- or O-metallation of (J. Dekker, A. Schouten, P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), (320) 1


## Zirconium


(Bromomethyl)mercury(II) bromide, vibrational spectrum of (H.G.M. Edwards), (314) 7

(Butadiene)zirconocene, reactions with carbonyliron complexes of (G. Erker, R. Lecht), (311) 45

$(\eta^5\text{-}C_5H_5)_2Zr[CH(SC_6H_5)C_6H_5]_2$, thermally induced elimination of stilbene from (E.A. Mintz, A.S. Ward), (307) C52

$(C_5H_5)_2Zr(CO)[P(OCH_3)_3]$, preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), (301) 299

Cyclopentadienylzirconium carboxylato trinuclear, oxygen-centered, ionic complex, $[Zr_3(\mu_3\text{-}O)(\mu_2\text{-}OH)_3(\omega_2\text{-}C_6H_5\text{-}COO)_3(\eta^5\text{-}C_5H_5)_3]^+ C_6H_5COO^- \cdot O(C_2H_5)_2$, preparation and structure of (U. Thewalt, K. Döppert, W. Lasser), (308) 303

Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320) C39

Dichlorobis($\eta^5$-t-butylcyclopentadienyl)zirconium(IV), crystal structure and reactivity of (R.A. Howie, G.P. McQuillan, D.W. Thompson, G.A. Lock), (303) 213

Dicyclopentadienyl-bis-isonitrile-titanium and -zirconium complexes, synthesis and characterisation of (L.B. Kool, M.D. Rausch, H.G. Alt, H.E. Engelhardt, M. Herberhold), (317) C38

Dicyclopentadienylbis(toluolsulphonato)zirconium, preparation and structure of (W. Lasser, U. Thewalt), (302) 201

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of $CO_2$ and $CS_2$ of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320) 37

Dicyclopentadienyldimethyl-titanium(IV), -zirconium(IV) and -hafnium(IV), IR spectra of and methyl group properties in (G.P. McQuillan, D.C. McKean, I. Torto), (312) 183

Dicyclopentadienylzirconium(IV) dichloride, aliphatic acid dihydrazide derivatives of and their reactions with β-diketones (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), (321) 27

Dicyclopentadienylzirconium(IV), picolinoyl, nicotinoyl and isonicotinoyl hydrazone derivatives of (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), (306) 355

Diene- and aryne-substituted metallocene complexes, cyclometallation reactions of (G. Erker, T. Mühlenbernd), (319) 201

($\eta^4$-Diene)transition metal complexes, indirect scalar spin–spin coupling constant $^1J(^{13}C, ^{13}C)$ in (R. Benn, A. Rufińska), (323) 305

Di-$\mu$-hydroxobis(triaqua-$\pi$-cyclopentadienylzirconium(IV)) cation, preparation and structures of two salts of (W. Lasser, U. Thewalt), (311) 69

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310) 303

Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19

Halo(alkoxo)- and monocyclopentadienyl(halo)-alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329

Hydridozirconium-rhodium complex, $Cp_2Zr(CH_2PPh_2)_2RhH(PPh_3)$, catalyst for hydroformylation of 1-hexene (R. Choukroun, A. Iraqi, D. Gervais), (311) C60

Metallocene–chalcogen compounds, synthesis of $[(\eta\text{-}C_5H_4R)_2ZrTe]_2$ complexes with a planar square metallacyclic squelette (G. Erker, T. Mühlenbernd, R. Nolte, J.L. Petersen, G. Tainturier, B. Gautheron), (314) C21

Methylene-di-Grignard reagent, synthesis of 1,3-dimetallacyclobutanes with (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (308) 1

Mono-$\eta^5$-cyclopentadienyl-titanium(IV) and -zirconium(IV) complexes with one or two toluene-3,4-dithiolate ligands, synthesis of (H. Köpf, T. Klapötke), (307) 319

Monooctyltin(IV) compounds, synthesis from 1-, 2-, or 3-octenes of (V.G. Kumar Das, O.G. Chee), (321) 335

Titanium, zirconium and hafnium mixed sandwich compounds, He(I) and He(II) photoelectron spectra of (R.R. Andréa, A. Terpstra, A. Oskam, P. Bruin, J.H. Teuben), (307) 307

Transition metal butadiene complexes, formation via vinyllithium of (R. Beckhaus, K.-H. Thiele), (317) 23

Trioxo($\eta^5$-pentamethylcyclopentadienyl)rhenium(VII), transfer of oxygen ligands to organozirconium(III) compounds by (W.A. Herrmann, T. Cuenca, U. Küsthardt), (309) C15

Zirconium and hafnium organometallic compounds, analysis and classification of crystallographic and structural data (*Review*) (C.E. Holloway, I.M. Walker, M. Melník), (321) 143

Zirconium based homogeneous catalysts in organic synthesis (*Review*) (U.M. Dzhemilev, O.S. Vostrikova, G.A. Tolstikov), (304) 17

Zirconocene and hafnocene dichlorides, electrogeneration of $Zr^{III}$ and $Hf^{III}$ anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Laviron), (302) C7

Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M–H bond (M. Fahim, G. Tainturier), (301) C45

Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320) 349

Zirconocene bridged and unbridged alkyl derivatives, hydrogenolysis of (F. Wochner, H.H. Brintzinger), (309) 65

## Book reviews

A pictorial approach to molecular bonding; by J.G. Verkade (322) C41

Ab initio molecular orbital theory; by W.J. Hehre, L. Random, P.v.R. Schleyer and J.A. Pople (J.N. Murrell), (309) C72

Advances in heterocyclic chemistry, Vol. 39; edited by A.R. Katritzky (P.A. Chaloner), (323) C18

Advances in organometallic chemistry, Vol. 24; edited by F.G.A. Stone and R. West (C. Eaborn), (310) C76

Advances in organometallic chemistry, Vol. 25; edited by F.G.A. Stone and R. West (C. Eaborn), (323) C33

An introduction to organometallic chemistry; by A.W. Parkins and R.C. Poller (M.F. Lappert), (321) C17

Asymmetric synthesis. Vol. 2; Stereodifferentiating addition reactions, Part A; edited by J.D. Morrison (P.A. Chaloner), (304) C27

Bond and structure models (Structure and bonding 63) (K.R. Seddon), (321) C18

Carbocation chemistry; by P. Vogel (C. Eaborn), (304) C28

Carbosilanes: Synthesis and reactions; by G. Fritz and E. Matern (C. Eaborn), (315) C40

Catalysis science and technology, Vol. 7; edited by J.R. Anderson and M. Boudart (G.J. Leigh), (309) C36

Catalytic hydrogenation; edited by L. Červený (P.A. Chaloner), (321) C33
Chemistry of monoterpenes, an encyclopedic handbook, vol. A and B; by W.F. Erman (J.R. Hanson), (310) C75
Chemistry of pseudohalides; edited by A.M. Golub, H. Köhler and V.V. Skopenko (C. Eaborn), (321) C21
Clusters, structure and bonding 62 (K.R. Seddon), (319) C35
Dictionary of organometallic compounds, First Supplement; edited by J.E. Mavintyre, Chapman and Hall (C. Eaborn), (306) C59
Directory of Graduate Research 1985 (C. Eaborn), (306) C31
Electrochemistry, Vol. 10; reported by D. Pletcher et al. (K.R. Seddon), (301) C40
Fundamental and technological aspects of organo-*f*-element chemistry; edited by T.J. Marks and I.L. Fragalà (K.R. Seddon), (301) C38
Gmelin handbook of inorganic chemistry, 8th edit., Cu, organocopper compounds, Part 1; by J. Faust, J. Füssel and H. Somer (C. Eaborn) (307) C63
Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part A8, Ferrocene 8 (C. Eaborn), (317) C49
Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part B8, Mononuclear compounds 8; by A. Slawisch; edited by R. Froböse and A. Slawisch (M.F. Lappert), (323) C22
Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part B9, Mononuclear compounds 9 (K.R. Seddon), (317) C31
Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part B10, Mononuclear compounds 10 (K.R. Seddon), (317) C32
Gmelin handbook of inorganic chemistry; 8th edit., Mo - molybdenum, Suppl. Vol. A2a: Element, Physical properties, Part I (K.R. Seddon), (311) C69
Gmelin handbook of inorganic chemistry. 8th edit., Mo — molybdenum, Suppl. Vol. B4: Compounds — hydrous molybdates of Group VA to VIB metals (System Nos. 18–52) (K.R. Seddon), (310) C74
Gmelin handbook of inorganic chemistry, 8th edit., Pt - Platinum, suppl. vol. A1, Technology of Platinum-Group metals (K.R. Seddon), (319) C58
Gmelin handbook of inorganic chemistry, 8th ed., Sc, Y, La–Lu Rare earth elements, Part C9: Compounds with Se (K.R. Seddon), (315) C39
Gmelin handbook of inorganic chemistry, 8th edit., Sc, Y, La-Lu rare earth elements, Part D4, Coordination compounds (continuation) (K.R. Seddon), (319) C36
Gmelin handbook of inorganic chemistry, 8th ed., Sn—Organotin compounds, Part 12, Tripropyltin- and tributyltin-oxygen compounds; by H. Schumann and I. Schumann (C. Eaborn) (304) C8
Gmelin handbook of inorganic chemistry, Sn — organotin. Part 13. Other $R_3Sn$-oxygen compounds, $R_2R'Sn$- and $RR'R''Sn$-oxygen compounds (C. Eaborn), (323) C33
Gmelin handbook of inorganic chemistry, 8th edit., Th — Thorium, Supplement Vol. A2, History, isotopes, recovery of thorium (K.R. Seddon), (320) C5
Gmelin handbook of inorganic chemistry, 8th ed., Th—Thorium, Supplement vol. C5: Compounds with S, Se, Te, and B (K.R. Seddon), (309) C34
Gmelin handbook of inorganic chemistry, 8th edition, U — Uranium, Supplement Vol. C5: Uranium dioxide, $UO_2$, Physical properties, Electrochemical behaviour (K.R. Seddon), (309) C72
Gmelin handbook of inorganic chemistry, 8th edit., Th—Thorium, Supplement Vol. D2, Solvent extraction (K.R. Seddon) (301) C65
Handbook of coordination catalysis in organic chemistry; by P.A. Chaloner (D. Parker), (319) C37
Handbook of heterocyclic chemistry; by A.R. Katritzky (D.W. Young), (309) C70
Homogenous catalysis with compounds of rhodium and iridium; by R.S. Dickson (P.A. Chaloner), (301) C13
Houben–Weyl Methoden der organischen Chemie, organische Schwefel-Verbindungen, 4th edition, Vol. E11, parts 1 and 2; edited by K. Klamann (P.A. Chaloner), (301) C42
Houben–Weyl Methoden der organischen Chemie, Carbocyclische $\pi$-electronen-Systeme, 4th edition, Vol. V, part 2c; edited by H. Kropf (P.A. Chaloner), (309) C70
Hydrogenation methods; by P.N. Rylander (P.A. Chaloner) (301) C67
Inorganic high pressure chemistry: kinetics and mechanisms, Studies in inorganic chemistry 7; edited by R. van Eldik (K.R. Seddon), (323) C23
Inorganic syntheses, Vol. 23; edited by S. Kirschner (K.R. Seddon), (301) C39
Inorganic syntheses, Vol. 24; ed. by J.M. Shreeve et al. (C. Eaborn), (317) C48
Landolt–Börnstein Group II Vol. 12b, Magnetic properties of coordination and organome-

tallic transition metal compounds; by E. König and G. König (R.A. Jackson), (323) C21

Landolt–Börnstein, Numerical data and functional relationships in science and technology. New series, Group II. Atomic and molecular physics, Supplement 4 (1973, 1974) to Vol. 12, Magnetic properties of coordination and organometallic transition metal compounds. Sub-Vol. b. Electron paramagnetic resonance; by E. König and G. König (C. Eaborn) (301) C38

Landolt–Börnstein Group II Vol. 13e, Radical reaction rates in liquids, proton and electron transfer, biradicals; by J.K. Dohrmann, J.C. Scaiano and S. Steenken (R.A. Jackson), (323) C22

Landolt–Börnstein, Numerical data and functional relationships in science and technology. New series, Group III, Vol. 10 (Eds. K.-H. Hellwege and A.M. Hellwege). Supplement to Vol. III/5, Structure data of organic sub-volume a: $C_1 \ldots C_{15}$ (C. Eaborn), (304) C9

Lithium–current applications in science, medicine, and technology; edited by R.O. Bach (K.R. Seddon), (301) C14

Magnetochemistry; by R.L. Carlin (K.R. Seddon), (309) C35

Metal clusters in catalysis; edited by B.C. Gates, L. Guczi and H. Knözinger (P.A. Chaloner), (322) C27

Metal ions in biological systems. Vol. 18. Circulation of metals in the environment; edited by H. Sigel (M.A.F. Smith), (301) C12

Methoden der organischen Chemie (Houben–Weyl): Fourth completely new edit., Vol. 12, Part 9a; Metallorganische Verbindungen: Mn, Re, Fe, Ru, Os, Pt; edited by A. Signitz (J. Chatt), (325) C35

Methods for the oxidation of organic compounds: alkanes, alkenes, alkynes and arenes; by A.H. Haines (P.A. Chaloner), (301) C41

Organic photochemistry, Vol. 7; edited by A. Padwa (R.A. Jackson, (303) C56

Organomercury compounds in organic synthesis; by R.C. Larock (P.A. Chaloner) (307) C10

Organometallic chemistry reviews: annual surveys: Si, Sb, Bi, Mn, Tc, Re, heteronuclear complexes (J. Organomet. Chem. Library 17); edited by R.B. King and J.P. Oliver (P.D. Lickiss), (301) C15

Organometallic intramolecular-coordination compounds; by I. Omae (M.F. Lappert) (319) C60

Organometallic synthesis, Vol. 3; edited by R.B. King (J.D. Smith), (323) C18

Organotitanium reagents in organic synthesis; by M.T. Reetz (P.A. Chaloner), (312) C47

Organotransition metal chemistry; Fundamental concepts and applications; by A. Yamamoto (P.A. Chaloner), (317) C18

Plain words; by Sir E. Gowers, revised edition by S. Greenbaum and J. Whitcut (C. Eaborn), (323) C55

Schwingungsfrequenzen II: Nebengruppenelemente; by J. Weidlein, U. Müller and K. Dehnicke (K.R. Seddon, M. Geissler), (311) C68

Solvomercuration/demercuration reactions in organic synthesis; by R.C. Larock (P.A. Chaloner), (319) C19

Spectroscopic properties of inorganic and organometallic compounds, Vol. 17; reported by G. Davidson and E.A.V. Ebsworth (C. Eaborn), (306) C58

Stereochemistry of organometallic and inorganic compounds; edit. by I. Bernal (M.F. Lappert) (319) C59

Supported metal complexes. A new generation of catalysts; by F.R. Hartley (P.A. Chaloner), (304) C10

Syntheses of fluoroorganic compounds; edited by I.L. Knunyants and G.G. Yakobson (C. Eaborn), (308) C17

Tailored metal catalysts; ed. by I. Iwasawa (Catalysis by Metal Complexes Series) (P.A. Chaloner), (317) C17

The chemistry of the actinide elements, 2nd edition; edited by J.J. Katz, G.T. Seaborg and L.R. Morss (K.R. Seddon) (323) C20

The chemistry of the metal–carbon bond, Vol. 3: Carbon–carbon bond formation using organometallic compounds; edited by F.R. Hartley and S. Patai (G.J. Leigh), (304) C7

The chemist's English; by R. Schoenfeld (C. Eaborn), (323) C54

The industrial uses of tin chemicals; by S.J. Blunden, D.A. Cusack and R. Hill (C. Eaborn), (314) C68

The manipulation of air-sensitive compounds; by D.F. Shriver and M.A. Drezdzon (J.D. Smith), (321) C34

The proton: applications to organic chemistry; by R. Stewart (C. Eaborn), (308) C27

Topics in current chemistry, Vol. 130, Synthetic organic chemistry; edited by F.L. Boschke (P.A. Chaloner), (309) C74

Topics in organic electrochemistry; edited by A.J. Fry and W.E. Britton, (K.R. Seddon), (316) C39

Transition metal chemistry, Vol. 9; ed. by G.A. Melson and B.N. Figgis (K.R. Seddon, E.A. Seddon), (301) C66